

HMCM BART FRAKER HM STUDY GUIDE FOR E-1 TO E-7 CANDIDATES
TYPED AND PREPARED BY: HM1(SS) JOSEPH A. GIELLO
TABLE OF CONTENTS

PAGE-13 ADMINISTRATION # 1 E-6 & ABOVE
PAGE-27 ANATOMY AND PHYSIOLOGY # 1
PAGE-36 HEALTH SERVICE SUPPORT # 1
PAGE-40 NBC WARFARE # 1
PAGE-43 LABORATORY FORM # 1
PAGE-49 LABORATORY FORM#1 E-6 AND ABOVE
PAGE-52 PATIENT CARE # 1
PAGE-54 FIRST AID FORM # 1
PAGE-69 EMERGENCY PROCEDURES # 1 E-6 & ABOVE
PAGE-76 DIET THERAPY # 1 E-6 AND E-7
PAGE-78 ADMINISTRATION # 1 HEALTH RECORDS
PAGE-86 TERMINAL DIGIT # 1
PAGE-89 FAMILY ADVOCACY PROGRAM AND MISCELLANEOUS # 1
PAGE-96 MMART # 1
PAGE-100 PREVENTIVE MEDICINE # 1
PAGE-108 PREVENTIVE MEDICINE E-6 AND ABOVE # 1
PAGE-111 NBC WARFARE # 1 E-6 AND ABOVE
PAGE-113 SECURITY # 1 E-7
PAGE-116 MILITARY REQUIREMENTS # 1
PAGE-123 CORRESPONDENCE # 1
PAGE-127 FOOD SANITATION # 1
PAGE-132 IMMUNIZATIONS # 1
PAGE-136 PHARMACY AND TOXICOLOGY FORM # 1
PAGE-149 SUPPLY # 1
PAGE-152 OPTICAL CHARACTER RECOGNITION (OCR) TYPEWRITER AND FORMS FORM # 1
PAGE-156 ADMINISTRATION # 2 E-6 & ABOVE
PAGE-170 ANATOMY AND PHYSIOLOGY # 2
PAGE-180 HEALTH SERVICES SUPPORT # 2
PAGE-184 NBC WARFARE # 2
PAGE-187 LABORATORY FORM # 2
PAGE-193 LABORATORY FORM # 2 E-6 & ABOVE
PAGE-196 PATIENT CARE # 2
PAGE-198 FIRST AID FORM # 2
PAGE-213 EMERGENCY PROCEDURES # 2 E-6 AND ABOVE
PAGE-220 DIET THERAPY # 2 E-6 AND ABOVE
PAGE-222 ADMINISTRATION # 2 (HEALTH RECORD)
PAGE-230 TERMINAL DIGIT # 2
PAGE-234 FAMILY ADVOCACY PROGRAM AND MISCELLANEOUS # 2
PAGE-241 MMART # 2
PAGE-245 PREVENTIVE MEDICINE # 2
PAGE-253 PREVENTIVE MEDICINE E-6 AND ABOVE # 2
PAGE-256 NBC WARFARE # 2 E-6 AND ABOVE
PAGE-258 SECURITY # 2 E-7 CANDIDATES
PAGE-261 MILITARY REQUIREMENTS # 2
PAGE-268 CORRESPONDENCE # 2
PAGE-272 FOOD SANITATION # 2
PAGE-276 IMMUNIZATIONS # 2
PAGE-280 FOOD SERVICE # 2
PAGE-281 PHARMACY AND TOXICOLOGY # 2
PAGE-294 SUPPLY # 2
PAGE-297 OPTICAL CHARACTER RECOGNITION (OCR) TYPEWRITER AND FORMS # 2

HMCM FRAKER'S
SCHEDULE OF INSERVICE TRAINING

THE ORDER IN, WHICH THE SUBJECTS WILL BE, TAUGHT WILL HANDED OUT ON THE FIRST NIGHT OF CLASS.

SSIC CODES

MILITARY-----1000 SERIES-----MILITARY PERSONNEL

TESTS-----2000 SERIES-----TELECOMMUNICATIONS

REQUIRE-----3000 SERIES-----OPERATIONS AND READINESS

LUCK-----4000 SERIES-----LOGISTICS

AND-----5000 SERIES-----GEN. ADMINISTRATION &
MANAGEMENT (PERTAINS TO
MILITARY AND CIVILIAN
PERSONNEL AND MATTERS
THAT PERTAIN TO LAW

MASTERCHIEF-----6000 SERIES-----MEDICINE AND DENTISTRY

FRAKER'S-----7000 SERIES-----FINANCIAL MANAGEMENT

OUTSTANDING-----8000 SERIES-----ORDNANCE MATERIAL

STUDY-----9000 SERIES-----SHIPS DESIGN AND MATERIAL

MATERIAL-----10000 SERIES-----GENERAL MATERIAL

FOR-----11000 SERIES-----FACILITIES AND ACTIVITIES ASHORE

CORPSMAN-----12000 SERIES-----CIVILIAN PERSONNEL

ADVANCEMENT-----13000 SERIES-----AERONAUTICAL AND
ASTRONOMICAL MATERIAL

GOALS-----16000 SERIES-----COAST GUARD (ONLY COMES
UNDER THE NAVY IN TIME OF WAR

SERVICE RECORD

RENLIST-----NAVPERs 1070/601-----IMMEDIATE REENLISTMENT CONTRACT

EVERY-----NAVPERs 1070/602-----DEPENDENCY APPLICATION/RECORD OF
EMERGENCY DATA

CCANDIDATE---NAVPERs 1070/603-----ENLISTED CLASSIFICATION RECORD

THAT-----NAVPERs 1070/604-----NAVY OCCUPATION/TRAINING AND AWARDS HISTORY

HAS-----NAVPERs 1070/605-----HISTORY OF ASSIGNMENTS

UNDERSTOOD-NAVPERs 1070/606-----RECORD OF UNAUTHORIZED ABSENCE

CCOURT-----NAVPERs 1070/607-----COURT MEMORANDUM

EEVALUATIONS--NAVPERs 1070/609-----ENLISTED PERFORMANCE EVALUATIONS

PROCEDURES-NAVPERs 1070/610-----RECORD OF PERSONNEL ACTIONS

RRIGHT-----NAVPERs 1070/611-----RECORD OF NAVAL RESERVE SERVICE

AAFTER-----NAVPERs 1070/613-----ADMINISTRATIVE REMARKS

RREADING-----NAVPERs 1070/615-----RECORD OF DISCHARGE FROM THE NAVAL
RESERVE NAVPERs 1070/615(INACTIVE)

DD-214-----DD-214-----REPORT OF SEPARATION FROM ACTIVE DUTY
(DD-214)

NAVPERs 1070/66	OFFICER SERVICE RECORD JACKET
NAVPERs 1070/600	ENLISTED SERVICE RECORD JACKET
DD-4 (PAGE ONE)	ENLISTMENT CONTRACT
NAVPERs 1070/621 (1A)	AGREEMENT TO EXTEND ENLISTMENT
NAVPERs 1070/622 (1B)	ASSIGNMENT TO A RESERVE EXTENSION

DIET THERAPY

THE FOLLOWING IS THE AMOUNT OF NUTRIENTS EACH YIELD IN THE PROCESS OF METABOLISM
 PROTEIN 4 GRAMS, FAT 9 GRAMS & CARBOHYDRATES 4 GRAMS.

TREATMENT OF HYPOGLYCEMIA-----LOW CARBOHYDRATE, HIGH PROTEIN

GASTRITIS OR HYPERACIDITY-----BLAND

HYPERTHYROIDISM-----HIGH CALORIE

RENAL DISEASES,HYPERTENSION-----LOW SODIUM
& CARDIAC CONDITIONS (WHEN
EDEMA IS PRESENT)

ATONIC CONSTIPATION & SPASTIC-----HIGH RESIDUE
COLON

ARTHRITIS, HYPERTENSION &-----LOW CALORIE
DIABETES

POLIOMYELITIS & TUBERCULOSIS-----HIGH CALORIE

NEPHROSIS & CIRRHOSIS-----HIGH PROTEIN

HYPOTHYROIDISM & CARDIAC DISEASE-----LOW CALORIE

HEMORRHOIDS & PEPTIC ULCER-----BLAND

INFECTIOUS HEPATITIS & BURNS--187.5GRAMS OF PROTEIN DAILY--HIGH PROTEIN

POSTSURGICAL OR CONVALESCING FROM-----HIGH CALORIE
ACUTE ILLNESS (INFECT. BURNS & FEVERS)

IRRITABLE BOWEL SYNDROME & DIVERTICULOSIS-----HIGH RESIDUE
(FLUIDS ARE INCREASED)

ULCERATION, INFLAMMATION, INTESTINAL OBSTRUCTION-----LOW RESIDUE
& DIVERTICULITIS (GASTRIC DISORDERS)

RENAL DISEASE ASSOCIATED WITH NITROGEN RETENTION-----LOW PROTEIN

RADIATION INJURY & FRACTURES-----HIGH PROTEIN

CHRONIC NEPHRITIC EDEMA & RENAL DISEASE-----LOW PROTEIN
(KIDNEY DISEASES)

DYSENTERY'S & HEMORRHOIDECTOMY-----LOW RESIDUE

SUPPLY CODES

DURING-----6505-----DRUGS, BIOLOGICALS, AND OFFICIAL REAGENTS

CHILLY-----6508-----MEDICATED COSMETICS AND TOILETRIES

DECEMBER-----6510-----SURGICAL DRESSING MATERIALS

I-----6515---MEDICAL & SURGICAL INSTRUMENTS,EQUIPMENT
AND SUPPLIES

DELIVER-----6520---DENTAL INSTRUMENTS, EQUIPMENT, AND SUPPLIES

X-MAS-----6525---X-RAY EQUIPMENT AND SUPPLIES (MEDICAL, DENTAL
AND VETERINARY)

FRUIT-----6530-----HOSPITAL FURNITURE (EQUIPMENT, UTENSILS, AND
SUPPLIES)

CAKES-----6532---HOSPITAL AND SURGICAL CLOTHING AND
RELATED SPECIAL PURPOSES ITEMS

ON-----6540---OPTICIANS INSTRUMENTS, EQUIPMENT AND SUPPLIES

KINGS-----6545---MEDICAL SETS, KITS & OUTFITS

ISLAND-----6550---INVITRO DIAGNOSTICS SUBSTANCES, REAGENTS, TEST
KITS & SETS

FSC GROUP 66 PERTAINS TO INSTRUMENTS AND LABORATORY EQUIPMENT

PEOPLE WHO ARE ALLERGIC TO
EGGS AND FOUL SHOULD NOT BE GIVEN
THE FOLLOWING IMMUNIZATIONS.

THE FOUR QUARENTANABLE DISEASES
ARE AS FOLLOWS

(TIMY)
T---TYPHUS

(PYSC)
P---PLAGUE

I---INFLUENZA

Y---YELLOW FEVER

M---MEASLES

S---SMALLPOX

Y---YELLOW FEVER

C---CHOLERA

VITAMINS

A-----REALLY-----RETINOL
 B1-----THIN-----THIAMINE HYDROCHLORINE
 B2-----RECRUITS-----RIBOFLAVIN
 B6-----PREFER-----PYRIDOXINE HYDROCHLORIDE
 B12-----CARROTS-----CYANOCOBALAMIN
 C-----AND-----ASCORBIC ACID
 D-----SHUN-----SUNSHINE VITAMIN
 K-----MEAT-----MENIDIONE

A-----VERY-----VISION-SKIN CONDITIONS
 B1-----BIG-----BERIBERI
 B2-----PEOPLE-----PELLAGRA
 B6-----NEED-----NEURITIS
 B12-----PRIME-----PERNICIOUS ANEMIA
 C-----STEAK-----SCURVY
 D-----REAL-----RICKETS
 K-----BAD-----BLOOD CLOTTING

NBC

AGENTS USED TO KILL

AGENT	NAME	TYPE	SMELL-ANTIDOTE-SYMPTOMS
NO	NERVE ANTICHOLINESTERASE	GA GB GD VX (US)	ATROPINE (6MG MAX FOR NON MEDICAL PERSONNEL) (2MG DOSES UNTIL ATROPINIZATION FOR MEDICAL PERSONNEL DRY MOUTH AND TACHYCARDIA

BODY	BLOOD SYSTEMIC POISON	AC CK	ALMONDS AMYLNITRITE

CARES	CHOKING LUNG IRRITANT	CG CL DP PS	NEW MOWN HAY/GRASS/CORN NONE DRY LAND DROWNING DIPHOSGENE CHLOROPICRIN

BUT	BLISTER VESICANT	HD HN L CX	GARLIC/HORSERADISH FISH GERANIUMS NO ANTIDOTE IF BLISTERS APPEAR TX IS TOO LATE TX- SODIUM BICARBONATE DRESSINGS

USED FOR RIOT CONTROL

VERY	VOMITING	STERUTATOR	DM DA DC	BURNING FIREWORKS VIGOROUS EXERCISE

THOUGHTFUL	TEAR	LACRIMATOR	CS CN CA	PEPPER LIKE ODOR FACE THE WIND AND TALKING BROMBENZYL CYANIDE

PEOPLE	PSYCHOCHEMICAL	HALLUCINOGEN	BZ 3QUIN LSD	PHYSOTIGMINE SALICYLATE 2TO3MG IM EVERY 1TO2 HRS DURATION OF SYMPTOMS

LIST OF ABBREVIATIONS AND NAMES

GA---TABUN	CG---PHOSGENE	DM---ADAMSITE
GB---SARIN	CL---CHLORINE	DA---DIPHENYLCHLOROARSINE
GD---SOMAN	HD---MUSTARD	DC---DIPHENYLCYANOARSINE
VX---US ONLY	HN---NITROGEN MUSTARD	CS---ORTHOCHLOROBENZILIDINE
AC---HYDROCYANIC ACID	L---LEWISITE	MALANONITRILE
CK---CYANOGEN CHLORIDE	CX---OXIME PHOSGENE	CN---CHLORACETOPHENONE
BZ---3 QUINUCLIDINYL BENZILATE		DP---DIPHOSGENE
		PS---CHLOROPICRIN
		CA---BROMBENZYL CYANIDE

FRAKERS DITTY'S

HONOR	256N-HONORABLE	LEUKOPENIA	LEUKOCYTOSIS
GENERALS	257N-GENERAL	H-HEPATITIS	P-PNEUMONIA
BEFORE	259N-BCD	A-ANAPHYLACTIC SHOCK	A-APPENDICITIS
DISHONORING	260N-DISHONORABLE	T-TYPHOID FEVER	M-MENINGITIS
OTHERS	794N-OTHER THAN HONORABLE		

DISEASE'S TRANSMITTED BY WATER OR THE FLY

C-----CHOLERA
 A-----AMEBIASIS
 T-----TYPHOID FEVER

CHAPTERS IN THE NAVMED P-5010

CH-1----FOOD SANITATION
 CH-2----LIVING SPACES
 CH-3----VENTILATION
 CH-4----SWIMMING POOLS & BATHING
 CH-5----WATER ASHORE
 CH-6----WATER AFLOAT
 CH-7----WASTE WATER
 CH-8----ENTOMOLOGY (BUGS)
 CH-9----GROUND FORCES

MANUALS

P-117-----MANMED
 P-5010-----PREVENT MEDICINE
 P-5036-----STD INTERVIEWERS GUIDE
 P-5038-----COMMUNICABLE DISEASE IN MAN
 P-5041-----CONTROL OF AND TREATMENT OF CHEMICAL WARFARE CASUALTIES
 P-5055-----RADIATION HEALTH PROTECTION MANUAL
 P-5066A---NURSING PROCEDURES MANUAL
 P-5095-----POISONS/OVERDOSES/ANTIDOTES

5000 INSTRUCTIONS

SECNAVINST-----5215.1	DIRECTIVES ISSUANCE SYSTEM
SECNAVINST-----5216.5 D	CORRESPONDENCE MANUAL
NAVMEDCOMINST 5360.1 D	DECEDENT AFFAIRS
OPNAVINST -----5510.1 G	SECURITY MANUAL

6000 INSTRUCTIONS

NAVMEDCOMINST 6700.9-----HOW TO STOCK AN AMBULANCE
 NAVMEDCOMINST 6150.1-----HEALTH RECORD INSTRUCTION
 BUMEDINST 6230.1-----HEPATITIS
 BUMEDINST 6230.3-----IMMUNIZATIONS
 BUMEDINST 6222.10----SEXUAL TRANSMITTED DISEASE INSTRUCTION
 BUMEDINST 6224.8-----TUBERCULOSIS
 BUMEDINST 6320.22----FAMILY ADVOCACY PROGRAM
 BUMEDINST 6440.6-----MMART

FORMS

62-PMT

63-FORMS/REPORTING

NAVMED

6100/1----MED BOARD COVER SHEET

6120/1----COMPETENCY FOR DUTY EXAM

6150/2----SPECIAL DUTY MEDICAL ABSTRACT

6150/3----OLD SICK CALL TX RECORD

6150/4----ABSTRACT SVC MEDICAL HISTORY

6150/7----PINK CARD/CHARGE OUT

10-19-----HEALTH RECORDS JACKETS

6150/20--PROBLEM SUMMARY LIST

6224/1---TB CONTACT/CONVERTER FORM

6240/1---FOOD SERVICE INSPECTION REPORT

6300/1---MORBIDITY REPORT

6320/18--BINNACLE LIST

6320/19--MORNING REPORT OF THE SICK AND INJURED

6490/1---VISUAL RECORD

4061/1---FOOD SERVICE TRAINING CERTIFICATE

DD

686----WATER TEST FORM

771----EYE GLASS RX ORDER FORM

877----REQUEST FOR MEDICAL & OR DENTAL RECORDS

1191---OXYGEN WARNING TAG

1380----FIELD MEDICAL TAG

1141----RECORD OF EXPOSURE TO IONIZING
RADIATION**PHS**

2936---VENEREAL DISEASE CONTRACT REPORT

731-----INTERNATIONAL CERTIFICATE OF VACCINATION

P-117 MANMED

CHAPTER 1 THE MEDICAL DEPARTMENT

CHAPTER 6 DENTAL

CHAPTER 9 HOSPITAL CORPS

CHAPTER 15 PHYSICAL EXAMS

CHAPTER 16 HEALTH RECORDS

CHAPTER 17 CARE OF THE DEAD

CHAPTER 18 MEDICAL DISPOSITION

CHAPTER 19 FLEET MARINE FORCE

CHAPTER 21 PHARMACY

CHAPTER 22 PMT

CHAPTER 23 REPORTS & FORMS

PRIVACY ACT

<u>SHIP</u>	<u>#OF PEOPLE</u>	<u>#OF OPERATING BEDS</u>	<u>#OF BEDS</u>
--------------------	--------------------------	--------------------------------------	------------------------

LHD	342	6	604
LHA	178	4	367
LPH	109	2	218-222

1 tsp=5
 1 TSP=15
 1 WINEGLASS=60
 1 teacup=120
 1 pint=480
 1 dessert=10
 2 dessert=20
 1 tumbler=240
 1 quart=960

TEMPS

EGG 32 F
 MILK IN MESS HALL 32- 40 F
 MILK ON DELIVERY 40 F
 DAIRY BOX 32-34 F
 CHILL BOX 33- 36 F
 THAW BOX 36- 38 F
 REACH IN REFER 34- 40 F
 THAW OUT A FROST BITTEN PART 100-105 F
 SITS BATH 100 F
 HOT COMPRESS 110 F
 WATER BOTTLE 125 F
 GI CAN SANITIZING RINSE 212
 MEAT CUTTING PREPARATION ROOM 50 F
 BERTHING AND MEDICAL SPACES 70 F
 GALLEY 80 F
 BODIES 36 - 40 F 2.2 - 4.4 C

SHIPPING CODES

G- NORMAL REFRIGERATION
 F- SUBJECT TO DAMAGE BY FREEZING
 I- INFLAMMABLE
 Q & R- CONTROLLED
 B- CORROSIVE/POISONOUS
 W- KEPT FROZEN (YELLOW FEVER/ POLIO)
 BIOLOGICAL 2-8 CENTIGRADE 35.6 TO 46.4 F

APPROPRIATION SYMBOLS

17----DEPARTMENT OF NAVY
 19----STATE DEPARTMENT
 21----DEPARTMENT OF ARMY
 57----AIRFORCE
 97----DEPARTMENT OF DEFENSE

MORTALITY RATES

BOTULISM----18%
 HEAT STROKE----20%
 ASPIRATION PNEUMONIA 60%

FOOD SERVICE TEMP

MACHINE DISH WASHING MAX TEMP WASH WATER 150 - 160 F

MACHINE DISH WASHING FINAL RINSE 180 - 195 F

MANUAL DISHWASHING 125 F

MANUAL DISHWASHING FINAL RINSE 170 F

FATS AND GREASE BREAKDOWN 120 F

FOOD BAKES ON DISHES 140 F

FRESH FISH ON DELIVERY 28 - 35 F

STORAGE OF EGGS 32 F

PROCESSED 100 - 110

FRUITS AND VEGETABLES STORED ABOVE 40 - F MAY CAUSE CARBON DIOXIDE

GRAM'S STAIN

<u>C</u> OAST (CRYSTAL VIOLET)	<u>P</u> EOPLE (PRIMARY STAIN)	BLUE, BLUE-BLACK,PURPLE	1MINUTE
<u>G</u> UARD (GRAMS IODINE)	<u>M</u> ONEY (MORDANT)	FIXES GRAMS POSITIVE	1MINUTE
<u>A</u> CADEMY (ACETONE ALCOHOL)	<u>D</u> URING (DECOLORIZER)	WASHES STAIN FROM EVERYTHING EXCEPT GRAM POSITIVE	UNTIL THE PURPLE STOPS RUNNING
<u>S</u> AVES (SAFRANINE)	<u>C</u> OLLEGE (COUNTERSTAIN)	COLORS GRAM NEGATIVE PINK	30SEC TO 1 MIN

<u>P</u> REVENTIVE	PSYCHROPHILIC	REPRODUCE BEST AT 15-20 DEG C
<u>M</u> EDICINE	MESOPHILIC	REPRODUCE BEST AT 20-45 DEG C
<u>T</u> ECHNICIAN'S	THERMOPHILIC	REPRODUCE BEST AT 50-55 DEG C
<u>M</u> UST	MICROAEROPHILIC	GROW IN REDUCE AMOUNTS OF OXYGEN
<u>A</u> VOID	AUTOTROPHIC	BACTERIA THAT ARE SELF-NOURISHING
<u>H</u> EPATITIS	HETEROTROPHIC	BACTERIA ARE NOT SELF SUSTAINING

THE FOUR GROWTH REQUIREMENTS FOR BACTERIA

MOISTURE

OXYGEN

NUTRITION

TEMPERATURE

ADMINISTRATION #1
E6 & ABOVE

1. WHO IS RESPONSIBLE FOR THE FORMULATION AND PROMULGATION OF POLICIES, STANDARDS PROCEDURES, AND TRAINING MATERIAL PERTINENT TO THE DECEDENT AFFAIRS PROGRAM?
 - A. SECNAV
 - B. CNO
 - C. BUMED
 - D. BUPERS

2. WHICH OF THE PROGRAMS LISTED BELOW (ALTHOUGH RELATED) IS NOT PART OF THE DECEDENT AFFAIRS PROGRAM?
 - A. CURRENT DECEDENT AFFAIRS
 - B. CONCURRENT RETURN
 - C. GRAVES REGISTRATION
 - D. CASUALTY ASSISTANCE CALLS

3. AS DEFINED BY THE DECEDENT AFFAIRS PROGRAM, WHICH OF THE BELOW WOULD BE CONSIDERED A PRIMARY EXPENSE IN THE CARE OF THE DEAD?
 - A. CREMATION
 - B. OPENING GRAVE SITE
 - C. CLERGYMAN'S SERVICES
 - D. FUNERAL DIRECTORS SERVICES

4. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE PERSONNEL CASUALTY REPORT (DEATH) REPORT SYMBOL BUPERS 1770-4 OFFICER/ENLISTED?
 - A. THIS REPORT IS NOT PREPARED FOR PERSONNEL MISSING/MISSING IN ACTION
 - B. ONLY PREPARED FOR MEMBERS OF THE ARMED FORCES WHO DIE ON NAVAL RESERVATIONS
 - C. SUBMITTED BY PRIORITY MESSAGE BY THE COMMANDER OR IMMEDIATE SUPERIOR IN COMMAND OF THE UNIT THAT SUFFERS THE CASUALTY
 - D. IF THE MEMBER COMMAND IS UNKNOWN NMPC WILL BE NOTIFIED WITH AN INFORMATION COPY TO JAG

5. THE COMMANDING OFFICER WILL WRITE A LETTER OF CONDOLENCE TO THE PRIMARY & SECONDARY NEXT OF KIN IN ALL CASES WITHIN HOW MANY HOURS OF THE CASUALTY?
 - A. 24
 - B. 36
 - C. 48
 - D. 96

6. WHAT IS THE MINIMUM NUMBER OF DEATHS PER YEAR FOR NAVAL ACTIVITIES TO HAVE AN ANNUAL CARE OF THE DEAD CONTRACT?
- A. 5
 - B. 10
 - C. 20
 - D. 25
7. REMAINS TO BE BURIED AT SEA SHOULD BE PLACED IN THE WATER AT DEPTHS GREATER THAN?
- A. 50 FATHOMS
 - B. 100 FEET
 - C. 100 FATHOMS
 - D. 500 FEET
8. WHEN REMAINS ARE TRANSPORTED TO ANOTHER OVERSEAS AREA OR TO A PORT OF ARRIVAL IN CONUS, THREE (3) SIGNED COPIES OF THE CERTIFICATE OF DEATH (OVERSEAS), WHICH IS WHAT FORM MUST ACCOMPANY THE REMAINS?
- A. NAVSUP FORM 29
 - B. DD-2063
 - C. DD-1375
 - D. DD-2064
9. UNLESS SPECIFICALLY REQUESTED BY THE NEXT OF KIN, REMAINS WILL NOT BE SHIPPED TO ARRIVE AT A DESTINATION ON?
- A. VETERANS DAY
 - B. INDEPENDENCE DAY
 - C. ARMED FORCES DAY
 - D. THANKSGIVING DAY
10. WHAT OFFICIAL WITHIN THE DISTRICT IN WHICH THE REQUESTED PORT IS LOCATED SHOULD BE CONSULTED FOR BURIAL AT SEA?
- A. STAFF MEDICAL OFFICER
 - B. FLEET COMMANDER-IN-CHIEF
 - C. AREA COMMANDER
 - D. NAVAL REGIONAL MEDICAL OFFICE
11. WHICH OF THE BELOW IS NOT TRUE CONCERNING ESCORT DUTY?
- A. CREMAINS OF ACTIVE DUTY PERSONNEL MUST BE HAND CARRIED BY AN ESCORT
 - B. THE ACTIVITY ARRANGING TRANSPORTATION IS ALSO RESPONSIBLE FOR THE ESCORT
 - C. THE ESCORT MUST BE OF THE SAME BRANCH OF SERVICE, STATUS, & PAY GRADE AS THE DECEASED
 - D. AN ESCORT IN RETIRED OF INACTIVE STATUS SHOULD BE TREATED AS A CIVILIAN

12. AN OFFICER ASSIGNED TO COORDINATE THE DECEDENT AFFAIRS PROGRAM IS PREFERABLY A MEMBER OF THE?
- A. SUPPLY CORPS
 - B. CIVIL ENGINEERING CORPS
 - C. MEDICAL CORPS
 - D. MEDICAL SERVICE CORPS
13. AN INFORMATION REPORT WILL BE MADE BY PRIORITY MESSAGE TO WHICH OF THE FOLLOWING IF ADDITIONAL PORTIONS OF REMAINS ARE RECOVERED SUBSEQUENT TO THE SHIPMENT OF THE DECEDENT TO THE NEXT OF KIN?
- A. BUMED/NAVMEDCOM
 - B. SECNAV
 - C. JAG
 - D. BUPERS
14. WHEN THE DEATH OF AN ACTIVE DUTY NAVY MEMBER OCCURS OUTSIDE THE BOUNDARIES OF A MILITARY RESERVATION, REMOVAL OF THE REMAINS MUST COMPLY WITH?
- A. PUBLIC HEALTH SERVICE REGULATIONS
 - B. INSTRUCTIONS ISSUED BY THE NEAREST NAVAL ACTIVITY
 - C. INSTRUCTIONS ISSUED BY THE NEAREST MILITARY COMMAND
 - D. CIVIL LAWS & REGULATIONS
15. THE ANNUAL REPORT CONCERNING ADEQUACY OF INTERMENT ALLOWANCE MUST BE SUBMITTED TO BUMED BY?
- A. 1 FEB
 - B. 1 JUL
 - C. 30 OCT
 - D. 31 DEC
16. WHEN ANNUAL CONTRACTS ARE NOT IN EFFECT, INDIVIDUAL PURCHASE ORDERS FOR SUPPLIES AND SERVICES SHALL BE MADE OUT IN ACCORDANCE WITH WHICH OF THE FOLLOWING MANUALS?
- A. NAVCOMP
 - B. NAVSUP
 - C. BUMED
 - D. BUPERS
17. HOW MANY TWO-INCH HOLES ARE DRILLED IN THE CASKET FOR BURIAL AT SEA?
- A. 12
 - B. 20
 - C. 24
 - D. 30

18. WHO IS RESPONSIBLE FOR NOTIFICATION OF THE NEXT OF KIN IF A MEMBER DIES OUTSIDE OF OR WITHIN TERRITORIAL WATERS?
- A. BUMED
 - B. BUPERS
 - C. COMMANDING OFFICER
 - D. SECNAV
19. THE AUTHORIZED GOVERNMENT ALLOWANCE FOR EXPENSES WHEN REMAINS OR CREMAINS ARE CONSIGNED DIRECTLY TO A NATIONAL CEMETERY ON OR AFTER 1 JUL 74 WILL NOT EXCEED?
- A. \$110.00
 - B. \$750.00
 - C. \$950.00
 - D. \$1750.00
20. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE DECEDENT AFFAIRS PROGRAM?
- A. PAYMENT FOR MEMORIAL SERVICES MAY BE CLAIMED 2 YEARS AFTER DEATH
 - B. ENEMY PRISONERS ARE DRESSED IN U.S. UNIFORMS
 - C. NAVAL REGULATIONS SHOULD BE CONSULTED FOR MILITARY HONORS AT FUNERALS
 - D. MEMBERS WHO ARE UA ARE NOT ENTITLED TO SOME DECEDENT AFFAIRS BENEFITS
21. WHICH OF THE FOLLOWING WOULD BE CONSIDERED A FIXED MEDICAL TREATMENT FACILITY?
- A. HOSPITAL SHIP
 - B. CLINIC
 - C. BATTALION AID STATION
 - D. FORCE EVACUATION HOSPITAL
22. WHICH OF THE PERSONNEL LISTED BELOW WOULD NOT BE CONSIDERED A BATTLE CASUALTY?
- A. MEMBER CAPTURED BY THE ENEMY
 - B. PERSONNEL MISSING IN ACTION
 - C. HEAT CASUALTY WHO DIES IN BATTLE
 - D. PERSONNEL WOUNDED IN ACTION
23. THE AUTHORIZED STRENGTH OF THE MEDICAL CORPS MAY EQUAL WHAT PERCENTAGE OF ALL AUTHORIZED NUMBER OF COMMISSIONED OFFICERS OF THE NAVY & MARINE CORPS
- A. 0.65%
 - B. 0.2%
 - C. 0.13%
 - D. 0.6%

24. WHICH OF THE BELOW LISTED PERSONNEL WOULD BE ASSIGNED AS AN ADMINISTRATIVE ASSISTANT TO A FLEET OR FORCE COMMANDER?
- A. HM1
 - B. HMC
 - C. HMCS
 - D. HMCM
25. WHAT IS THE TITLE OF THE SENIOR MEDICAL CORPS OFFICER ABOARD A HOSPITAL SHIP?
- A. STAFF MEDICAL OFFICER
 - B. SENIOR MEDICAL OFFICER
 - C. OFFICER IN COMMAND
 - D. COMMAND OFFICER
26. THE ENLISTED DISTRIBUTION VERIFICATION REPORT (EDVR REPORT 1080) IS ORGANIZED INTO HOW MANY SECTIONS?
- A. 4
 - B. 8
 - C. 12
 - D. 20
27. WHAT TYPE OF ORDERS WOULD MAKE A MAN NOT ATTACHED TO ANY PERMANENT DUTY STATION?
- A. TEMDU
 - B. ADDU
 - C. TEMADD
 - D. FIRST DUTY ORDERS
28. IF A MEMBER ENLISTS ON 1 JAN 83, TAKES 15 DAYS LEAVE ON COMPLETION OF RECRUIT TRAINING, 10 DAYS LEAVE AFTER HOSPITAL CORPS SCHOOL, IS IN AN UNAUTHORIZED ABSENCE STATUS FOR 60 DAYS. WHAT WOULD HIS LEAVE BALANCE BE ON 1 OCT 83?
- A. -2.5
 - B. -5.0
 - C. -7.5
 - D. +5.0
29. WHAT PART OF THE RECORD OF EMERGENCY DATA (NAVPERS 1070/602) SERVES AS AN APPLICATION FOR DEPENDENCY ALLOWANCES?
- A. I
 - B. II
 - C. III
 - D. IV

30. WHAT IS THE DOCUMENT THAT ESTABLISHES A LEGAL RELATIONSHIP BETWEEN THE GOVERNMENT AND THE ENLISTED MEMBER WHEN REENLISTMENT IS EFFECTED WITH IN 24 HOURS AFTER DISCHARGE?
- A. DD FORM 4
 - B. NAVPERS 1070/601
 - C. NAVPERS 1070/621
 - D. NAVPERS 1070/622
31. WHAT PAGE IN THE SERVICE RECORD IS THE DEPENDENCY APPLICATION RECORD OF EMERGENCY DATA?
- A. PAGE 1
 - B. PAGE 1A
 - C. PAGE 1B
 - D. PAGE 2
32. WHAT PAGE IN THE SERVICE RECORD WOULD INDICATE A RECOMMENDATION FOR ADVANCEMENT?
- A. NAVPERS 1070/603
 - B. NAVPERS 1070/605
 - C. NAVPERS 1070/607
 - D. NAVPERS 1070/609
33. UNAUTHORIZED ABSENCES OF LESS THAN 24 HOURS AND OTHER OFFENSES WHICH DO NOT EFFECT A MEMBERS PAY SHALL BE RECORDED ON THE?
- A. RECORD OF UNAUTHORIZED ABSENCE
 - B. COURT MEMORANDUM
 - C. ADMINISTRATIVE REMARKS
 - D. RECORD OF PERSONNEL ACTIONS
34. WHICH OF THE BELOW WOULD NOT APPEAR ON A NAVY OCCUPATION TRAINING AND AWARDS HISTORY (NAVPERS 1070/604) OF A MAN ON ACTIVE DUTY?
- A. RETIREMENT POINTS EARNED
 - B. REDUCTION IN RATE
 - C. ENLISTED CLASSIFICATION CODES
 - D. SERVICE SCHOOLS ATTENDED
35. WHAT ENTRY WOULD NOT BE INCLUDED ON THE RECORD OF PERSONNEL ACTIONS (NAVPERS 1070/610)?
- A. CHANGE OF RATE
 - B. REENLISTMENT BONUS PAID
 - C. PROFICIENCY PAY
 - D. CITIZENSHIP

36. THE COURT MEMORANDUM (NAVPERS 1070/607) SHALL BE COMPLETED WHEN?
- A. MEMBER FOUND GUILTY BY A COURT MARTIAL
 - B. COMMANDING OFFICER FINES A MAN 50 DOLLARS AT NJP
 - C. A MAN RECEIVES A REDUCTION IN GRADE SUSPENDED FOR 6 MONTHS
 - D. BOTH A & B
37. WHAT LETTER IS USED TO INDICATE A MAN WAS AWARDED NJP ON THE ENLISTED PERFORMANCE EVALUATION (NAVPERS 1070/609)?
- A. S
 - B. M
 - C. AR
 - D. RR
38. WHICH OF THE FORMS LISTED BELOW WOULD BE FOUND ON THE RIGHT SIDE OF THE ENLISTED SERVICE RECORD (NAVPERS 1070/600)?
- A. RECORD OF DISCHARGE FROM THE NAVAL RESERVE
 - B. ENLISTED PERFORMANCE EVALUATIONS
 - C. SECURITY CLEARANCE
 - D. NAVPERS 1414/4
39. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE OFFICER SERVICE RECORD (NAVPERS 1070/66)?
- A. DOCUMENTS AFFECTING THE UTILIZATION AND ASSIGNMENT ARE FILED ON THE RIGHT SIDE OF THE RECORD
 - B. OFFICIAL CORRESPONDENCE RELATING TO THE OFFICERS HISTORY AT HIS PRESENT DUTY STATION ARE FILED ON THE LEFT SIDE OF THE RECORD
 - C. WILLS AND PERSONAL DOCUMENTS PERTAINING TO WILLS SHALL BE FILED ON THE RIGHT SIDE OF THE RECORD
 - D. CORRESPONDENCE COURSE COMPLETION LETTERS ARE FILED ON THE LEFT SIDE OF THE RECORD
40. WHAT FORM OF DISCHARGE CERTIFICATE MAY ONLY BE GIVEN BY AN APPROVED SENTENCE OF A GENERAL OR SPECIAL COURT-MARTIAL?
- A. DD FORM 256N
 - B. DD FORM 257N
 - C. DD FORM 794N
 - D. DD FORM 259N

41. THE OFFICER DISTRIBUTION CONTROL REPORT (ODCR) IS PREPARED AT NMPC?
- A. MONTHLY
 - B. QUARTERLY
 - C. SEMI-ANNUALLY
 - D. ANNUALLY
42. THE STANDARD DIARY (NAVPERS 1070/75) CONSISTS OF HOW MANY DISTINCT PARTS?
- A. 2
 - B. 3
 - C. 4
 - D. 5
43. THE PERSONNEL DIARY IS A CHRONOLOGICAL RECORD OF PERSONNEL ATTACHED TO A NAVAL ACTIVITY FOR DUTY OR TEMPORARY DUTY. ITS PURPOSE IS TO PROVIDE CURRENT ACCOUNTING INFORMATION TO BE USED IN CONJUNCTION WITH OCR-DOCUMENT INPUT IN THE PREPARATION OF MANAGEMENT REPORTS THROUGHOUT THE NAVY TO?
- A. EDVR
 - B. ODCR
 - C. MAPTIS
 - D. ALL OF THE ABOVE
44. THE PERSONNEL DIARY MESSAGE IS PREPARED ON WHAT FORM?
- A. EPMAC 1080.4A
 - B. DD 173/3
 - C. NAVPERS 1080.1D
 - D. NAVPERS 1301/5
45. WHAT ARE THE FIRST TWO DIGITS OF THE APPROPRIATION SYMBOL, WHICH IDENTIFIES THE DEPARTMENT OF THE ARMY?
- A. 19
 - B. 21
 - C. 57
 - D. 97
46. WHAT TYPE OF INVENTORY SHOULD BE CONDUCTED IF A RANDOM SAMPLING INVENTORY OF A SPECIFIC STORE ROOM FAILS TO MEET THE INVENTORY ACCURACY RATE OF 90% WHEN DIRECTED BY TYCOM AS A RESULT OF A SUPPLY MANAGEMENT INSPECTION?
- A. BULKHEAD TO BULKHEAD
 - B. SPECIFIC COMMODITY
 - C. VELOCITY
 - D. SPECIAL MATERIAL

47. WHAT TYPE OF INVENTORY WOULD INVOLVE THE INVENTORY OF ALL FAST AND SLOW MOVERS?
- A. RANDOM SAMPLING
 - B. SPECIFIC COMMODITY
 - C. SPECIAL MATERIAL
 - D. VELOCITY
48. WHAT FUND IS A REVOLVING FUND USED TO FINANCE COMMERCIAL TYPE ACTIVITIES SUCH AS A NAVAL SHIPYARD?
- A. NAVAL WORKING
 - B. NAVY MANAGEMENT
 - C. NAVY STOCK
 - D. NAVY INDUSTRIAL
49. WHAT TYPE OF FUND IS INVOLVED IN THE SHIPMENT OF HOUSEHOLD GOODS?
- A. NAVAL WORKING
 - B. NAVY INDUSTRIAL
 - C. NAVY MANAGEMENT
 - D. NAVY STOCK
50. WHICH OR THE PERSONNEL LISTED BELOW IS NOT A SPECIAL ASSISTANT TO THE COMMANDING OFFICER IN A NAVAL HOSPITAL?
- A. COMPTROLLER
 - B. EXECUTIVE OFFICER
 - C. DIRECTOR OF NURSING
 - D. PUBLIC AFFAIRS OFFICER
51. WHAT DOES BUMED INSTRUCTION 6222.3 INDICATE?
- A. 3rd INSTRUCTION FORM BUMED WITH THE SSIC
 - B. 3rd PARAGRAPH IS THE ACTION PART OF THE INSTRUCTION
 - C. 3rd REVISION OF THE INSTRUCTION
 - D. 3rd MAJOR SUBJECT COVERED BY THE INSTRUCTION
52. WHICH OF THE BELOW WOULD BE AN EXAMPLE OF AN ARBITRARY SUBJECT OF AN INSTRUCTION?
- A. 6000
 - B. 6200
 - C. 6244
 - D. 6224/1

53. WHAT TYPE OF APPROPRIATION GENERALLY COVER THE OPERATION AND MAINTENANCE EXPENSES OF THE NAVY?
- A. ANNUAL
 - B. CONTINUING
 - C. NO-YEAR
 - D. MULTIPLE-YEAR
54. WHAT IS THE STATUS OF AN APPROPRIATION NO LONGER AVAILABLE FOR DISBURSEMENT?
- A. EXPIRED
 - B. LAPSED
 - C. CLOSED
 - D. CURRENT
55. WHAT APPROPRIATION SYMBOL IS USED TO IDENTIFY ALL APPROPRIATIONS TO THE NAVY?
- A. 04
 - B. 17
 - C. 18
 - D. 80
56. THE AUTHORIZED MEDICAL ALLOWANCE LIST (AMAL) IS NORMALLY SUFFICIENT TO SUPPLY THE MEDICAL NEEDS OF THE SHIP FOR?
- A. 6 MONTHS
 - B. 12 MONTHS
 - C. 18 MONTHS
 - D. 24 MONTHS
57. WHAT HANDLING CODE WOULD BE USED FOR MATERIAL THAT IS CORROSIVE OR POISONOUS?
- A. B
 - B. G
 - C. R
 - D. W
58. WHAT FORM SHOULD BE USED TO REQUISITION GSA CONTRACT ITEMS SUCH AS MEDICAL BOOKS AND JOURNALS?
- A. NAVSUP 1114
 - B. NAYSUP 1250-1
 - C. DD-1149
 - D. DD-1348

59. WHAT IS THE MAXIMUM AMOUNT OF MONEY THAT IS KEPT IN THE IMPREST FUND?
- A. \$1,500
 - B. \$2,500
 - C. \$5,000
 - D. \$10,000
60. HOW OFTEN IS THE IMPREST FUND REVIEWED TO DETERMINE CURRENT NEEDS?
- A. MONTHLY
 - B. QUARTERLY
 - C. SEMI –ANNUALLY
 - D. ANNUALLY
61. WHAT IS THE QUANTITY OF MATERIAL TO BE MAINTAINED ON HAND TO SUSTAIN CURRENT OPERATIONS, NORMALLY FOR 6 MONTHS?
- A. SAFETY LEVEL
 - B. AVERAGE ENDURANCE LEVEL
 - C. REQUISITIONING OBJECTIVE
 - D. STOCKAGE OBJECTIVE
62. WHICH OF THE BELOW LISTED PERSONNEL WOULD BE RESPONSIBLE FOR CONDUCTING AN INFORMAL SURVEY?
- A. DEPARTMENT HEAD
 - B. DEPARTMENT CHIEF PETTY OFFICER
 - C. COMMANDING OFFICER
 - D. EXECUTIVE OFFICER
63. WHO IS NOT PERMITTED TO SERVE ON A FORMAL SURVEY BOARD?
- A. ENSIGN SUPPLY CORPS
 - B. LTJG LINE OFFICER
 - C. LT MEDICAL CORPS
 - D. GS-10
64. BUILDINGS AND IMPROVEMENTS WOULD BE CONSIDERED PLANT PROPERTY CLASS?
- A. I
 - B. II
 - C. III
 - D. IV

65. WHAT PART OF THE PRESCRIPTION (DD-1289) GIVES THE DIRECTIONS TO THE COMPOUNDER?
- A. SUPERSSCRIPTION
 - B. INSCRIPTION
 - C. SUBSCRIPTION
 - D. SIGNA
66. WHAT SCHEDULE OF DRUGS SHALL BE NUMBERED CONSECUTIVELY PRECEDED BY THE LETTER "N" AND FILED SEPARATELY?
- A. I
 - B. I & II
 - C. II & III
 - D. I, II & III
67. WHAT IS THE FIRST RESPONSIBILITY OF MEDICAL SUPPORT TO THE FLEET MARINE FORCE?
- A. EVACUATION OR TRIAGE
 - B. MEDICAL PLANNING
 - C. CARE OF THE SICK AND INJURED
 - D. PREVENTIVE MEDICINE
68. THE MEDICAL BATTALION OF THE FMF CONSISTS OF HOW MANY COMPANIES?
- A. 4
 - B. 5
 - C. 7
 - D. 9
69. WHAT PRINCIPLE IS USED TO PROVIDE MEDICAL SUPPORT TO THE SICK, INJURED, AND WOUNDED MARINES AT THE RIGHT TIME AND PLACE?
- A. CONFORMITY
 - B. FLEXIBILITY
 - C. MOBILITY
 - D. CONTINUITY
70. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE BATTALION MEDICAL SECTION H & S COMPANY?
- A. THERE IS two MEDICAL OFFICERS AND 65 HOSPITAL CORPSMEN ASSIGNED
 - B. THE BATTALION SURGEON DIRECTS THE OPERATION OF THE BAS
 - C. 11 HOSPITAL CORPSMEN ARE ASSIGNED TO OPERATE WITH EACH RIFLE COMPANY
 - D. THE BATTALION SURGEON IS A SPECIAL STAFF OFFICER

71. HOW MANY SURGICAL SUPPORT PLATOONS (GENERAL SURGEON, AND ANESTHESIOLOGIST, AND 15 HOSPITAL CORPSMEN) IS PROVIDED FOR EACH BATTALION?
- A. 1
 - B. 2
 - C. 3
 - D. 4
72. WHAT TYPE OF CASUALTY RECEIVING SHIP HAS THE MEDICAL CAPABILITY OF PROVIDING ONLY 90 BEDS?
- A. LHA
 - B. LPH
 - C. LPD
 - D. LSD
73. WHAT CLASSIFICATION OF CASUALTIES REQUIRE MEDICAL OFFICERS SPEND A GREAT DEAL OF TIME WITH?
- A. GROUP I
 - B. GROUP II
 - C. GROUP III
 - D. GROUP IV
74. CASUALTIES IN THE URGENT CLASSIFICATION MUST BE EVACUATED WITHIN HOW MANY HOURS TO SAVE LIFE OR LIMB?
- A. 2
 - B. 4
 - C. 6
 - D. 12
75. DURING AMPHIBIOUS OPERATIONS, WHO IS RESPONSIBLE FOR THE ENTERING OF MEDICAL EVACUEES INTO THE MEDICAL REGULATING SYSTEM?
- A. COMMANDER OF THE LANDING FORCE
 - B. COMMANDER AMPHIBIOUS TASK FORCE
 - C. AMPHIBIOUS TASK FORCE M. O.
 - D. MEDICAL SUPPORT OPERATIONS CENTER
76. A MOUNT-OUT BLOCK IS DESIGNED TO SUPPORT 3,000 PERSONNEL FOR HOW MANY DAYS?
- A. 10
 - B. 20
 - C. 30
 - D. 60

77. WHAT IS THE NAUTICAL MILE RADIUS OF AN EVACUATION HELICOPTER?

- A. 50
- B. 75
- C. 100
- D. 150

78. WHAT PUBLICATION ESTABLISHES POLICIES FOR OPERATING AND MANAGING AFLOAT SUPPLY DEPARTMENTS AND ACTIVITIES?

- A. NAYSUP-P-437
- B. NAVSUP- P-409
- C. NAVSUP INST 4235.3
- D. NAVSUP P485

ANATOMY AND PHYSIOLOGY # 1

1. WHAT ANATOMICAL TERM PERTAINS TO THE LOWER END OF THE BODY?
 - A. PROXIMAL
 - B. DISTAL
 - C. INFERIOR
 - D. CAUDAL

2. WHAT IS THE PROCESS OF ABSORPTION, STORAGE AND USE OF FOODS FOR BODY GROWTH, MAINTENANCE, AND REPAIR?
 - A. HOMEOSTASIS
 - B. METABOLISM
 - C. DIGESTION
 - D. ALL OF THE ABOVE

3. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE SMALLEST UNIT OF LIFE, THE CELL?
 - A. IS MADE UP OF THE PLASMA MEMBRANE, A NUCLEUS AND THE CYTOPLASM
 - B. IT CONTAINS 46 CHROMOSOMES
 - C. IS COMPOSED OF A VISCID, JELLY LIKE SUBSTANCE, CALLED CYTOPLASM
 - D. PROTOPLASM HAS BEEN CALLED "THE SECRET OF LIFE"

4. WHAT TYPE TISSUE ACTS AS A RESERVOIR FOR ENERGY-PRODUCING FOODS, HELPS TO REDUCE BODY HEAT LOSS BECAUSE OF ITS POOR HEAT CONDUCTIVITY, AND SERVES AS SUPPORT FOR VARIOUS ORGANS AND FRAGILE STRUCTURES SUCH AS THE KIDNEYS, BLOOD VESSELS, AND NERVES?
 - A. ADIPOSE
 - B. OSSEOUS
 - C. AREOLAR
 - D. EPITHELIAL

5. WHAT SUBSTANCE CONTAINED IN THE BONE PROVIDES FOR IT'S STRENGTH AND HARDNESS?
 - A. CALCIUM
 - B. PROTEIN
 - C. OSSEIN
 - D. ALL OF THE ABOVE

6. THE PELVIC BONES (BY THEIR SHAPE) WOULD BE CLASSIFIED AS WHAT TYPE OF BONES?
 - A. LONG
 - B. SHORT
 - C. FLAT
 - D. IRREGULAR

7. WHICH OF THE FOLLOWING BONES IS LOCATED IN THE NOSE?

- A. LACRIMAL
- B. PALATINE
- C. VOMER
- D. MALAR

8. WHAT BONE FORMS THE FOREHEAD, CONTAINS THE FRONTAL SINUSES AND HELPS FORM THE EYE SOCKET AND NASAL CAVITY?

- A. TEMPORAL
- B. FRONTAL
- C. OCCIPITAL
- D. ETHMOID

9. WHAT IS THE FIRST CERVICAL VERTEBRAE WHICH SUPPORTS THE HEAD?

- A. ATLAS
- B. AXIS
- C. FORAMEN MAGNUM
- D. ZYGOMATIC PROCESS

10. THE THREE INNOMINATE BONES ARE FIRMLY UNITED INTO ONE BONE TO FORM A CUP LIKE STRUCTURE CALL THE?

- A. SYMPHYSIS
- B. ACETABULUM
- C. OBTURATOR FORAMEN
- D. ILIUM

11. THE PROMINENCE AT THE DISTAL END OF THE FIBULA FORMS THE OUTER ANKLE AND IS CALLED?

- A. LATERAL CONDYLES
- B. MEDIAL CONDYLES
- C. LATERAL MALLEOLUS
- D. MEDIAL MALLEOLUS

12. WHICH OF THE BELOW IS NOT TRUE CONCERNING JOINT MOVEMENT?

- A. CIRCUMDUCTION INVOLVES THE HIPS AND SHOULDERS
- B. ABDUCTION IS MOVING AN EXTREMITY AWAY FROM THE BODY
- C. GLIDING IS ONE SURFACE MOVING OVER ANOTHER WITHOUT ANY ROTARY OR ANGULAR MOTION
- D. ANGULAR MOTION IS THE SIMPLEST TYPE

13. TURNING OUTWARD AS IN TURNING THE SOLE OF THE FOOT TO THE OUTSIDE WOULD BE TERMED?
- A. EVERSION
 - B. INVERSION
 - C. SUPINATION
 - D. PRONATION
14. WHAT GIVES MUSCLES A CERTAIN FIRMNESS, OR A CONTINUED STATE OF PARTIAL CONTRACTION?
- A. ISOMETRIC
 - B. TONICITY
 - C. CONTRACTABILITY
 - D. EXTENSIBILITY
15. WHAT IS THE LONGEST MUSCLE IN THE BODY?
- A. BICEPS FEMORIS
 - B. TIBIALIS ANTERIOR
 - C. GASTROCNEMIUS AND SOLEUS
 - D. SARTORIUS
16. WHAT MUSCLE IS THE SITE OF CHOICE FOR MASSIVE INTRAMUSCULAR INJECTIONS?
- A. QUADRICEPS
 - B. BICEPS BRACHII
 - C. GLUTEUS MAXIMUS
 - D. DELTOID
17. THE CLEAR, PALE, YELLOW, LIQUID PORTION OF BLOOD AFTER COAGULATION?
- A. BLOOD SERUM
 - B. HEMOGLOBIN
 - C. PLASMA
 - D. ERYTHROCYTES
18. WHICH OF THE BELOW IS NOT TRUE CONCERNING RED BLOOD CELLS (ERYTHROCYTES)?
- A. CARBON DIOXIDE IS PICKED UP BY THE RBC'S AND DISCHARGED VIA THE LUNGS
 - B. NORMAL RBC COUNT IS HIGHER IN
 - C. THE RBC WILL LIVE ABOUT 100-120 DAYS IN THE BODY
 - D. THE SPLEEN IS THE "GRAVE YARD" FOR OLD, WORN RBC'S
19. WHAT IS THE NORMAL WHITE BLOOD CELL COUNT PER CUBIC MILLIMETER OF BLOOD?
- A. 6000 TO 8000
 - B. 15,000 TO 20,000
 - C. 250,000
 - D. 4.5 TO 5 MILLION

20. THE HEART IS ENCLOSED IN A MEMBRANOUS SAC CALLED THE?

- A. EPICARDIUM
- B. MYOCARDIUM
- C. PERICARDIUM
- D. ENDOCARDIUM

21. WHAT PART OF THE HEART RECEIVES DEOXYGENATED BLOOD FROM THE BODY VIA THE SUPERIOR AND INFERIOR VENAE CAVAE?

- A. LEFT ATRIUM
- B. RIGHT ATRIUM
- C. LEFT VENTRICLE
- D. RIGHT VENTRICLE

22. THE RELAXATION OF THE HEART, PHASE OF THE BLOOD PRESSURE IS CALLED?

- A. DIASTOLE
- B. SYSTOLE
- C. BLOOD PRESSURE
- D. BOTH A & B

23. WHAT VENOUS SYSTEM IS THE ONLY VEINS IN THE BODY THAT CARRY FRESHLY OXYGENATED BLOOD?

- A. HEPATIC
- B. SYSTEMIC
- C. PORTAL
- D. PULMONARY

24. WHAT VEIN IS MOST USED COMMONLY USED FOR IV INJECTIONS AND INFUSIONS?

- A. MEDIAN CUBITAL
- B. GREAT SAPHENOUS
- C. CEPHALIC
- D. BRACHIAL

25. WHAT IS ANOTHER NAME FOR THE VOICE BOX?

- A. EPIGLOTTIS
- B. TRACHEA
- C. PHARYNX
- D. LARYNX

26. WHAT IS DOME-SHAPED AND SEPARATES THE THORACIC AND ABDOMINAL CAVITIES?

- A. MEDIASTINUM
- B. INTERCOSTAL MUSCLES
- C. DIAPHRAGM
- D. LUNGS

27. THE AMOUNT OF AIR LEFT IN THE LUNGS AFTER FORCED EXPIRATION IS ABOUT 1200 ML AND IS KNOWN AS?
- A. INHALED AIR
 - B. EXHALED AIR
 - C. TIDAL AIR
 - D. RESIDUAL AIR
28. WHAT TYPE OF RESPIRATIONS INCREASES WITH FORCE AND FREQUENCY UP TO A CERTAIN POINT, THEN DECREASES UNTIL THEY CEASE ALTOGETHER?
- A. EUPNEA
 - B. CHEYNE-STOKES
 - C. RALES
 - D. DYSPNEA
29. WHAT IS THE NERVE CELL BODY CONTAINING THE NUCLEUS?
- A. CYTON
 - B. AXON
 - C. DENDRITES
 - D. NEURON
30. THE INFERIOR PORTION OF THE BRAIN, THE LAST DIVISION BEFORE THE BEGINNING OF THE SPINAL CORD IS THE?
- A. PONS
 - B. MEDULLA OBLONGATA
 - C. CEREBRUM
 - D. CEREBELLUM
31. WHAT PART OF THE BRAIN IS CHIEFLY CONCERNED WITH BRINGING BALANCE, HARMONY, AND COORDINATION TO THE BODY?
- A. CEREBRUM
 - B. CEREBELLUM
 - C. PONS
 - D. MEDULLA OBLONGATA
32. WHAT NERVOUS SYSTEM INCREASES THE ACTIVITY OF THE BODY TO ENABLE IT TO MEET DANGER OR UNDERGO STRENUOUS PHYSICAL ACTIVITY, IT HAS BEEN CALLED THE "FIGHT OR FLIGHT" NERVOUS SYSTEM?
- A. SYMPATHETIC
 - B. AUTONOMIC
 - C. PARASYMPATHETIC
 - D. PERIPHERAL

33. WHAT NERVE CONTROLS THE MUSCLES THAT TURN THE EYEBALL DOWN AND TO THE SIDE?
- A. OPTIC
 - B. ACCESSORY
 - C. TROCHLEAR
 - D. ABDUCENS
34. WHAT NERVE IS SOMETIMES CALLED THE GREAT SENSORY NERVE OF THE HEAD AND IS DIVIDED INTO THE OPHTHALMIC, MAXILLARY, AND MANDIBULAR BRANCHES?
- A. GLOSSOPHARYNGEAL
 - B. VAGUS
 - C. TRIGEMINAL
 - D. OCULOMOTOR
35. WHAT IS THE PIGMENTED MUSCULAR STRUCTURE THAT GIVES COLOR TO THE EYE?
- A. AQUEOUS HUMOR
 - B. SCLERA
 - C. CHOROID
 - D. IRIS
36. WHAT HAS THE MOST BEARING FOR THE ABILITY OF A PERSON TO SEE DURING THE DAYTIME?
- A. VITREOUS HUMOR
 - B. RETINA
 - C. RODS
 - D. CONES
37. WHAT EAR OSSICLE IS ATTACHED TO THE INNER SURFACE OF THE EARDRUM AND CONNECTS WITH THE INCUS?
- A. ANVIL
 - B. MALLEUS
 - C. STAPES
 - D. STIRRUP
38. WHAT ENDOCRINE GLAND IS OFTEN CALLED THE MASTER GLAND OF THE BODY, BECAUSE IT INFLUENCES MOST OTHER ENDOCRINE GLANDS?
- A. PITUITARY
 - B. THYROID
 - C. PARATHYROID
 - D. ADRENAL

39. AN OVER PRODUCTION OF WHICH HORMONE CAUSES ACROMEGALY, WHICH IS CHARACTERIZED BY THE DEVELOPMENT OF ABNORMALLY LARGE HANDS, FEET AND JAW?
- A. SOMATOTROPIN
 - B. THYROTROPIN
 - C. OXYTOCIN
 - D. GONADOTROPIN
40. WHAT CONDITION IS CAUSED BY LACK OF ANTIDIURETIC HORMONE (ADH)?
- A. SUGAR DIABETES
 - B. DIABETES MELLITUS
 - C. DIABETES INSIPIDUS
 - D. HYPOTHYROIDISM
41. WHAT HORMONE REGULATES THE CALCIUM AND PHOSPHORUS CONTENT OF BLOOD AND BONES?
- A. TESTOSTERONE
 - B. PARATHORMONE
 - C. ANDROGENS
 - D. PROGESTERONE
42. WHAT IS SOMETIMES CALLED SALT AND WATER HORMONES BECAUSE THEY REGULATE THE EXCRETION AND ABSORPTION OF SODIUM CHLORIDE, POTASSIUM AND WATER?
- A. ESTROGENS
 - B. THYROXIN
 - C. GLUCOCORTICOIDS
 - D. MINERALOCORTICOIDS
43. THE ISLANDS OF LANGERHANS (LOCATED IN THE PANCREAS) CONTAINS WHAT CELL THAT SECRETES INSULIN, WHICH IS ESSENTIAL FOR CARBOHYDRATE METABOLISM?
- A. BETA
 - B. ALPHA
 - C. GAMMA
 - D. GLUCAGON
44. WHAT ARE THE THREE PARTS OF THE SMALL INTESTINE IN THEIR NATURAL ORDER?
- A. JEJUNUM, ILEUM AND DUODENUM
 - B. DUODENUM, ILEUM AND JEJUNUM
 - C. ILEUM, JEJUNUM AND DUODENUM
 - D. DUODENUM, JEJUNUM AND ILEUM

45. THE SEROUS MEMBRANE THAT LINES THE ABDOMINAL CAVITY IS KNOWN AS THE?
- A. CECUM
 - B. MESENTERY
 - C. PERITONEUM
 - D. PERIOSTEUM
46. WHAT IS THE MUSCULAR RING AT THE DUODENAL END OF THE STOMACH, WHICH PREVENTS IT'S CONTENTS FROM ESCAPING?
- A. CARDIAC SPHINCTER
 - B. PYLORIC SPHINCTER
 - C. ESOPHAGUS
 - D. APPENDIX
47. THE PEAR SHAPED SAC USUALLY STAINED DARK GREEN BY THE BILE IT CONTAINS IS THE?
- A. GALLBLADDER
 - B. LIVER
 - C. APPENDIX
 - D. COLON
48. WHAT IS THE MINIMUM AMOUNT OF URINE THAT MUST BE EXCRETED BY A PERSON EACH DAY?
- A. 250 ML
 - B. 500 ML
 - C. 750 ML
 - D. 1000 ML
49. THE URINE IS FORMED IN A SOFT, GRANULAR, AND REDDISH BROWN SUBSTANCE CALLED THE?
- A. URETER
 - B. GLOMERULUS
 - C. MEDULLA
 - D. CORTEX
50. THE STRUCTURAL AND FUNCTIONAL UNIT OF THE KIDNEY IS CALLED A?
- A. NEPHRON
 - B. MEDULLARY SUBSTANCE
 - C. MALPIGHIAN BODY
 - D. LOOP OF HENLE

51. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE KIDNEY?

- A. THEY ARE EFFECTIVE BLOOD PURIFIERS AND FLUID BALANCE REGULATORS
- B. UREMIA IS CAUSED WHEN THE KIDNEYS FAIL TO REMOVE WASTE PRODUCTS FROM THE BLOOD
- C. AN ESTIMATED 5,000 QUARTS OF BLOOD PASS THROUGH THE KIDNEYS IN A 24 HOURS
- D. REMOVAL OF NITROGENOUS WASTE PRODUCTS FROM BLOOD IS THE MAIN FUNCTION OF THE KIDNEY

52. WHAT IS THE SMALL TUBE THAT CONNECTS THE EPIDIDYMISS AND THE EJACULATORY DUCT?

- A. SEMINAL VESICLES
- B. VAS DEFERENS
- C. EPIDIDYMISS
- D. SPERMATIC CORD

53. THE CHESTNUT-SHAPED GLAND THAT SECRETES AN ALKALINE FLUID TO PROTECT THE MALE SPERM FROM THE FEMALE VAGINAL ACID IS CALLED THE?

- A. BULBOURETHRAL GLANDS
- B. DUCTUS DEFERENS
- C. COWPER'S GLAND
- D. PROSTATE GLAND

54. FERTILIZATION OF AN OVUM NORMALLY TAKE PLACE IN THE?

- A. VAGINA
- B. OVARIES
- C. FALLOPIAN TUBES
- D. UTERUS

55. WHAT PART OF THE UTERUS (WOMB) IS THE SMALLER AND PROJECTS INTO THE UPPER PART OF THE VAGINA?

- A. CERVIX
- B. BODY
- C. EXTERNAL ORIFICE
- D. VULVA

HEALTH SERVICE SUPPORT #1

1. WHAT FORM IS USED TO TAG LIVING CASUALTIES AS WELL AS DECEASED MEMBERS IN COMBAT?
 - A. DD-1380
 - B. FMFM 4-50
 - C. NAVMED 6440.6
 - D. NAVMED P-5095

2. WHAT IS THE FIRST RESPONSIBILITY OF HEALTH SERVICE SUPPORT TO THE FLEET MARINE FORCE?
 - A. EVACUATION OR TRIAGE
 - B. MEDICAL PLANNING
 - C. PREVENTION OF DISEASE & INJURY
 - D. CARE OF THE SICK AND INJURED

3. AMONG THE PRINCIPLES OF COMBAT SERVICE SUPPORT (CSS) AND HEALTH SERVICE SUPPORT (HSS), THE PRINCIPAL MOST CRITICAL TO PROVIDE THE RIGHT SUPPORT AT THE RIGHT TIME AND IN THE RIGHT PLACES IS TERMED?
 - A. RESPONSIVENESS
 - B. CONTINUITY
 - C. FLEXIBILITY
 - D. ECONOMY

4. THE ABILITY TO MAINTAIN THE NECESSARY LEVEL & DURATION OF OPERATIONAL ACTIVITY TO ACHIEVE THE MILITARY OBJECTIVE WOULD BE TERMED?
 - A. SIMPLICITY
 - B. SUSTAINABILITY
 - C. ATTAINABILITY
 - D. SURVIVABILITY

5. WHAT LEVEL OF HEALTH SUPPORT IS PROVIDED BY HOSPITAL SHIPS, ZONE FLEET HOSPITALS, NAVY OVERSEAS HOSPITALS, AND SELECTED CIVILIAN FACILITIES WHICH MAY BE ACTIVATED UNDER THE NATIONAL DISASTER MEDICAL SYSTEMS?
 - A. UNIT LEVEL
 - B. FORCE LEVEL
 - C. THEATER LEVEL
 - D. CONUS LEVEL

6. WHAT ECHELON OF MEDICAL CARE PERTAINS TO CONVALESCENT, RESTORATIVE, & REHABILITATIVE TREATMENT AND ARE NORMALLY PROVIDED BY MILITARY AND/OR V.A. HOSPITALS IN CONUS?
- A. I
 - B. III
 - C. IV
 - D. V
7. WHICH OF THE BELOW IS NOT TRUE CONCERNING A MARINE EXPEDITIONARY UNIT (MEU)?
- A. SMALLEST MAGTF (1,800-4,000 MARINES AND NAVY PERSONNEL)
 - B. IS COMMANDED BY A BRIGADIER GENERAL
 - C. IS NORMALLY EMBARKED ON 3-5 NAVY AMPHIBIOUS SHIPS
 - D. WILL NORMALLY DEPLOY WITH 15 DAYS OF SUPPLIES AND AMMUNITION
8. HOW MANY HOSPITAL CORPSMAN ARE ASSIGNED TO A RIFLE COMPANY OR A WEAPON COMPANY?
- A. 2
 - B. 11
 - C. 5
 - D. 7
9. THE TWO (2) SURGICAL SUPPORT COMPANIES ARE CAPABLE OF PROVIDING HOW MANY BEDS AND OPERATING ROOMS?
- A. 60-2
 - B. 150-5
 - C. 360-12
 - D. 540-18
10. WHAT PART OF THE MEDICAL BATTALION CONTAINS A SPECIAL SECTION CONTAINING A NEURO-SURGEON, THORACIC SURGEON, UROLOGIST, OPHTHALMOLOGIST, ORAL SURGEON AND PODIATRIST?
- A. H&S COMPANY
 - B. SURGICAL SUPPORT COMPANY
 - C. COLLECTING AND CLEARING COMPANY
 - D. BOTH A & B
11. THE MEDICAL BATTALION CONSISTS OF H & S COMPANY, TWO (2) SURGICAL SUPPORT COMPANIES, AND HOW MANY COLLECTING AND CLEARING COMPANIES?
- A. 2
 - B. 4
 - C. 5
 - D. 7

12. WHAT CASUALTY RECEIVING AND TREATMENT SHIP (CRTs) HAS SIX OPERATING ROOMS, 604 BEDS, AND DENTAL FACILITIES?
- A. T-AH (HOSPITAL SHIP)
 - B. LPH (AMPHIBIOUS ASSAULT SHIP) HELICOPTER
 - C. LHA (AMPHIBIOUS ASSAULT SHIP) GENERAL PURPOSE
 - D. LHD (AMPHIBIOUS ASSAULT SHIP) MULTIPURPOSE
13. THE LHD (AMPHIBIOUS SHIP) MULTIPURPOSE REQUIRES AUGMENTATION BY HOW MANY MEDICAL DEPARTMENT PERSONNEL?
- A. 109
 - B. 178
 - C. 342
 - D. 400
14. WHICH OF THE FOLLOWING NAVY SHIPS IS NOT CONSIDERED SUITABLE FOR USE AS A CASUALTY RECEIVING AND TREATMENT SHIP?
- A. LPD (AMPHIBIOUS TRANSPORT SHIP)
 - B. LSD (DOCK LANDING SHIP)
 - C. LKA (AMPHIBIOUS CARGO SHIP)
 - D. ALL OF THE ABOVE
15. WHAT SHIPS MISSION IS TO SERVE AS THE FLOATING COMMAND CENTER OF AMPHIBIOUS OPERATIONS?
- A. LCC
 - B. LST
 - C. T-AH
 - D. LHD
16. WHAT TRIAGE CATEGORY CODE IS USED FOR CASUALTIES WITH SEVERE HEAD, SPINAL AND MULTIPLE INJURIES, LARGE DOSES OF RADIATION, AND WIDESPREAD SEVERE BURNS?
- A. IMMEDIATE TREATMENT (GROUP T1)
 - B. DELAYED TREATMENT (GROUP T2)
 - C. MINIMAL TREATMENT (GROUP T3)
 - D. EXPECTANT TREATMENT (GROUP T4)
17. THE AEROMEDICAL EVACUATION PRIORITY USED FOR PATIENTS WHO REQUIRE SPECIALIZED TREATMENT NOT AVAILABLE LOCALLY AND WHO ARE LIABLE TO SUFFER UNNECESSARY PAIN OR DISABILITY UNLESS EVACUATED WITH THE LEAST POSSIBLE DELAY?
- A. 1
 - B. 2
 - C. 3
 - D. 4

18. THE LANDING FORCE MEDICAL REGULATING CENTER (LFMRC) IS COMPRISED OF AN MSC (0-3) AND HOW MANY ENLISTED PERSONNEL?

- A. 1
- B. 3
- C. 4
- D. 6

19. WHAT MEDICAL REGULATING CENTER/TEAM AMPHIBIOUS TASK FORCE CENTER/TEAM IS NOT COMPRISED OF E-7 PERSONNEL?

- A. LANDING FORCE MRC
- B. LANDING FORCE MRT
- C. AMPHIBIOUS TASK FORCE MRC
- D. AMPHIBIOUS TASK FORCE MRT

20. WHAT IS THE NAUTICAL RADIUS OF A KC-130 TRANSPORT?

- A. 580
- B. 750
- C. 1000
- D. 1250

NBC WARFARE #1

1. WHEN WAS THE FIRST LARGE SCALE USE OF CHEMICAL AGENTS FIRST EMPLOYED?
 - A. SPANISH AMERICAN WAR
 - B. WW I
 - C. WW II
 - D. VIETNAM

2. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE USE OF CHEMICAL AND BIOLOGICAL AGENTS?
 - A. THEY DO NOT DESTROY MATERIAL
 - B. CHEMICAL AGENTS PRODUCE EFFECTS WITHIN SECONDS WHILE BIOLOGICAL AGENT EFFECTS ARE NOT PRODUCED FOR SEVERAL HOURS TO DAYS
 - C. IMMUNIZATION IS NOT EFFECTIVE AGAINST CHEMICAL AGENTS
 - D. BIOLOGICAL AGENTS ARE MORE SUITED FOR THEIR TACTICAL USE

3. WHAT TYPE MATERIAL IS MORE RESISTANT TO NERVE GAS?
 - A. POLYESTER / BUTYL RUBBER
 - B. CLOTH
 - C. LEATHER
 - D. WOOD

4. WHAT IS THE MAXIMUM AMOUNT OF ATROPINE THAT MAY BE GIVEN BY NON MEDICAL PERSONNEL?
 - A. 2 mgm
 - B. 4 mgm
 - C. 6 mgm
 - D. NO MAXIMUM AMOUNT

5. WHICH OF THE BELOW IS NOT TRUE CONCERNING BLISTER AGENTS?
 - A. SYMPTOMS FROM EXPOSURE TO MUSTARDS DO NOT APPEAR FOR SEVERAL HOURS
 - B. THERE IS NO EFFECTIVE TREATMENT ONCE SYMPTOMS APPEAR
 - C. THEY EXERT THEIR PRIMARY ACTION ON THE SKIN
 - D. MUSTARD (HD) IS LESS VOLATILE & MORE PERSISTENT THAN NITROGEN MUSTARD (HN)

6. WHAT IS THE MOST FREQUENT COMPLICATION FROM EXPOSURE TO MUSTARD AND NITROGEN MUSTARD?
 - A. BRONCHOPNEUMONIA
 - B. MASSIVE EDEMA
 - C. MECHANICAL PULMONARY OBSTRUCTION
 - D. ALL OF THE ABOVE

7. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE VESICANT LEWISITE (L)?
- A. DIMPERCAPROL IS A PEANUT OIL SUSPENSION FOR INJECTION & IS GIVEN IN THE CASE OF SYSTEMIC INVOLVEMENT.
 - B. BRITISH ANTI-LEWISITE (BAL) IS SOMEWHAT TOXIC & INJECTION OF MORE THAN 3 mg/kg WILL CAUSE SEVERE SYMPTOMS
 - C. IF THE EYES ARE AFFECTED, FLUSH IMMEDIATELY WITH COPIOUS AMOUNTS OF WATER
 - D. SODIUM SULFACETAMIDE, 30% SOLUTION, MAY BE USED TO COMBAT EYE INFECTIONS IMMEDIATELY AFTER EXPOSURE
8. THE SYMPTOMS OF WATERING OF THE EYES, TIGHTNESS IN THE CHEST, & LATER SYMPTOMS OF RAPID, SHALLOW BREATHING, PAINFUL COUGH, FROTHY SPUTUM CYANOSIS, CLAMMY SKIN, RAPID FEEBLE PULSE, AND LOW BLOOD PRESSURE, ARE SYMPTOMS OF EXPOSURE TO?
- A. BLISTER AGENTS
 - B. CHOKING AGENTS
 - C. BLOOD AGENTS
 - D. NERVE AGENTS
9. WHAT CHEMICAL AGENT HAS THE ODOR OF THE NEW MOWN HAY?
- A. HYDROCYANIC ACID (AC)
 - B. MUSTARD (HD)
 - C. PHOSGENE (CG)
 - D. LEWISITE (L)
10. THE REQUIRED DOSE OF SODIUM THIOSULFATE 100-200 mg/kg IV OVER A TEN MINUTE PERIOD IS NECESSARY AFTER THE INITIAL TREATMENT IF EXPOSED TO?
- A. CYANOGEN CHLORIDE (CK)
 - B. LEWISITE (L)
 - C. PHOSGENE (CG)
 - D. CHLORINE (CL)
11. THE SYMPTOMS OF A STRONG PEPPERLIKE IRRITATION IN THE UPPER RESPIRATORY TRACT, IRRITATION OF THE EYES (WITH LACRIMATION), VIOLENT UNCONTROLLABLE SNEEZING, COUGHING, NAUSEA, VOMITING, AND A FEELING OF MALAISE ARE SYMPTOMS OF EXPOSURE TO?
- A. DIPHENYLAMINOCHLOROARSINE
 - B. DIPHENYLCHLORARSINE
 - C. DIPHENYLCYANARSINE
 - D. ALL OF THE ABOVE

12. WHICH OF THE BELOW IS NOT TRUE CONCERNING LACRIMATORS?
- A. FACING THE WIND WILL AID IN ELIMINATING TEAR AGENTS IN THE EYES
 - B. ORTHOCHLOROBENZSILIDINE MALANONITRILE IS MORE POTENT THAN CHLORACETOPHENONE
 - C. CHEST DISCOMFORT MAY BE RELIEVED BY TALKING
 - D. SYMPTOMS FOLLOWING SEVERE EXPOSURE SELDOM LAST MORE THAN 12 HOURS
13. WHAT IS THE SPECIFIC THERAPY FOR A VICTIM EXPOSED TO A PSYCHOCHEMICAL AGENT?
- A. PREVENT VICTIM FROM INJURING THEMSELVES OR OTHERS
 - B. THERE IS NO SPECIFIC THERAPY
 - C. PHYSOSTIGMINE IS EFFECTIVE DURING THE FIRST 4 HOURS
 - D. ATROPINE BECAUSE BZ IS A CHOLINERGIC BLOCKING AGENT
14. FLASH BLINDNESS FROM A NUCLEAR EXPLOSION NORMALLY PERSISTS FOR?
- A. 5-15 MINUTES
 - B. 20-30 MINUTES
 - C. 30-45 MINUTES
 - D. 45-60 MINUTES
15. WHAT TYPE CLOTHING IS BEST SUITED FOR PROTECTION DURING A NUCLEAR EXPLOSION?
- A. TIGHT FITTING, DARK COLORED NYLON
 - B. LOOSE FITTING, LIGHT COLORED NYLON
 - C. LOOSE FITTING, LIGHT COLORED WOOL
 - D. LOOSE FITTING, LIGHT COLORED COTTON
16. WHAT TYPE OF RADIATION HAS THE GREATEST PENETRATING POWER?
- A. ALPHA
 - B. BETA
 - C. GAMMA
 - D. NEUTRON
17. WHAT TYPE OF DIET SHOULD A RADIATION CASUALTY BE PLACED ON?
- A. HIGH CALORIE
 - B. HIGH PROTEIN
 - C. HIGH RESIDUE
 - D. BLAND, NONRESIDUE

LABORATORY FORM #1

1. WHAT URINE PRESERVATIVE MAY DISSOLVE TO PRODUCE FALSE POSITIVES FOR ALBUMIN?
 - A. TOLUENE
 - B. THYMOL
 - C. FORMALDEHYDE
 - D. BORIC ACID

2. WHEN PERFORMING A FINGER PUNCTURE, WIPE AWAY THE FIRST DROP TO AVOID?
 - A. CONTAMINATION WITH BACTERIA
 - B. CLOTTING AT THE PUNCTURE SITE
 - C. DILUTION WITH TISSUE FLUID
 - D. DILUTION WITH ALCOHOL

3. WHAT PART OF THE MICROSCOPE CONTROLS THE AMOUNT OF LIGHT THAT REACHES THE CONDENSER?
 - A. IRIS DIAPHRAGM
 - B. MIRROR
 - C. MECHANICAL STAGE
 - D. ALL OF THE ABOVE

4. WHAT OBJECTIVE SHOULD BE USED FOR DETAILED STUDY OF STAINED BACTERIA SMEARS?
 - A. LOW POWER
 - B. HIGH POWER
 - C. HIGH DRY
 - D. OIL IMMERSION


5. WHAT OIL SOLVENT IS USED TO REMOVE DRIED OIL FROM LENSES?
 - A. ALCOHOL
 - B. XYLOL
 - C. ACETONE
 - D. CARBON TETRACHLORIDE

6. WHAT DILUTING FLUID IS USED FOR DOING A RED BLOOD COUNT?
 - A. GLACIAL ACETIC ACID
 - B. DILUTE HYDROCHLORIC ACID
 - C. .85% SODIUM CHLORIDE
 - D. HAYEM'S SOLUTION

7. ONCE THE BLOOD AND DILUTING FLUID IS DRAWN INTO THE PIPETTE, IN WHAT DIRECTION AND HOW LONG SHOULD THIS BE SHOOK?
- THREE MINUTES IN THE DIRECTION OF THE LONG AXIS
 - THREE MINUTES NOT IN THE DIRECTION OF THE LONG AXIS
 - FIVE MINUTES IN THE DIRECTION OF THE LONG AXIS
 - FIVE MINUTES NOT IN THE DIRECTION OF THE LONG AXIS
8. AFTER THE FOUR FIELDS ARE COUNTED WHEN DOING A WHITE BLOOD COUNT, YOU WOULD MULTIPLY BY?
- 50
 - 100
 - 1,000
 - 10,000
9. HOW MANY CELLS ARE THERE IN THE FIELD BELOW?

REMEMBER YOU COUNT THE CELLS THAT TOUCH THE TOP AND THE LEFT AND NOT THE CELLS THAT TOUCH THE BOTTOM AND THE RIGHT DO NOT COUNT THE BACKWARD "L"

- 25
- 26
- 27
- 40



10. WHICH OF THE FOLLOWING CONDITIONS INDICATE THAT THE COUNTING CHAMBER IS PROPERLY LOADED?
- THE FLUID FLOWS INTO THE GROOVES AT THE EDGES OF THE CHAMBER
 - THERE IS A THIN, EVEN FILM OF FLUID UNDER THE COVER GLASS
 - AIR BUBBLES ARE SEEN IN THE FIELD
 - ALL OF THE ABOVE
11. WHAT IS THE MOST ACCURATE METHOD OF DETERMINING HEMOGLOBIN ESTIMATION?
- SAHLI-HELLIGE
 - HADEN-HAUSSER
 - NEWCOMET TEST
 - PHOTOMETER
12. THE NORMAL HEMATOCRIT FOR MALES IS APPROXIMATELY?
- 42% TO 50%
 - 52% TO 60%
 - 62% TO 70%
 - 72% TO 80%

13. WHAT IS DYSCRASIA OF BLOOD FORMING TISSUE CAUSED BY?

- A. BACTERIA
- B. VIRUSES
- C. MALFUNCTIONING OF THE MARROW AND LYMPH TISSUES
- D. PHYSIOLOGIC CONDITIONS

14. WHEN DOING A COMPLETE BLOOD COUNT, YOU ARE DETERMINING THE NUMBER OF RED AND WHITE CELLS IN HOW MUCH BLOOD?

- A. ONE CUBIC MILLILITER
- B. ONE CUBIC MILLIMETER
- C. ONE CUBIC CENTIMETER
- D. ONE DROP

15. WHICH OF THE FOLLOWING CONDITIONS ARE CHARACTERIZED BY LEUKOCYTOSIS?

- A. ANAPHYLACTIC SHOCK
- B. TYPHOID
- C. INFECTIOUS HEPATITIS
- D. APPENDICITIS

16. A CONTINUED SHIFT TO THE LEFT WITH A FALLING TOTAL WHITE BLOOD COUNT INDICATES?

- A. PROGRESS TOWARD NORMAL RECOVERY
- B. A BREAKDOWN OF THE BODY'S DEFENSE MECHANISM AND IS A POOR PROGNOSIS
- C. A DECREASE IN IMMATURE NEUTROPHILS
- D. A DECREASE IN PARASITIC AND ALLERGENIC CONDITIONS

17. WHAT WHITE BLOOD CELL INCREASES IN HEMINTIC INFECTIONS AND ALLERGENIC CONDITIONS?

- A. EOSINOPHILS
- B. BASOPHILS
- C. MONOCYTES
- D. LYMPHOCYTES

18. WHAT STAIN IS USED IN THE LAB FOR DOING A DIFFERENTIAL?

- A. ZIEHL-NELSEN
- B. GRAM'S
- C. WRIGHTS
- D. GIEMSA'S

19. WHAT IS THE MOST COMMON CAUSE OF POOR RESULTS WITH WRIGHT'S STAIN?

- A. INCORRECT TIME INTERVALS
- B. INCORRECT PH OF THE STAINING FLUID
- C. TOO MUCH ACID
- D. TOO MUCH BUFFER

20. HOW MANY CELLS ARE COUNTED WHEN DOING A DIFFERENTIAL?

- A. 25
- B. 50
- C. 75
- D. 100

21. WHAT IS THE YOUNGEST FORM OF NEUTROPHIL?

- A. METAMYELOCYTE
- B. BAND
- C. SEGMENTED
- D. HYPERSEGMENTED

22. A WHITE BLOOD CELL WHOSE CYTOPLASM CONTAINS NUMEROUS COARSE, REDDISH-BROWN GRANULES WHICH ARE LIGHTER THAN THE NUCLEUS DESCRIBES A?

- A. EOSINOPHIL
- B. BASOPHIL
- C. MONOCYTE
- D. LYMPHOCYTE

23. WHICH OF THE BELOW NORMAL VALUES OF LEUKOCYTES IS NOT CORRECT?

- A. (METAMYELOCYTES) 0%
- B. (BANDS OR STB) 0%-10%
- C. (MONOCYTES) 2%-4%
- D. (SEGS OR POLYS) 51%-67%

24. WRIGHT'S STAIN MUST BE STORED IN A STOPPER BOTTLE IN A DARK PLACE FOR A MINIMUM OF?

- A. 12 HOURS
- B. 24 HOURS
- C. 20 DAYS
- D. 30 DAYS

25. WHAT IS THE LEAST VALID SPECIMEN OF URINE?

- A. OVERNIGHT
- B. RANDOM
- C. FASTING
- D. 24 HOUR

26. WHAT IS THE NORMAL SPECIFIC GRAVITY OF URINE DURING A 24-HOUR PERIOD?

- A. 1.001-1.015
- B. 1.015-1.030
- C. 1.030-1.045
- D. 1.045-1.060

27. WHAT INDICATES ALBUMINURIA WHEN TESTING WITH THE SULFOSALICYCLIC ACID METHOD?

- A. WHITE TURBIDITY
- B. ORANGE COLOR APPEARS THEN DISAPPEARS
- C. SKY-BLUE APPEARANCE
- D. CHERRY-RED COLORATION

28. WHEN URINE IS YELLOW OR BROWN AND TURNS GREENISH WITH YELLOW FOAM WHEN SHAKEN IS DUE TO THE PRESENCE OF?

- A. TREATMENT WITH PYRIDIUM
- B. BILE
- C. PHENOLS
- D. METHYLENE BLUE

29. IF CASTS ARE PRESENT IN LARGE AMOUNTS, THE URINE IS ALMOST ALWAYS?

- A. NEGATIVE FOR ALBUMIN
- B. NEGATIVE FOR GLUCOSE
- C. POSITIVE FOR ALBUMIN
- D. POSITIVE FOR GLUCOSE

30. THE ADDITION OF ONE DROP OF 5% ACETIC ACID TO THE URINE SEDIMENT WILL HAVE WHAT EFFECT ON A URINE SAMPLE?

- A. DISINTEGRATE ANY RED CELLS
- B. DISINTEGRATE ANY WHITE CELLS
- C. MAKES WHITE CELLS NUCLEUS MORE VISIBLE
- D. BOTH A AND C

31. FOR A COMPLETE LIST OF ALL LABORATORY FORMS YOU SHOULD CONSULT THE MANUAL FOR THE MEDICAL DEPARTMENT IN CHAPTER?

- A. 16
- B. 21
- C. 23
- D. 6

32. WHICH OF THE BELOW IS NOT MATCHED CORRECTLY WITH THE MICROSCOPE OBJECTIVE LENS, COLOR CODE, AND TOTAL MAGNIFICATION?

- A. 15MM-10X-GREEN-100X
- B. 4MM-43X-YELLOW-430X
- C. 2MM-75X-BLUE-750X
- D. 1.8MM-95X-RED-950X

**LABORATORY FORM# 1
E-6 AND ABOVE**

1. WHICH OF THE BELOW IS NOT ONE OF THE FOUR GROWTH REQUIREMENTS FOR BACTERIA?
 - A. TEMPERATURE
 - B. NUTRITION
 - C. MOISTURE
 - D. AIR

2. WHAT TYPE OF BACTERIA ARE SELF-NOURISHING?
 - A. MICROAEROPHILIC
 - B. ANAEROBES
 - C. AUTOTROPHIC
 - D. HETROTROPHIC

3. WHAT RULE STATES THAT WHEN AN ANTIGEN IS ON A RBC, THE CORRESPONDING ANTIBODY IS NEVER PRESENT SIMULTANEOUSLY?
 - A. ROULEAUX
 - B. LANDSTEINER'S
 - C. HUCKER'S
 - D. MONOSTICON

4. BACTERIA ARE CLASSIFIED BY ALL OF THE BELOW EXCEPT?
 - A. BINARY FUSION
 - B. DISEASE PRODUCING ABILITY
 - C. GROWTH REQUIREMENTS
 - D. MORPHOLOGIC CHARACTERISTICS

5. WHEN DOING A GRAM'S STAIN WHAT IS REFERRED TO AS THE MORDANT?
 - A. CRYSTAL VIOLET
 - B. GRAM'S IODINE
 - C. 95% ETHYL ALCOHOL/ACETONE
 - D. SAFRAIN

6. WHAT IS THE ACTION OF THE CRYSTAL VIOLET WHEN DOING A GRAM'S STAIN?
 - A. COLORS EVERYTHING IN THE SLIDE BLUE, BLUE BLACK OR PURPLE
 - B. FIXES THE STAIN TO ALL GRAM NEGATIVE ORGANISMS
 - C. WASHES THE STAIN OFF THE GRAM POSITIVE ORGANISMS
 - D. COLORS ALL GRAM NEGATIVE ORGANISMS PINK

7. HOW LONG DOES THE GRAM'S IODINE REMAIN ON THE STAIN BEFORE FLUSHING WITH TAP WATER?
- A. 30 SECONDS TO 1 MINUTE
 - B. 1 MINUTE
 - C. 2 MINUTES
 - D. UNTIL THE PURPLE COLOR STOPS RUNNING
8. PATHOGENS THAT REPRODUCE BEST AT 15 TO 20 DEGREES ARE TERMED?
- A. PSYCHROPHILIC
 - B. MESOPHILIC
 - C. THERMOPHILIC
 - D. MICROAEROPHILIC
9. WHAT TYPE OF BACTERIA IS SPHERICAL, APPEARING SINGLY, IN PAIRS, CHAINS, CLUSTERS OR PACKETS?
- A. BACILLI
 - B. COCCI
 - C. SPIRILLA
 - D. FLAGELLA
10. WHICH OF THE FOLLOWING BACTERIA IS PRESENT IN AN INDIVIDUAL WITH TETANUS?
- A. GRAM NEGATIVE COCCI
 - B. GRAM POSITIVE COCCI
 - C. GRAM NEGATIVE BACILLI
 - D. GRAM POSITIVE BACILLI
11. AFTER THE RPR ANTIGEN IS PREPARED, HOW LONG IS IT GOOD IF KEPT REFRIGERATED?
- A. ONE MONTH
 - B. THREE MONTHS
 - C. SIX MONTHS
 - D. TWELVE MONTHS
12. WHICH OF THE FOLLOWING IS NOT TRUE CONCERNING THE RAPID PLASMA REAGIN (RPR) CARD TEST FOR SYPHILIS?
- A. IF RPR IS REACTIVE, AN FTA-AFB TEST MUST BE DONE
 - B. REPORT TEST AS REACTIVE IF SPECIMEN SHOWS AGGLUTINATION OR FLOCCULATION
 - C. REPORT TEST AS NON-REACTIVE IF SPECIMEN SHOWS NO AGGLUTINATION
 - D. IF NO AGGLUTINATION IS OBSERVED, THE FULL 5 MINUTES SHOULD BE USED

13. THE POTASSIUM HYDROXIDE (KOH) PREPARATION TEST IS USED IN THE LAB FOR THE IDENTIFICATION OF?
- A. TYPHOID
 - B. BACTERIA
 - C. FUNGI
 - D. INFECTIOUS MONONUCLEOSIS
14. AN INDIVIDUAL WHO HAS NEITHER ANTI "A" OR ANTI "B" ANTIBODIES (AGGLUTINATION) WOULD BE PLACED IN WHAT BLOOD GROUP?
- A. O
 - B. A
 - C. B
 - D. AB
15. AN INDIVIDUAL WHO HAS ANTI "A" ANTIBODIES AND THE PRESENCE OF THE Rh AGGLUTINATION WOULD HAVE WHAT TYPE BLOOD?
- A. B+
 - B. B-
 - C. AB+
 - D. AB-

PATIENT CARE # 1

1. WHO HAS DEVELOPED STANDARDS THAT ADDRESS BOTH THE RIGHTS AND RESPONSIBILITIES OF PATIENTS?
 - A. JCAH
 - B. NLN
 - C. AHA
 - D. AMA

2. WHICH OF THE BELOW WOULD BE AN EXAMPLE OF A SUBJECTIVE SYMPTOM?
 - A. TPR
 - B. NAUSEA
 - C. RESULTS OF LAB TESTS
 - D. SKIN COLOR

3. WHICH OF THE BELOW MAY CAUSE A BURN TO A PATIENT?
 - A. HEATING PADS
 - B. ICE BAGS
 - C. HYPOTHERMIC BLANKETS
 - D. ALL OF THE ABOVE

4. ALL ARTICLES PACKAGED AND STERILIZED IN COTTON MUSLIN WRAPPERS MUST BE USED WITHIN HOW MANY CALENDAR DAYS?
 - A. 28
 - B. 30
 - C. 90
 - D. 180

5. WHAT IS THE MOST DEPENDABLE AND ECONOMICAL METHOD OF STERILIZATION?
 - A. ETHYLENE OXIDE (ETO) GAS
 - B. CHEMICAL
 - C. STEAM UNDER PRESSURE
 - D. DRY HEAT

6. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE USE OF THE AUTOCLAVE?
 - A. DOWNWARD DISPLACEMENT AND THE PRE-VACUUM HIGH TEMPERATURE ARE TWO TYPES
 - B. PRE-VACUUM HIGH TEMPERATURE IS THE MOST MODERN AND ECONOMICAL TO OPERATE
 - C. TIMING DOES NOT BEGIN UNTIL THE TEMPERATURE IS ABOVE 240 DEGREE'S F.
 - D. ALL OPERATING ROOMS ARE EQUIPPED WITH HIGH SPEED (FLASH) STERILIZERS

7. WHAT IS THE ONLY LIQUID CHEMICAL AGENT CAPABLE OF RENDERING AN ITEM STERILE?
- A. FORMALIN
 - B. PARALDEHYDE
 - C. ETHYLENE OXIDE
 - D. GLUTARALDEHYDE
8. HOW LONG IS THE ETHYLENE OXIDE (ETO) GAS STERILIZATION CYCLE?
- A. 30 MINUTES
 - B. 2 HOURS
 - C. 3-7 HOURS
 - D. 10 HOURS
9. WHAT SHOULD THE RELATIVE HUMIDITY IN THE OPERATING ROOM BE MAINTAINED AT?
- A. 50 – 55%
 - B. 55 – 60%
 - C. 60 – 65%
 - D. 65 – 70%
10. WHICH OF THE BELOW IS NOT TRUE CONCERNING SAFETY PRECAUTIONS IN THE OPERATING ROOM?
- A. 100% COTTON FABRICS ARE THE MOST ACCEPTABLE FOR WEAR
 - B. FABRICS MADE OF SYNTHETIC BLENDS MAY BE USED ONLY IF THEY HAVE BEEN TREATED BY THE MANUFACTURER FOR USE IN THE OPERATING ROOM
 - C. AN ADDITIONAL TAG IS REQUIRED ON ALL OXYGEN CYLINDERS TO INDICATE “EMPTY”, “IN USE” OR “FULL”
 - D. ALL OXYGEN CYLINDERS IN USE OR IN STORAGE WILL BE TAGGED WITH A DD-689 “WARNING TAG FOR MEDICAL OXYGEN EQUIPMENT”

FIRST AID FORM #1

1. WHAT IS NOT A PRIMARY CONSIDERATION OF FIRST AID?
 - A. SAVE LIFE
 - B. PREVENT FURTHER INJURY
 - C. PRESERVE RESISTANCE AND VITALITY
 - D. PROPER MEDICAL DIAGNOSIS

2. IRREVERSIBLE BRAIN DAMAGE CAN OCCUR A MINIMUM OF HOW LONG AFTER BREATHING HAS CEASED?
 - A. THREE MINUTES TO FIVE MINUTES
 - B. FOUR TO SIX MINUTES
 - C. FIVE MINUTES TO SEVEN MINUTES
 - D. SIX MINUTES TO EIGHT MINUTES

3. THE NAVY AMBULANCE WILL BE STOCKED IN ACCORDANCE WITH?
 - A. NAVMEDCOMINST 6700.9
 - B. NAVMEDCOMINST 6440.6
 - C. NAVMEDCOMINST 6150.1
 - D. BUMEDINST 6230.3

4. IN A COMBAT SITUATION, THOSE PERSONNEL WHOSE INJURIES REQUIRE IMMEDIATE LIFE SUSTAINING MEASURES OR ARE OF A MODERATE NATURE. INITIALLY, THEY REQUIRE A MINIMUM AMOUNT OF TIME, PERSONNEL, & SUPPLIES, WOULD BE PLACED IN WHAT TRIAGE CLASS?
 - A. I
 - B. II
 - C. III
 - D. IV

5. IN A NONCOMBAT SITUATION, THE CASUALTIES WHICH GENERALLY HAVE MINOR INJURIES OR HAVE OBVIOUSLY MORTAL WOUNDS WHERE SURVIVAL IS NOT EXPECTED, WOULD BE CLASSIFIED AS PRIORITY?
 - A. I
 - B. II
 - C. III
 - D. IV

6. WHAT PROCEDURE IS HIGHLY EFFECTIVE IN REMOVING WATER FROM THE LUNGS OF A DROWNING VICTIM?
- A. BACKSLAP
 - B. CHEST THRUSTS
 - C. RECLINING CHEST THRUSTS
 - D. ABDOMINAL THRUSTS
7. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE USE OF THE ESOPHAGEAL OBTURATOR AIRWAY (EOA)?
- A. WAS DESIGNED FOR PERSONNEL WHO ARE NOT AUTHORIZED TO PLACE ENDOTRACHEAL TUBES
 - B. CAN BE INSERTED BLINDLY THROUGH THE MOUTH WITHOUT HAVING TO VISUALIZE THE LARYNX
 - C. HELPFUL IN THE PREVENTION OF GASTRIC REGURGITATION (VOMITING)
 - D. THE TRACHEO-BRONCHIAL TREE CAN BE ADEQUATELY SUCTIONED
8. WHAT TYPE OF ARTIFICIAL VENTILATION IS MOST EFFECTIVE ON THE BATTLEFIELD AFTER A CHEMICAL OR BIOLOGICAL WARFARE ATTACK?
- A. MOUTH TO MOUTH
 - B. MOUTH TO NOSE
 - C. BACK PRESSURE ARM LIFT
 - D. ANY OF THE ABOVE
9. WHAT TYPE SYSTEM WAS DESIGNED TO HELP VENTILATE AN UNCONSCIOUS VICTIM FOR LONG PERIODS, WHILE DELIVERING HIGH CONCENTRATIONS OF OXYGEN?
- A. BAG-VALVE-MASK
 - B. MOUTH-TO-MASK
 - C. OROPHARYNGEAL AIRWAY
 - D. NASOPHARYNGEAL AIRWAY
10. WHEN APPLYING CPR KEEP THE HEEL OF YOUR HAND OFF THE XIPHOID TIP OF THE STERNUM FOR A FRACTURE IN THIS AREA MAY CAUSE DAMAGE TO THE?
- A. LUNGS
 - B. LIVER
 - C. HEART
 - D. SPLEEN
11. HOW FAR SHOULD THE STERNUM BE DEPRESSED WHEN GIVING CPR ON AN ADULT?
- A. ½ TO 1 INCH
 - B. 1-2 INCHES
 - C. 1 ½ INCHES
 - D. 1 ½-2 INCHES

12. WHEN TWO PERSONS PERFORM CPR, THE RATIO OF COMPRESSIONS TO VENTILATION'S IS?
- A. 5 TO 1
 - B. 10 TO 2
 - C. 15 TO 2
 - D. 20 TO 2
13. WHAT IS THE COMPRESSION RATE FOR CHILDREN OR INFANTS?
- A. 50-70
 - B. 60-80
 - C. 70-90
 - D. 80-100
14. TO PREVENT ANAEROBIC INFECTIONS, PRIMARY CLOSURE IS NOT MADE FOR WHAT TYPE OF WOUND?
- A. AMPUTATION
 - B. AVULSION
 - C. PUNCTURE
 - D. LACERATION
15. WHICH OF THE BELOW IS NOT A TRUE STATEMENT CONCERNING HEMORRHAGE?
- A. THE ADULT BODY CONTAINS 6 LITERS OF BLOOD
 - B. 500 MILLILITERS CAN NORMALLY BE LOST WITHOUT HARMFUL EFFECTS
 - C. THE LOSS OF A HALF LITER NORMALLY CAUSES SHOCK
 - D. THE ELDERLY MAY BE ESPECIALLY SUSCEPTIBLE TO LOSSES OF EVEN SMALL AMOUNTS OF BLOOD
16. THE SPIRAL REVERSE BANDAGE WOULD BE USED TO RETAIN A DRESSING ON THE?
- A. ELBOW
 - B. LEG
 - C. ANKLE
 - D. HAND
17. WHAT BANDAGE IS PARTICULARLY USEFUL IN RETAINING LARGE COMPRESSES OF THE FOOT?
- A. TRIANGULAR BANDAGE
 - B. BARTON BANDAGE
 - C. FIGURE OF EIGHT
 - D. SPIRAL REVERSE

18. THE CRAVAT BANDAGE FOR THE TEMPLE, CHEEK, OR EAR IS ALSO KNOWN AS A?
- A. SPIRAL REVERSE
 - B. ROLLER BANDAGE
 - C. BARTON
 - D. MODIFIED BARTON
19. WHAT PRESSURE POINT SHOULD BE USED ONLY IF IT'S ABSOLUTELY ESSENTIAL?
- A. TEMPORAL
 - B. POPLITEAL
 - C. COMMON CAROTID
 - D. ILIAC
20. WHAT IS THE TERM USED TO DESCRIBE EXCRETION OF TARRY BLACK STOOLS?
- A. MELENA
 - B. EPISTAXIS
 - C. HEMATOCHEZIA
 - D. HEMOPTYSIS
21. THE PRINCIPAL AEROBIC BACTERIA THAT CAUSE INFECTION, INFLAMMATION AND SEPTICEMIA ARE STAPHYLOCOCCI AND STREPTOCOCCI WHICH ARE INTRODUCED INTO THE WOUND?
- A. ON THE BATTLEFIELD
 - B. AT THE FIRST AID STATION
 - C. IN THE HOSPITAL
 - D. ANY OF THE ABOVE
22. THE PRINCIPAL SYMPTOM OF INFLAMMATION INCLUDE ALL OF THE BELOW EXCEPT?
- A. HEAT AND PAIN
 - B. PALENESS AND PUS
 - C. SWELLING AND LOSS OF MOTION
 - D. REDNESS AND EDEMA
23. WHICH OF THE BELOW IS NOT TRUE CONCERNING FURUNCLES AND CARBUNCLES (ABSCESSSES)?
- A. MOST ARE CAUSED BY STAPHYLOCOCCAL INFECTIONS
 - B. ABSCESSSES IN THE FACIAL TRIANGLE (NOSE AND UPPER LIP) SHOULD BE INCISED
 - C. DO NOT SQUEEZE FOR THIS MAY DAMAGE SURROUNDING HEALTHY TISSUE AND SPREAD THE INFECTION
 - D. PAIN SHOULD BE RELIEVED WITH ASPIRIN

24. WHAT SHOULD NOT BE USED ON AN ABDOMINAL WOUND WITH PROTRUSION OF THE INTESTINES?
- A. VASELINE GAUZE
 - B. PHYSIOLOGIC SALINE
 - C. SEA WATER
 - D. POTABLE WATER
25. WHICH OF THE BELOW IS NOT TRUE CONCERNING WOUND CLOSURE?
- A. THE ADVICE TO CORPSMAN REGARDING SUTURING OF WOUND WOULD BE, DO NOT ATTEMPT IT
 - B. DO NOT CLOSE THE WOUND IF A DISCHARGE OF PUSS, PERSISTENT FEVER OR TOXEMIA IS PRESENT
 - C. DELAYED PRIMARY CLOSURE IS PERFORMED AT THE END OF THE TENTH DAY
 - D. NEVER SUTURE A PUNCTURE WOUND, ANIMAL BITE, OR LARGE GAPING WOUND
26. WHAT TYPE OF SUTURE NEEDLE MAY CAUSE SMALL AMOUNTS OF TISSUE DAMAGE & ARE MOST OFTEN USED IN DEEP TISSUES?
- A. ATRAUMATIC
 - B. ATRALOC-WEDGED
 - C. CUTTING EDGE POINT
 - D. TAPER POINT
27. WHICH OF THE FOLLOWING SUTURE MATERIAL IS ABSORBABLE?
- A. NYLON
 - B. DERMALON
 - C. LINEN
 - D. CATGUT
28. WHICH OF THE BELOW SUTURE MATERIAL HAS THE SMALLEST DIAMETER?
- A. 3.0
 - B. 6.0
 - C. 1
 - D. 4
29. ALL SUTURES IN THE SOLES, PALMS, BACK OR OVER JOINTS SHOULD BE REMOVED IN?
- A. 5 DAYS
 - B. 7 DAYS
 - C. 10 DAYS
 - D. 14 DAYS

30. WHAT TYPE SHOCK IS DUE TO A DIMINISHED TOTAL BLOOD VOLUME?

- A. HYPOVOLEMIC
- B. NEUROGENIC
- C. CARDIOGENIC
- D. SEPTIC

31. WHAT TYPE OF SHOCK CARRIES A POOR PROGNOSIS AND MUST ALWAYS BE TREATED UNDER THE DIRECT SUPERVISION OF A MEDICAL OFFICER?

- A. ANAPHYLACTIC
- B. HEMORRHAGIC
- C. CARDIOGENIC
- D. SEPTIC

32. WHICH OF THE BELOW IS NOT A SYMPTOM OF SHOCK?

- A. SKIN IS HOT AND DRY
- B. PUPILS DILATED
- C. PULSE RAPID AND WEAK
- D. RESTLESSNESS AND APPREHENSIVE

33. WHAT IS PROBABLY THE BEST ELECTROLYTE SOLUTION TO USE TO REPLACE BODY FLUIDS?

- A. RINGER'S LACTATE
- B. NORMAL SALINE
- C. DEXTRAN
- D. GLUCOSE

34. WHAT DEGREE OF SHOCK IS INDICATED IN AN INDIVIDUAL WITH A THREADY PULSE 100-120, SYSTOLIC BP 90-100, MARKED VASOCONSTRICTION (DIAPHORESIS), ANXIETY, RESTLESSNESS, & A DECREASED URINARY OUTPUT?

- A. 10-25% DECREASE BLOOD VOLUME – MILD
- B. 25-35% DECREASE BLOOD VOLUME – MODERATE
- C. 35-50% DECREASE BLOOD VOLUME – SEVERE
- D. 50-75% DECREASE BLOOD VOLUME – EXTREMELY SEVERE

35. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE ADMINISTRATION OF MORPHINE?

- A. THE ADULT DOSE OF MORPHINE IS 8-16 mgm
- B. MORPHINE MAY BE GIVEN TO AMBULATORY PATIENTS
- C. IT SHOULD NOT BE GIVEN IN MODERATE SHOCK
- D. NO MORE THAN 1/4 GRAIN MAY BE GIVEN IN A FOUR HOUR PERIOD

36. WHICH OF THE BELOW IS NOT TRUE CONCERNING MEDICAL ANTI-SHOCK TROUSERS (MAST)?
- A. DESIGNED TO CORRECT OR COUNTERACT INTERNAL BLEEDING & HYPOVOLEMIA
 - B. THE GARMENT CREATES PRESSURE UP TO 120 mm Hg AROUND BOTH LEGS, THE PELVIS, & ABDOMEN
 - C. ONCE GARMENT IS INFLATED VITAL SIGNS ARE TAKEN EVERY 5 MINUTES
 - D. CONTRAINDICATION IN THEIR USE FOR FRACTURES OF THE PELVIS & LOWER EXTREMITIES
37. WHAT IS THE PROPER PROCEDURE FOR SPLINTING A FRACTURE OF THE UPPER ARM?
- A. USE ONE WELL PADDED SPLINT ON THE OUTSIDE OF THE ARM AND APPLY A SLING
 - B. USE TWO WIDE SPLINTS OR FOUR NARROW ONES ON THE ARM AND APPLY A SLING
 - C. PLACE A PAD OR FOLDED TOWEL IN THE ARMPIT, BANDAGE ARM TO BODY AND APPLY A SPLINT
 - D. ANY OF THE ABOVE IS A PROPER PROCEDURE
38. THE THOMAS HALF-RING OR HARE SPLINT MAY BE USED TO SPLINT A FRACTURED?
- A. PATELLA
 - B. TIBIA OR FIBULA
 - C. FEMUR
 - D. BOTH B & C
39. WHAT IS THE BEST METHOD FOR IMMOBILIZING A FRACTURED RIB?
- A. TWO INCH ADHESIVE TAPE APPLIED TO THE CHEST
 - B. BOUND FIRMLY WITH AN ACE BANDAGE
 - C. SWATHE BANDAGE
 - D. EITHER A OR B
40. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE TREATMENT OF A FRACTURED JAW?
- A. ENSURE THE BANDAGE PULLS THE JAW BACKWARD
 - B. MAINTENANCE OF AN AIRWAY IS A PRIME CONSIDERATION
 - C. THE FOUR-TAILED BANDAGE MAY BE USED TO IMMOBILIZE THE FRACTURE
 - D. BE SURE THE PATIENT HAS A KNIFE OR SCISSORS AVAILABLE
41. IF A CASUALTY IS UNABLE TO MOVE HIS FINGERS, HE WOULD PROBABLY BE SUFFERING FROM A FRACTURE OF THE?
- A. CERVICAL SPINE
 - B. THORACIC SPINE
 - C. LUMBAR SPINE
 - D. ANY OF THE ABOVE

42. A PATIENT WITH WHAT TYPE FRACTURE IS UNABLE TO SIT OR STAND AND COMPLAINS OF FEELING AS THOUGH HE IS COMING APART?
- A. FEMUR
 - B. PELVIS
 - C. SPINE
 - D. SKULL
43. A CORPSMAN SHOULD NOT ATTEMPT TO REDUCE A DISLOCATION IF MEDICAL AID CAN BE REACHED IN?
- A. 8 HOURS
 - B. 12 HOURS
 - C. 24 HOURS
 - D. ALWAYS ATTEMPT TO REDUCE IT BUT STOP IF RESISTANCE IF FELT
44. WHAT TYPE INJURY INVOLVES A MONETARY DISLOCATION WITH THE BONE SLIPPING BACK IN PLACE OF ITS OWN ACCORD?
- A. SPRAIN
 - B. STRAIN
 - C. CONTUSION
 - D. EITHER A OR B
45. WHAT IS THE PRIORITY FOR OBTAINING INFORMATION ON A POISON VICTIM?
- A. SYMPTOMS/ MEDICAL HISTORY, TIME OF OCCURRENCE, IDENTIFY THE POISON, DETERMINE THE QUANTITY OF POISON TAKEN
 - B. TIME OF OCCURRENCE, IDENTIFY THE POISON, DETERMINE THE QUANTITY OF POISON TAKEN, SYMPTOMS/MEDICAL HISTORY
 - C. DETERMINE THE QUANTITY OF POISON TAKEN, SYMPTOMS/MEDICAL HISTORY, IDENTIFY THE POISON, TIME OF OCCURRENCE
 - D. IDENTIFY THE POISON, DETERMINE THE QUANTITY OF POISON TAKEN, TIME OF OCCURRENCE, SYMPTOMS/MEDICAL HISTORY
46. WHICH OF THE AGENTS LISTED BELOW IS CLASSIFIED AS A CORROSIVE POISON?
- A. ARSENIC
 - B. SILVER NITRATE
 - C. PHENOLS
 - D. PHOSPHORUS
47. WHAT IS NOT RECOMMENDED IN THE TREATMENT OF NON-CORROSIVE POISONING?
- A. DILUTE THE POISON BY HAVING THE CONSCIOUS VICTIM DRINK 1 OR 2 GLASSES OF WATER OR MILK
 - B. GIVE AN EMETIC(PREFERRED METHOD OF EMPTYING THE CONTENTS OF THE STOMACH)
 - C. COLLECT THE VOMITUS FOR LAB ANALYSIS
 - D. GASTRIC LAVAGE IS PREFERRED FOR PHOSPHORUS POISONING

48. THE TREATMENT OF ACID (CORROSIVE) POISONING INCLUDE ALL OF THE BELOW EXCEPT?
- A. TWO GLASSES OF MILK OR WATER
 - B. MILK OF MAGNESIA
 - C. BICARBONATE OF SODA
 - D. RAW EGGS WITH AN ANTACID
49. VOMITING IS NOT INDUCED IN WHAT TYPE POISONING DUE TO THE DANGER OF ADDITIONAL POISON ENTERING THE LUNGS
- A. PETROLEUM DISTILLATES
 - B. ACIDS
 - C. ALKALI'S
 - D. PHENOLS
50. THE DIAGNOSIS OF WHAT POISONING IS MADE FROM THE CIRCUMSTANCES OF EXPOSURE AND THE APPEARANCE OF A CHERRY-RED COLORATION OF THE SKIN AND THE MUCOUS MEMBRANES?
- A. CARBON TETRACHLORIDE
 - B. TRICHLORETHYLENE
 - C. CARBON DIOXIDE
 - D. CARBON MONOXIDE
51. WHICH OF THE BELOW LISTED FISH WOULD BE CONSIDERED SAFE TO EAT?
- A. PUFFER, TRIGGER OR FILE
 - B. PARROT OR PORCUPINE
 - C. SURGEON, SURMULLET OR GOAT
 - D. NONE OF THE ABOVE
52. THE TREATMENT OF A BEE, WASP OR FIRE ANT STING INCLUDE ALL OF THE BELOW EXCEPT?
- A. FOR SEVERE REACTIONS GIVE 0.5CC EPINEPHRINE SUBCUTANEOUS IF THE VICTIM IS AN ADULT
 - B. PULL OUT THE STINGER
 - C. USE ICE OR ANALGESIC-CORTICOSTEROID LOTION FOR PAIN
 - D. REMOVE RINGS, BRACELETS AND WATCHES
53. THE VIOLIN SHAPED MARKING IS CHARACTERISTIC IN THE IDENTIFICATION OF A?
- A. SCORPION
 - B. FEMALE BLACK WIDOW SPIDER
 - C. BROWN RECLUSE SPIDER
 - D. CENTRUROIDES SCULPTURATUS

54. WHAT POISONOUS SNAKE OF THE CROTALIDAE FAMILY IS ALSO CALLED A PIT VIPER BECAUSE OF THE SMALL, DEEP PITS BETWEEN THE NOSTRILS AND THE EYES?
- A. WATER MOCCASIN
 - B. CORAL SNAKE
 - C. SEA SNAKE
 - D. MAMBA
55. WHICH OF THE SNAKES LISTED BELOW IS ONLY FOUND IN AFRICA?
- A. CORAL
 - B. MAMBA
 - C. KING COBRA
 - D. KRAIT
56. HOW LONG SHOULD SUCTION BE APPLIED AFTER AN INCISION IS MADE FOR A SNAKE BITE
- A. 5 MIN
 - B. 15 MIN
 - C. 30 MIN
 - D. 60 MIN
57. WHICH OF THE BELOW IS NOT TRUE CONCERNING DEFINITIVE CARE OF ALL WESTERN HEMISPHERE SNAKEBITES, EXCEPT FOR THE CORAL SNAKE?
- A. POLYVALENT ANTIVENIN IS GIVEN IN DOSES OF THREE VIALS FOR SMALL REACTIONS
 - B. POLYVALENT ANTIVENIN IS GIVEN IN DOSES OF 5-8 VIALS FOR SWELLING OF THE HAND OR FOOT
 - C. AT LEAST 8 VIALS SHOULD BE GIVEN FOR MODERATE OR SEVERE ENVENOMATION
 - D. CHILDREN RECEIVE SMALLER DOSES THAN ADULTS
58. WHAT IS THE FIRST STEP IN TREATING AN INJURY CAUSED BY A JELLYFISH OR PORTUGUESE MAN-OF-WAR?
- A. NEUTRALIZE WITH RUBBING ALCOHOL OR FORMULIN
 - B. COVER AREA WITH DRY POWDER
 - C. APPLY VERY HOT WATER
 - D. POUR SEA WATER OVER THE INJURED AREA
59. WHAT IS THE MOST WIDELY ABUSED DRUG TO DATE?
- A. ALCOHOL
 - B. CANNABIS
 - C. HEROIN
 - D. LSD

60. WHAT IS THE MOST IMPORTANT CONSIDERATION IN EVALUATING THE SERIOUSNESS OF A BURN?
- A. LOCATION
 - B. EXTENT
 - C. DEPTH
 - D. AGE AND HEALTH
61. IF A MAN WERE BURNED ON ALL EXTREMITIES, HE WOULD HAVE WHAT PERCENT OF HIS BODY BURNED?
- A. 27%
 - B. 36%
 - C. 54%
 - D. 72%
62. ICE WATER IMMERSION SHOULD BE USED ON BURNS OF LESS THAN?
- A. 20%
 - B. 25%
 - C. 36%
 - D. 50%
63. AN ACID BURN OF THE EYE SHOULD BE FLUSHED WITH WATER FOR HOW LONG?
- A. 5 TO 10 MINUTES
 - B. 15 MINUTES
 - C. 15-30 MINUTES
 - D. 30-45 MINUTES
64. IF A MAN HAS A BURN ON THE SKIN CAUSED BY PHENOL (CARBOLIC ACID), THE AREA WOULD BE FLUSHED WITH?
- A. BAKING SODA
 - B. ALCOHOL
 - C. VINEGAR
 - D. ACETIC ACID/WATER
65. WHAT TYPE OF DRESSING MUST BE APPLIED TO A PATIENT WITH EMBEDDED WHITE PHOSPHORUS PARTICLES?
- A. OIL BASE
 - B. COPPER SULFATE
 - C. SALINE-SOAKED
 - D. ANY OF THE ABOVE

66. WHAT HEAT CONDITION IS CAUSED BY THE LOSS OF SALT AND WATER FROM THE BODY?
- A. HEAT STROKE
 - B. HEAT EXHAUSTION
 - C. HEAT CRAMPS
 - D. HEAT PROSTRATION
67. WHICH OF THE SYMPTOMS LISTED BELOW ARE COMMON TO HEATSTROKE (SUN STROKE)?
- A. EXCESSIVE SWEATING
 - B. CLAMMY SKIN
 - C. PUPILS DILATED
 - D. HIGH BODY TEMPERATURE
68. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE TREATMENT OF HEAT STROKE?
- A. THE PRIMARY CONSIDERATION IS TO GET THE TEMPERATURE DOWN
 - B. CASUALTY SHOULD BE COOLED UNTIL THE RECTAL TEMPERATURE REACHES 102 DEGREES F
 - C. TEMPERATURE SHOULD BE CHECKED EVERY 15 MINUTES
 - D. REPEAT COOLING IF RECTAL TEMPERATURE REACHES 103 DEGREES F
69. WHAT IS NOT PART OF THE COMMAND PREVENTION CENTER ON THE AWARENESS OF THE ENVIRONMENT?
- A. WBGT INDICATOR
 - B. PHEL CHART
 - C. HEAT CALCULATOR
 - D. BOTH A & B
70. PATIENT REPORTS TO SICKBAY WITH ICE CRYSTALS IN THE ENTIRE THICKNESS OF EXTREMITY AND HIS SKIN WILL NOT MOVE OVER BONY RIDGES. THE PATIENT IS SUFFERING FROM?
- A. HYPOTHERMIA
 - B. IMMERSION FOOT
 - C. SUPERFICIAL FROSTBITE
 - D. DEEP FROSTBITE
71. WHICH OF THE BELOW IS NOT TRUE CONCERNING COLD INJURIES?
- A. CHILBLAINS MAY BE CAUSED FROM REPEATED EXPOSURE TO TEMPERATURES AS HIGH AS 60 F/16 C
 - B. ALL COLD INJURIES SHOULD BE PLACED IN A TUB OF WARM WATER 100-105F/ 38-41C
 - C. WHIRLPOOL BATHS, TWICE DAILY WITH SURGICAL SOAP AFTER PATIENT REACHES A HOSPITAL
 - D. NEVER RUPTURE BLISTERS OR APPLY SALVES OR OINTMENTS

72. IF YOU ARE IN DOUBT AS TO WHETHER A VICTIM IS IN INSULIN SHOCK OR DIABETIC COMA, YOU SHOULD GIVE THE PATIENT?
- A. NOTHING
 - B. INSULIN
 - C. SUGAR
 - D. ORANGE JUICE
73. WHAT HEART CONDITION IS CAUSED BY INSUFFICIENT OXYGEN BEING CIRCULATED TO THE HEART MUSCLE?
- A. ANGINA PECTORIS
 - B. MYOCARDIAL INFARCTION
 - C. CONGESTIVE HEART FAILURE
 - D. CEREBROVASCULAR ACCIDENT (CVA)
74. WHAT IS THE MOST SERIOUS TYPE OF EPILEPTIC SEIZURE?
- A. GRAND MAL
 - B. PETIT MAL
 - C. TEPID MAL
 - D. ALL OF THE ABOVE
75. CHILDBIRTH IS APPROACHING IF THE MOTHER'S CONTRACTIONS ARE LESS THAN HOW MANY MINUTES?
- A. 3
 - B. 4
 - C. 5
 - D. 6
76. WHICH OF THE BELOW IS NOT TRUE CONCERNING EMERGENCY CHILDBIRTH?
- A. DURING CONTRACTIONS, DEEP OPEN MOUTH BREATHING WILL RELIEVE PAIN AND STRAINING
 - B. ALLOW THE MOTHER TO GO TO THE BATHROOM JUST PRIOR TO BIRTH
 - C. WATCH FOR THE TOP OF THE HEAD AND GENTLY PUSH AGAINST IT
 - D. LOG TIME OF DELIVERY AND WRAP THE PLACENTA UP FOR HOSPITAL ANALYSIS
77. THE PROTECTIVE (GAS) MASK IS NOT EFFECTIVE AGAINST?
- A. CARBON DIOXIDE
 - B. CARBON MONOXIDE
 - C. HYDROGEN SULFIDE
 - D. BOTH A & B

78. WHAT STAGE IN THE EXTRACTION OF VICTIMS INVOLVES GIVING LIFE SAVING EMERGENCY CARE?

- A. 1ST
- B. 2ND
- C. 3RD
- D. 4TH

79. WHICH OF THE BELOW IS TRUE CONCERNING RESCUE FROM FIRE OR STEAM FILLED SPACES?

- A. COVER A VICTIM ON FIRE COMPLETELY WITH A WET BLANKET
- B. VICTIM MUST SIT OR STAND WHILE YOU ARE TRYING TO EXTINGUISH THE FIRE
- C. ASBESTOS SUIT OFFERS NO PROTECTION IN A STEAM FILLED SPACE
- D. A WET CLOTH WILL PROVIDE PROTECTION AGAINST GASES AND LACK OF OXYGEN

80. WHAT STRETCHER SHOULD BE USED TO LIFT CASUALTIES FROM ENGINE ROOMS, HOLES, COMPARTMENTS, OR OTHER AREAS WHERE ACCESS HATCHES ARE SMALL?

- A. NEIL ROBERTSON
- B. STOKES
- C. ARMY LITTER
- D. SHIP LITTER

81. WHAT IS USED PRIMARILY IN THE EXTRICATION OF SITTING VICTIMS, ESPECIALLY IN AUTO WRECKS, WHERE IT WOULD BE DIFFICULT TO MANEUVER THE VICTIM OUT OF POSITION WITHOUT DOING ADDITIONAL DAMAGE TO THE SPINE?

- A. SHORT SPINEBOARD
- B. LONG SPINEBOARD
- C. NECK COLLAR
- D. EITHER A OR B

82. WHICH OF THE BELOW IS NOT TRUE CONCERNING TRANSPORTATION OF THE INJURED?

- A. ONE OF THE EASIEST WAYS TO TRANSPORT AN UNCONSCIOUS PATIENT IS THE FIREMAN'S CARRY
- B. TIE HAND CRAWL IS PARTICULARLY USEFUL FOR MOVING UNDER A LOW STRUCTURE
- C. CHAIR CARRY IS PARTICULARLY USEFUL WHEN TWO RESCUERS MUST MOVE A VICTIM UP OR DOWN STAIRS
- D. WHEN USING THE BLANKET DRAG, ALWAYS PULL THE VICTIM FEET FIRST

83. WHAT TYPE OF ANESTHESIA BLOCKS ALL IMPULSES TO AND FROM THE PERENNIAL AREA OF THE BODY?

- A. CAUDAL BLOCK
- B. SADDLE BLOCK
- C. EPIDURAL BLOCK
- D. NERVE BLOCK

84. WHAT STAGE OF ANESTHESIA IS USED FOR ALL OPERATIONS?

- A. 1
- B. 2
- C. 3
- D. 4

EMERGENCY PROCEDURES #1 E-6 & ABOVE

1. WHAT TYPE OF HERNIA IS TREATED BY NOT EXERTING ANY PRESSURE ON THE MASS, AND OPIATES WOULD BE GIVEN FOR PAIN?
 - A. INCARCERATED
 - B. REDUCIBLE
 - C. HIATAL
 - D. ALL OF THE ABOVE

2. WHAT IS NOT RECOMMENDED IN THE TREATMENT OF ACUTE THORACIC EMERGENCIES?
 - A. ESTABLISH & MAINTAIN AN OPEN AIRWAY
 - B. KEEP THE PATIENT WELL OXYGENATED
 - C. USE SEDATIVES TO DEPRESS THE RESPIRATORY CENTER
 - D. COUNTERACT SHOCK AND MAINTAIN AN ADEQUATE LEVEL OF CIRCULATING BLOOD

3. WHAT TYPE OF SEVERE PNEUMONIA HAS A 60% MORTALITY RATE?
 - A. PNEUMOCOCCAL
 - B. ASPIRATION
 - C. PNEUMOCOCCUS
 - D. PRIMARY ATYPICAL

4. WHAT CONDITION DO A DRY SCRATCHY THROAT, HOARSE HUSKY VOICE, FEVER, AND A COUGH THAT PRODUCES MUCOPURULENT SPUTUM, AND MUSICAL BRONCHI AND WHEEZING CHARACTERIZE?
 - A. ASTHMA
 - B. FIBRINOUS PLEURISY
 - C. PULMONARY ABSCESS
 - D. ACUTE BRONCHITIS

5. WHAT CONDITION IS USUALLY THE RESULT OF LEFT VENTRICULAR FAILURE OR MITRAL STENOSIS, BUT MAY BE CAUSED BY DRUGS, IRRITANT GASES, OR BURNS?
 - A. PNEUMOTHORAX
 - B. DECOMPRESSION SICKNESS
 - C. PULMONARY EMBOLISM
 - D. PULMONARY EDEMA

6. WHICH OF THE BELOW IS NOT TRUE CONCERNING A PEPTIC ULCER?
 - A. FREQUENT FEEDINGS OF BLAND FOODS AND MILK IS AN ACCEPTED PRACTICE
 - B. NORMALLY FOUND IN THE FIRST PORTION OF THE DUODENUM OR THE LESSER CURVATURE OF THE STOMACH
 - C. CIMETIDINE IS INDICATED DURING THE ACUTE STAGES OF ACTIVE ULCER DISEASE
 - D. FOOD RELIEVES PAIN BUT TENDS TO AGGRAVATE THE CONDITION

7. WHAT CONDITION IS TREATED WITH BED REST IN A SEMI-FOWLERS POSITION, WITH THE PATIENT NPO WITH ICE BAG PLACED ON THE ABDOMEN?
- A. UPPER GI HEMORRHAGE
 - B. PERFORATED PEPTIC ULCER
 - C. APPENDICITIS
 - D. REGIONAL ENTERITIS
8. WHAT TYPE OF HEPATITIS IS USUALLY TRANSMITTED BY THE FECAL-ORAL ROUTE AND OCCURS SPORADICALLY OR IN EPIDEMICS?
- A. A
 - B. B
 - C. C
 - D. ALCOHOLIC
9. WHAT CONDITION REQUIRES SURGERY AND IS MORE COMMON IN WOMEN?
- A. CHOLECYSTITIS
 - B. CHOLELITHIASIS
 - C. PANCREATITIS
 - D. PYELONEPHRITIS
10. PATIENT REPORTS TO SICKBAY WITH EXCRUCIATING INTERMITTENT PAIN THAT ORIGINATES IN THE FLANK OR KIDNEY AREA AND RADIATES ACROSS THE ABDOMEN AND ALONG THE COURSE OF THE URETERS, WOULD BE SUSPECTED OF HAVING?
- A. PYELONEPHRITIS
 - B. RENAL CALCULI
 - C. PROSTATITIS
 - D. EPIDIDYMITIS
11. WHICH OF THE BELOW IS NOT TRUE CONCERNING DISEASES OF THE GENITOURINARY TRACT?
- A. FORCE FLUIDS TO MAINTAIN URINARY OUTPUT OF 2-3 LITERS PER DAY FOR PYELONEPHRITIS
 - B. INFILTRATION OF THE SPERMATIC CORD WITH PROCAINE HYDROCHLORIDE IS SOMETIMES USED TO TREAT EPIDIDYMITIS
 - C. ANTISPASMODICS SHOULD NOT BE USED TO TREAT RENAL CALCULI
 - D. THE PROSTATE SHOULD BE MASSAGED IN A PATIENT WITH PROSTATITIS
12. WHAT CONDITION IS CAUSED BY BLOCKAGE OF ONE OR MORE OF THE BRANCHES OF THE CORONARY ARTERIES?
- A. ATHEROSCLEROSIS
 - B. CONGESTIVE HEART FAILURE
 - C. MYOCARDIAL INFARCTION
 - D. ANGINA PECTORIS

13. WHICH OF THE BELOW IS NOT TRUE CONCERNING VARIOUS MEDICAL CONDITIONS?
- A. THE MOST FREQUENT CAUSE OF SEPTICEMIA IS SURGERY, IV THERAPY AND INDWELLING CATHETERS?
 - B. THROMBOPHLEBITIS IS TREATED WITH BUTAZOLIDIN
 - C. HODGKIN'S DISEASE IS A CHRONIC, PROGRESSIVE AND OFTEN FATAL DISEASE
 - D. LYMPHADENITIS IS AN INFLAMMATION OF A LYMPH VESSEL
14. WHAT CONDITION IS CHARACTERIZED BY PAIN, TENDERNESS, AND SOME TIMES SWELLING OF ONE OR MORE OF THE COSTAL CARTILAGE'S?
- A. COSTTOCHONDRITIS
 - B. TIETZE'S SYNDROME
 - C. BURSITIS
 - D. BOTH A & B
15. WHAT TYPE OF ARTHRITIS USUALLY OCCURS IN THE LARGE HINGE JOINTS?
- A. GONOCOCCAL
 - B. RHEUMATOID
 - C. DEGENERATIVE
 - D. GOUTY
16. HOW WOULD YOU TREAT AN INDIVIDUAL WHO HAS A SMALL PERFORATED TYMPANIC MEMBRANE?
- A. ALUMINUM ACETATE WICK EVERY 3 HOURS FOR 48 HOURS
 - B. ANALGESICS AND ANTIBIOTIC THERAPY
 - C. NO TREATMENT INDICATED
 - D. REFER PATIENT FOR TREATMENT
17. WHAT SHOULD BE USED TO REMOVE A PEA FROM THE CANAL?
- A. IRRIGATE WITH WATER OR SALINE
 - B. IRRIGATE WITH STERILE WATER OR BORIC ACID
 - C. IRRIGATE WITH ALCOHOL OR LIGHT OIL
 - D. NONE OF THE ABOVE
18. EPISTAXIS MAY BE CONTROLLED BY INSERTING A SMALL PLEDGET OF COTTON MOISTENED WITH?
- A. HYDROGEN PEROXIDE
 - B. PHENYLEPHRINE
 - C. EPINEPHRINE
 - D. ANY OF THE ABOVE

19. WHAT IS AN INFLAMMATION OF THE THIN MUCOUS MEMBRANE LINING THE INNER PORTIONS OF THE EYELIDS AND ANTERIOR SURFACE OF THE EYEBALL?
- A. CONJUNCTIVITIS
 - B. HORDEOLUM
 - C. DENDRITIC ULCER
 - D. FLOATERS
20. WHAT PART OF THE BODY IS NOT NORMALLY AFFECTED BY CONTACT DERMATITIS?
- A. EYELIDS
 - B. SCALP
 - C. GENITALS
 - D. FEET
21. WHAT CONDITION IS FOUND IN TWO THIRDS OF ALL ADULT WHITE MALES BUT IS RARELY FOUND IN BLACKS?
- A. PSORIASIS
 - B. ACNE
 - C. URTICARIA
 - D. HERPES SIMPLEX
22. WHAT CONDITION IS A VERY COMMON, CONTAGIOUS, BENIGN EPITHELIAL TUMORS THAT MAY PERSIST AS A SINGLE LESION OR DEVELOP SATELLITES?
- A. HERPES SIMPLEX
 - B. HERPES ZOSTER
 - C. VERRUCAE
 - D. SHINGLES
23. THE FUNGUS INFECTION OCCURRING IN THE AREA OF THE INNER THIGHS IS TERMED TINEA?
- A. PEDIS
 - B. CAPITIS
 - C. CORPORIS
 - D. CRURIS
24. WHAT DRUG SHOULD BE GIVEN TO HELP PREVENT CLUSTER HEADACHES FROM BECOMING VASCULAR HEADACHES?
- A. CAFERGOT
 - B. SANSERT
 - C. DEMEROL
 - D. CODEINE

25. WHICH OF THE BELOW IS NOT TRUE CONCERNING EPILEPSY?
- A. FORCE MOUTH OPEN AND INSERT TONGUE DEPRESSOR TO KEEP PATIENT FROM BITING TONGUE
 - B. GRAND MAL SEIZURE USUALLY LASTS 2-5 MINUTES
 - C. JACKSONIAN SEIZURE IS NOT CHARACTERIZED BY LOSS OF CONSCIOUSNESS
 - D. THE PATIENT MAY EXPERIENCE 100 PETIT MAL SEIZURES EACH DAY
26. WHAT CONDITION IS CHARACTERIZED BY A SEVERE HEADACHE, NAUSEA, VOMITING, STIFFNESS OF THE NECK, POSITIVE KERNING'S SIGN AND BILATERAL BABINSKI'S REFLEX IS USUALLY PRESENT?
- A. CEREBROVASCULAR ACCIDENT
 - B. SUBARACHNOID HEMORRHAGE
 - C. EXTRADURAL HEMATOMA
 - D. SUBDURAL HEMATOMA
27. WHAT CONDITION IS CHARACTERIZED BY MYXEDEMATOUS FEATURES SUCH AS AN ENLARGED TONGUE, SLOW DEEP-TONED SPEECH, DRY THICKENED EDEMATOUS SKIN, PUFFINESS OF THE EYELIDS, HANDS, FACE AND ALOPECIA (LOSS OF HAIR) OF THE SCALP AND EYEBROWS?
- A. DIABETES MELLITUS
 - B. ADDISON'S DISEASE
 - C. HYPOTHYROIDISM
 - D. HYPERTHYROIDISM
28. WHAT IS THE MOST PROMINENT SYMPTOM OF TRICHOMONAS VAGINITIS?
- A. DYSPAREUNIA
 - B. VAGINISMUS
 - C. VULVAR IRRITATION
 - D. LEUKORRHEA
29. WHAT CONDITION IS PRESENT IN A LADY WHOSE MENSTRUAL CYCLES ARE ABSENT OR MORE THAN 6 MONTHS APART?
- A. AMENORRHEA
 - B. DYSMENORRHEA
 - C. SALPINGITIS
 - D. SKENE'S GLAND DUCT DISORDER

30. THE COMMAND IS RESPONSIBLE FOR NOTIFYING WHAT AGENCY IN ALL CASES OF SEXUAL ASSAULT OR RAPE?
- A. JAG
 - B. BUMED
 - C. NIS
 - D. ALL OF THE ABOVE
31. WHEN SOME TISSUE HAS BEEN PASSED, AND THE REMAINDER OF THE CONCEPTUS REMAINS IN THE UTERUS, ABORTION IS?
- A. INEVITABLE
 - B. INCOMPLETE
 - C. THREATENED
 - D. IMMINENT
32. WHAT IS THE CHIEF HARD TISSUE OF THE TOOTH, WHICH SURROUNDS THE TOOTH PULP AND IS COVERED BY ENAMEL ON THE CROWN AND BY CEMENTUM ON THE ROOT?
- A. OCCLUSAL
 - B. CROWN
 - C. CERVIX
 - D. DENTIN
33. WHAT IS THE MOST FREQUENT CAUSE OF SEVERE DENTAL PAIN?
- A. DENTAL CARIES
 - B. ACUTE PULPITIS
 - C. BACTERIAL PLAQUE
 - D. ALL OF THE ABOVE
34. WHAT INFECTION IS USUALLY THE RESULT OF LONG-CONTINUED IRRITATION BY FOOD DEBRIS, DEEP DEPOSITS OF CALCULUS, OR FOREIGN OBJECTS SUCH AS A TOOTHBRUSH BRISTLE OR A POPCORN HUSK BEING TIGHTLY PACKED BETWEEN THE TOOTH AND THE SOFT TISSUE?
- A. PERIODONTAL ABSCESS
 - B. PERICORONITIS
 - C. PERIAPICAL ABSCESS
 - D. ACUTE PULPITIS

35. PATIENT COMPLAINS OF BLEEDING AFTER A TOOTH EXTRACTION, WEAKNESS FROM SPITTING OR SWALLOWING LARGE AMOUNTS OF BLOOD MAY ALSO COMPLAIN OF BLOOD ON THE BED CLOTHING SHOULD BE SUSPECTED OF?

- A. POST EXODONTIC HEMORRHAGE
- B. POST EXODONTIC OSTEITIS
- C. DRY SOCKET
- D. ALL OF THE ABOVE

36. WHAT TYPE OF TOOTH FRACTURE EXHIBITS SLIGHT EXPOSURE OF THE PULP?

- A. I
- B. II
- C. III
- D. IV

37. THE UNKNOWN ORAL CLASSIFICATION BECAUSE THE PATIENT HAS NOT RECEIVED A DENTAL EXAMINATION IN THE PAST 12 MONTHS OR THE DENTAL RECORD HAS BEEN LOST, WOULD BE INDICATED BY?

- A. CLASS 1-WHITE TAPE
- B. CLASS 2-GREEN TAPE
- C. CLASS 3-YELLOW TAPE
- D. CLASS 4-RED TAPE

DIET THERAPY # 1

E-6 AND E-7

1. WHAT ARE THE MOST IMPORTANT NUTRITIVE ELEMENTS REQUIRED BY MAN?
 - A. PROTEIN
 - B. FATS
 - C. CARBOHYDRATES
 - D. ALL OF THE ABOVE

2. WHAT ELEMENTS ASSIST IN NORMAL FUNCTIONING OF THE THYROID GLAND?
 - A. CALCIUM
 - B. ZINC
 - C. IODINE
 - D. SODIUM

3. WHAT DIET IS RECOMMENDED FOR GASTRITIS, HYPERACIDITY, HEMORRHOIDS, PEPTIC ULCER, AND PYROSIS?
 - A. HIGH CALORIE
 - B. BLAND
 - C. LOW CALORIE
 - D. LOW SODIUM

4. WHAT DIET IS USED IN RENAL DISEASE ASSOCIATED WITH NITROGEN RETENTION OR GI DISORDERS WHEN PUTREFACTION IS PRESENT?
 - A. LIQUID
 - B. SOFT
 - C. HIGH PROTEIN
 - D. LOW PROTEIN

5. WHICH OF THE BELOW IS NOT TRUE CONCERNING DIET THERAPY?
 - A. THE HIGH RESIDUE DIET IS INDICATED FOR ATONIC CONSTIPATION
 - B. A PATIENT WITH RHEUMATIC FEVER SHOULD BE PLACED ON A HIGH CALORIC SOFT DIET
 - C. AN INSUFFICIENT INTAKE OF WATER CAUSES DIARRHEA
 - D. THE RECOMMENDED INTAKE OF PROTEINS FOR MOST PATIENTS IS AT LEAST 1 G. PER KG OF BODY WEIGHT.

6. WHICH OF THE FOLLOWING VITAMINS ARE TRANSPORTED THROUGHOUT THE BODY IN WATER AND ARE CLASSIFIED AS WATER-SOLUBLE?
 - A. "A"
 - B. "C"
 - C. "E"
 - D. "K"

7. WHICH OF THE BELOW IS NOT TRUE CONCERNING A LOW SODIUM DIET?
- A. INDICATED WHEN EDEMA IS PRESENT IN RENAL DISEASES
 - B. PATIENTS SHOULD BE ENCOURAGED TO DRINK 2,000 TO 3,000 ML. OF LOW SODIUM FLUIDS DAILY.
 - C. REGULAR DIETS WITH NO SALT ADDED CONTAIN 4.2 TO 5.4 G. OF SODIUM
 - D. THE ALLOWANCE OF SODIUM IN A STRICT LOW SODIUM DIET IS 250 TO 1000 MG DAILY
8. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE LOW CARBOHYDRATE, HIGH PROTEIN DIET?
- A. SWEETS SHOULD NEVER BE GIVEN FOR HYPOGLYCEMIC REACTIONS
 - B. USED IN THE TREATMENT OF HYPOGLYCEMIA
 - C. FOODS MAY BE DIVIDED INTO 3 TO 6 OR MORE SMALL MEALS
 - D. SNACKS TO HELP PREVENT HYPOGLYCEMIC REACTIONS INCLUDE CHEESE, PEANUT BUTTER, MILK, AND HARD BOILED EGGS
9. WHAT TYPE OF DIET IS INDICATED FOR ATONIC CONSTIPATION, SPASTIC COLON, IRRITABLE BOWEL SYNDROME, AND DIVERTICULOSIS?
- A. HIGH CALORIE
 - B. HIGH PROTEIN
 - C. LOW RESIDUE
 - D. HIGH RESIDUE
10. WHAT TYPE OF DIET IS INDICATED WHEN EDEMA IS PRESENT IN RENAL DISEASES, HYPERTENSION, AND CARDIAC CONDITIONS?
- A. LOW CALORIE
 - B. LOW PROTEIN
 - C. LOW RESIDUE
 - D. LOW SODIUM
11. HOW MANY CALORIES DOES EACH GRAM OF PROTEIN YIELD IN THE PROCESS OF ITS METABOLISM?
- A. 2
 - B. 4
 - C. 6
 - D. 9

ADMINISTRATION # 1 HEALTH RECORDS

1. THE HEALTH RECORD IS OF SIGNIFICANT MEDICAL-LEGAL VALUE TO THE?
 - A. MEMBER
 - B. HIS BENEFICIARIES
 - C. FEDERAL GOVERNMENT
 - D. ALL OF THE ABOVE

2. ALL HEALTH RECORDS SHALL BE VERIFIED ON RECEIPT, TRANSFER AND ON?
 - A. 01 SEPTEMBER
 - B. SPECIAL DUTY
 - C. PHYSICAL EXAMINATION
 - D. EACH OF THE ABOVE

3. WHAT CHAPTER IN THE MANUAL OF THE MEDICAL DEPARTMENT GIVES COMPLETE DETAILS ON THE PROPER PAGE ARRANGEMENT OF THE HEALTH RECORD?
 - A. 15
 - B. 16
 - C. 21
 - D. 23

4. IF AN INDIVIDUAL IS APPOINTED, ENLISTED, OR REENLISTED WITH DISQUALIFYING DEFECTS WHICH HAVE BEEN WAIVED BY NAVMILPERSCOM OR MARCORPS, THE DESCRIPTION OF EACH DEFECT WITH AUTHORITY FOR WAIVER SHALL BE ENTERED ON THE?
 - A. SF-88
 - B. SF-600
 - C. NAVMED 6150/4
 - D. BOTH A AND B

5. THE HEALTH AND DENTAL RECORDS OF (NAVY) INDIVIDUALS WHO HAVE HAD PRIOR SERVICE AND HAVE BEEN DISCHARGED MAY BE OBTAINED BY SENDING A DD-877 TO?
 - A. NATIONAL PERSONNEL RECORDS CENTER, ST. LOUIS, MO
 - B. NAVAL RESERVE PERSONNEL CENTER, NEW ORLEANS, LA
 - C. RESERVE FORCES ADMINISTRATIVE ACTIVITY, KANSAS CITY, MO
 - D. CHIEF, BUREAU OF MEDICINE AND SURGERY

6. WHAT DISPOSITION IS MADE OF THE HEALTH RECORD OF A NEWLY APPOINTED NAVAL RESERVE OFFICER WHO IS ON INACTIVE DUTY AND ASSIGNED TO A DRILL UNIT OF THE SELECTIVE RESERVES?
- A. FORWARD TO THE DRILL UNIT WHICH HE IS ASSIGNED
 - B. FORWARD TO THE COGNIZANT NAVAL DISTRICT COMMANDANT
 - C. FORWARD TO THE C.O. NAVAL RESERVE MANPOWER CENTER, BAINBRIDGE, MD
 - D. FORWARD TO THE CHIEF OF NAVAL PERSONNEL
7. WHO IS RESPONSIBLE FOR OPENING THE HEALTH RECORD OF A NAVY MAN WHO WILL BE ENLISTING IN TWO MONTHS?
- A. NAVAL TRAINING CENTER
 - B. MEPS
 - C. ACTIVITY EXECUTING THE ENLISTMENT CONTRACT
 - D. ANY OF THE ABOVE
8. INSTRUCTIONS FOR OPENING HEALTH RECORDS FOR CIVILIANS SELECTED FOR AN OFFICER CANDIDATE PROGRAM MAY BE FOUND IN ALL THE FOLLOWING PUBLICATIONS EXCEPT?
- A. MMD
 - B. US NAVY RECRUITING MANUAL
 - C. NAVY REGULATIONS
 - D. NAVAL RESERVE RECRUITING INSTRUCTIONS
9. UPON THE APPREHENSION OF A NAVY DESERTER, YOU WOULD REQUEST HIS HEALTH RECORD FROM?
- A. LAST PERMANENT DUTY STATION
 - B. BUMED
 - C. BUPERS
 - D. NAVAL PERSONNEL RECORDS CENTER
10. THE HEALTH RECORD IS CLOSED ON ALL BUT WHICH OF THE FOLLOWING OCCASIONS
- A. RELEASE TO INACTIVE DUTY
 - B. MISSING IN ACTION
 - C. DISCHARGE
 - D. WHEN AN ENLISTED MEMBER IS COMMISSIONED
11. WHAT IS THE DISPOSITION OF THE HEALTH RECORD IF A MAN IS ADMITTED DIRECTLY TO A FEDERAL MEDICAL FACILITY OTHER THAN ARMED FORCES AND HOSPITALIZATION IS EXPECTED TO EXCEED SEVEN DAYS?
- A. RETAIN ABOARD SHIP
 - B. FORWARD TO THE COGNIZANT OFFICE OF MEDICAL AFFAIRS
 - C. TRANSFER TO ANOTHER U.S. SHIP IN PORT
 - D. FORWARD TO THE HOSPITAL WITH THE PATIENT

12. IF AN ERRONEOUS ENTRY IS MADE IN THE HEALTH RECORD, WHAT PROCEDURE SHOULD BE FOLLOWED?
- A. MAKE AN ADDITIONAL ENTRY SHOWING THE ORIGINAL IS IN ERROR
 - B. DRAW A LINE THROUGH THE ERRONEOUS ENTRY IN RED
 - C. DRAW A LINE THROUGH THE ERRONEOUS ENTRY IN RED AND MAKE AN ADDITIONAL ENTRY SHOWING THE ORIGINAL ENTRY WAS ERRONEOUS
 - D. DRAW A LINE THROUGH THE ERRONEOUS ENTRY IN BLACK OR BLUE-BLACK INK AND MAKE AN ADDITIONAL ENTRY SHOWING THE ORIGINAL ENTRY WAS ERRONEOUS
13. WHICH OF THE BELOW IS NOT TRUE CONCERNING REPLACEMENT AND DUPLICATE HEALTH RECORDS?
- A. THE ORIGINAL HEALTH RECORD FORM IS DESTROYED AFTER DUPLICATION
 - B. WHEN A HEALTH RECORD IS LOST OR DESTROYED, A REPLACEMENT RECORD SHALL BE OPENED
 - C. WHENEVER A HEALTH RECORD FORM APPROACHES A STATE OF ILLEGIBILITY OR DETERIORATION, IT WILL BE DUPLICATED
 - D. THE CIRCUMSTANCES NECESSITATING THE DUPLICATION OR REPLACEMENT OF THE HEALTH RECORD WILL BE RECORDED ON THE SF-600
14. IF A PERSON DOES NOT DESIRE TO STATE A RELIGIOUS PREFERENCE, WHAT WOULD BE ENTERED IN BLOCK 16 OF THE SF-88
- A. NO PREFERENCE
 - B. NONE
 - C. NONE STATED
 - D. LEAVE THE BLOCK BLANK
15. WHICH OF THE BELOW LISTED INDIVIDUALS WOULD NOT BE CLASSIFIED AS A MALAYAN?
- A. KOREAN
 - B. FILIPINO
 - C. CHAMORRO
 - D. HAWAIIAN
16. THE HEIGHT IS RECORDED ON THE SF-88 (BLOCK 51) TO THE NEAREST?
- A. 1/10 INCH
 - B. 1/4 INCH
 - C. 1/2 INCH
 - D. INCH
17. WHAT PART OF THE REPORT OF MEDICAL HISTORY (SF-93) SHALL BE PREPARED AND SIGNED BY THE MEDICAL OFFICER.
- A. ITEMS 1-8
 - B. ITEMS 9-24
 - C. ITEM 25
 - D. EACH OF THE ABOVE

18. WHAT IS THE CORRECT DISPOSITION OF THE INDIVIDUAL SICKCALL SLIP (DD-689)?
- A. IT IS INSERTED INTO THE HEALTH RECORD
 - B. DESTROYED AFTER THE INFORMATION IS TRANSCRIBED ON THE SF-600
 - C. KEPT ON FILE FOR TWO YEARS
 - D. RETURNED TO THE TREATING MEDICAL FACILITY AFTER THE INFORMATION IS TRANSCRIBED ON THE SF-600
19. WHAT VISUAL RECORD SHALL BE PREPARED UPON THE DETERMINATION OF A NEED FOR CORRECTIVE EYEWEAR?
- A. SF-539
 - B. DD-771
 - C. NAVMED 6490/1
 - D. NAVMED 6100/1
20. THE ABBREVIATED CLINICAL RECORD IS USED IN UNCOMPLICATED INPATIENT CARE, IF THE PATIENT IS HOSPITALIZED LESS THAN?
- A. 48 HOURS
 - B. 72 HOURS
 - C. 96 HOURS
 - D. 5 DAYS
21. THE PRESENT PHYSICAL STANDARDS FOR ENLISTMENT, REENLISTMENT, OR INDUCTION OF ENLISTED MEN, ARE CONTAINED IN?
- A. MMD (CHAPTER 15)
 - B. ARMY REGULATIONS (AR40-501)
 - C. NAVY DIRECTIVES SYSTEM
 - D. ALL THE ABOVE
22. THE RECRUIT SCREENING EXAMINATION WILL BE CONDUCTED WITHIN HOW MANY DAYS AFTER REPORTING TO THE NAVAL TRAINING CENTER OR MARINE CORPS RECRUIT DEPOT?
- A. 5 DAYS
 - B. 10 DAYS
 - C. 20 DAYS
 - D. 30 DAYS
23. HOW LONG IS PHYSICAL EXAMINATION VALID FOR SEPARATION FROM ACTIVE DUTY, INCLUDING RETIREMENT?
- A. 3 MONTHS
 - B. 6 MONTHS
 - C. 9 MONTHS
 - D. 12 MONTHS

24. AN ENTRY SHOULD BE MADE ON THE ABSTRACT OF SERVICE AND MEDICAL HISTORY (NAVMED 6150/4), FOR ALL BUT WHICH THE FOLLOWING?
- A. PROMOTION OF AN OFFICER
 - B. CLOSURE OF THE RECORD
 - C. DESERTION
 - D. MISSING IN ACTION
25. WHAT FORM DOES THE SERVICE MEMBER NOT SIGN?
- A. SF-93
 - B. NAVPERS 5510/1
 - C. SF-602
 - D. DD-2005
26. THE RECORD OF EXPOSURE TO IONIZING RADIATION (DD-1141) WOULD BE PREPARED FOR A?
- A. PATIENT UNDERGOING TREATMENT AND DIAGNOSTIC PROCEDURES INCURRED BY IONIZING RADIATION
 - B. PHYSIO-THERAPIST
 - C. X-RAY TECHNICIAN
 - D. ALL THE ABOVE
27. WHAT FORM IS UPPERMOST ON THE LEFT SIDE OF THE HEALTH RECORD JACKET?
- A. SF-601
 - B. NAVMED 6150/2
 - C. NAVPERS 5510/1
 - D. NAVMED 6150/20
28. INSTRUCTIONS FOR PREPARING AND SUBMITTING THE MONTHLY MEDICAL SERVICES AND OUTPATIENT MORBIDITY REPORT ARE CONTAINED IN?
- A. SECNAVINST 5210.11 SERIES
 - B. BUMEDINST 6224.8
 - C. BUPERSISNT 6110.2
 - D. BUMEDINST 6300.2 SERIES
29. HOW MANY MONTHS SUPPLY OF FORMS SHALL BE MAINTAINED BY SHORE STATIONS?
- A. 3 MONTHS
 - B. 6 MONTHS
 - C. 9 MONTHS
 - D. 12 MONTHS

30. THE NAVMED 6320/18 (BINNACLE LIST) SHALL BE USED TO EXCUSE AN INDIVIDUAL FROM DUTY FOR A PERIOD OF 24 HOURS OR LESS. THIS REPORT MUST BE SUBMITTED TO THE COMMANDING OFFICER DAILY BY?
- A. 0800
 - B. 0900
 - C. 0930
 - D. 1000
31. THE COMPLETE, CONCISE, CHRONOLOGICAL RECORD OF EVENTS OF IMPORTANCE OR OF HISTORICAL VALUE, CONCERNING THE MEDICAL DEPARTMENT IS THE?
- A. STATISTICAL DATA LOG
 - B. SICKBAY TREATMENT LOG
 - C. OOD LOG
 - D. MEDICAL JOURNAL
32. WHAT NAVY DIRECTIVE OF A ONE-TIME OR BRIEF NATURE, WHICH HAS SELF-CANCELLATING PROVISIONS, USUALLY REMAINS IN EFFECT FOR 6 MONTHS OR LESS, BUT NEVER LONGER THAN ONE YEAR?
- A. INSTRUCTION
 - B. NOTICE
 - C. ORDER
 - D. BULLETIN
33. WHICH OF THE FOURTEEN MAJOR SUBJECT GROUPS DEALS SOLELY WITH THE ADMINISTRATION OF MILITARY PERSONNEL?
- A. 1000
 - B. 2000
 - C. 3000
 - D. 4000
34. THE 7000 SERIES IS RELATED TO?
- A. GENERAL MATERIAL
 - B. SHIPS DESIGN AND SHIPS MATERIAL
 - C. FINANCIAL MANAGEMENT
 - D. COAST GUARD
35. WHICH OF THE FOURTEEN SUBJECT GROUPS RELATES TO ALL TYPES OF ORDNANCE MATERIAL?
- A. 5000
 - B. 8000
 - C. 10000
 - D. 12000

36. PHARMACISTS SHALL BE ASSIGNED DUTY AT ALL LARGE MILITARY PHARMACIES AT FIXED TREATMENT FACILITIES FILLING MORE THAN 5000 PRESCRIPTIONS EVERY?
- A. MONTH
 - B. QUARTER
 - C. 6 MONTHS
 - D. YEAR
37. WHICH OF THE BELOW ARE NOT PERMITTED TO WRITE PRESCRIPTIONS UNLESS AUTHORIZED BY THE COMMANDING OFFICER?
- A. DENTAL OFFICER
 - B. INDEPENDENT DUTY HOSPITAL CORPSMAN
 - C. PHYSICIAN ASSISTANT OR NURSE PRACTITIONER
 - D. PODIATRIST (MSC)
38. HOW OFTEN SHOULD PERIODIC CHECKS BE MADE OF ALL WARD AND CLINIC DRUG STORAGE SPACES TO REDUCE OVERSTOCKING AND TO ASSURE THAT SUCH ITEMS ARE NOT OUTDATED?
- A. DAILY
 - B. WEEKLY
 - C. BI-MONTHLY
 - D. MONTHLY
39. WHICH OF THE BELOW LISTED DRUGS WILL NOT BE STORED, USED, OR DISPENSED BY THE PHARMACY?
- A. METHYL ALCOHOL
 - B. OXALIC ACID
 - C. CONCENTRATED HYDROCHLORIC ACID
 - D. ALL THE ABOVE
40. THE PERSON HAVING CUSTODY OF SCHEDULES I AND II DRUGS, SCHEDULE III NARCOTICS AND ALCOHOL, SHALL ASSURE, BY PHYSICAL INVENTORY, THAT ALL QUANTITIES RECEIVED AND EXPENDED HAVE BEEN PROPERLY ACCOUNTED FOR EVERY?
- A. DAY
 - B. WEEK
 - C. 10 DAYS
 - D. MONTH

41. WHICH OF THE BELOW IS NOT A TRUE STATEMENT CONCERNING CONTROLLED DRUGS, ALCOHOL AND ALCOHOLIC BEVERAGES?
- A. TELEPHONED OR ORAL PRESCRIPTIONS WILL NOT BE FILLED
 - B. THE PRESCRIPTION SHALL BE DATED, NUMBERED AND SIGNED BY THE COMPOUNDER ACROSS THE FRONT OF THE PRESCRIPTION
 - C. THE REVERSE SIDE OF THE PRESCRIPTION SHALL INCLUDE THE WORDING "RECEIVED BY" IN ADDITION TO THE DATE, ADDRESS AND SIGNATURE OF THE RECIPIENT
 - D. PRESCRIPTIONS FOR ALCOHOL ARE PRECEDED BY "A" AND FILLED SEPARATELY
42. EACH WARD, CLINIC, OR OTHER ACTIVITY DRAWING CONTROLLED SUBSTANCES FROM THE PHARMACY SHALL MAINTAIN A LOOSE-LEAF NOTEBOOK CONTAINING THE NARCOTIC AND CONTROLLED DRUG ACCOUNT RECORD WHICH IS A?
- A. 6710/1
 - B. DEA-106
 - C. 6710/4
 - D. 6710/6
43. WHEN A MEMBER IS OFFICIALLY DECLARED A DESERTER, AN EXPLANATORY ENTRY OF THIS FACT SHALL BE RECORDED ON THE SF-600 AND NAVMED 6150/4. THE HEALTH AND DENTAL RECORDS ARE THEN SENT TO?
- A. COMMANDING OFFICER
 - B. CHIEF OF NAVAL PERSONNEL
 - C. CHIEF, BUREAU OF MEDICINE AND SURGERY
 - D. FEDERAL BUREAU OF INVESTIGATION

TERMINAL DIGIT # 1

1. WHAT BUMEDINST ESTABLISHES PROCEDURES FOR MAINTENANCE, TRANSFER AND RETIREMENT OF OUTPATIENT, INPATIENT AND DENTAL HEALTH CARE TREATMENT RECORDS?
 - A. 6150.1
 - B. 6230.3
 - C. 6300/1
 - D. 6320.31A

2. WHAT IS USED TO RECORD INFORMATION ON THE INSIDE OF THE FRONT LEAF OF THE DENTAL AND MEDICAL HEALTH CARE TREATMENT RECORDS?
 - A. BLACK OR BLUEBLACK INK
 - B. SHOULD BE TYPE WRITTEN
 - C. PENCIL
 - D. FELT TIP PEN

3. WHAT DIGIT OF THE MEMBERS SOCIAL SECURITY NUMBER IS PREPRINTED ON THE TREATMENT RECORD JACKET?
 - A. FIRST
 - B. SECOND
 - C. SECOND TO LAST
 - D. LAST

4. THE FIRST PATIENT SEEN (FOREIGN PERSONNEL, THEIR DEPENDENTS, AND CIVILIAN HUMANITARIANS) SHALL BE ASSIGNED WHAT SSN?
 - A. 100-00-9999
 - B. 010-00-9999
 - C. 001-00-9999
 - D. 000-01-9999

5. WHAT FAMILY MEMBER PREFIX CODE WOULD BE GIVEN TO ACTIVE DUTY, RESERVE, AND RETIRED UNIFORM SERVICES PERSONNEL?
 - A. 00
 - B. 20
 - C. 45
 - D. 50

6. WHAT FAMILY MEMBER PREFIX CODE WOULD BE GIVEN TO THE SPONSOR'S OLDEST CHILD (INCLUDING STEPCHILDREN)
 - A. 01
 - B. 20
 - C. 45
 - D. 60

7. WHAT INFORMATION IS NOT INCLUDED ON THE INSIDE OF THE FRONT LEAF OF THE DENTAL AND MEDICAL HEALTHCARE TREATMENT RECORDS?
- A. DATE OF ARRIVAL
 - B. PROJECTED DEPARTURE DATE
 - C. HOME OF RECORD AND TELEPHONE NUMBER
 - D. SPONSOR'S DUTY STATION AND TELEPHONE NUMBER
8. WHAT COLOR TAPE IS USED TO IDENTIFY AN INPATIENT MEDICAL TREATMENT RECORD?
- A. BLACK
 - B. BLUE (DARK)
 - C. RED
 - D. GREEN (MEDIUM)
9. WHAT BUMED INSTRUCTION PRESCRIBES PROCEDURES FOR TRANSFERRING PATIENTS AND TREATMENT RECORDS BY AEROMEDICAL EVACUATION?
- A. 5360.1D
 - B. 6320.22
 - C. 6320.1D
 - D. 6760.1
10. WHAT UNIT WITHIN A NAVAL HOSPITAL MAY RETAIN COPIES OF INPATIENT TREATMENT RECORDS?
- A. EMERGENCY ROOM
 - B. OUTPATIENT RECORDS
 - C. FAMILY PRACTICE
 - D. NONE, COPIES SHALL NOT BE MADE
11. ALL MEDICAL TREATMENT FACILITIES PROVIDING INPATIENT CARE SHALL MAINTAIN A REGISTER OF PATIENT (DD-739) ON A CURRENT BASIS. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE REGISTER NUMBER?
- A. FIRST DIGIT INDICATES THE MONTH OF ADMISSION
 - B. ADMISSION IN OCT, NOV, AND DEC ARE INDICATED AS "O", "X", AND "R" RESPECTFULLY
 - C. SECOND DIGIT INDICATES THE LAST DIGIT OF THE FY YEAR OF ADMISSION
 - D. THIRD THRU SIXTH DIGITS INDICATES PATIENTS ADMITTED DURING THAT QUARTER
12. WHAT HEALTH RECORD FORM SHALL ALWAYS BE THE TOP MOST FORM ON THE RIGHT SIDE OF THE TREATMENT RECORD JACKET?
- A. NAVPERS 5510/1- RECORD IDENTIFIER FOR PERSONNEL RELIABILITY PROGRAM
 - B. SF-600- SPECIAL- BLOOD GROUPING AND TYPING RECORD
 - C. SF-600- SPECIAL HYPERSENSITIVITY
 - D. SF-600- CHRONOLOGICAL RECORD OF MEDICAL CARE

13. WHICH OF THE BELOW LISTED HEALTH RECORD FORMS IS FILED ON THE LEFT SIDE OF THE TREATMENT RECORD JACKET?

- A. SF-558
- B. SF-502
- C. DD-2005
- D. NAVMED 6224/1

14. WHAT FORM SHALL BE PREPARED AND FILED ON THE LEFT SIDE OF THE HEALTH RECORD TO DISPLAY RADIOGRAPHIC REPORTS?

- A. DD-1141
- B. SF-519
- C. SF-545
- D. NAVMED 6120/1

15. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE MILITARY HEALTH (MEDICAL) TREATMENT RECORD?

- A. SF-513 SHALL BE FILED IMMEDIATELY BELOW THE SF-600 OF SF-88 TO WHICH IT PERTAINS
- B. SF-558 SHALL BE INTERFILED WITH THE NON-SPECIAL SF-600'S
- C. OPNAV 5211/9 IS A RECORD OF DISCLOSURE AND SHALL BE FILED AT THE BOTTOM OF THE LEFT SIDE
- D. NAMED 6490/1 SHALL BE PREPARED WHEN A MEMBER HAS AN EYE REFRACTION

16. WHAT IS USED AS A CHARGE OUT CONTROL OF THE MILITARY HEALTH (DENTAL) TREATMENT RECORD?

- A. OPTIONAL FORM 24
- B. BLANK 3X5 INCH CARD
- C. NAVMED 6150/7
- D. EITHER A OR B

17. WHAT NUMBER GROUP WOULD 67 OF A MEMBER WITH AN SSN OF 123-45-6789 INDICATE?

- A. PRIMARY
- B. FIRST
- C. SECOND
- D. THIRD

FAMILY ADVOCACY PROGRAM AND MISCELLANEOUS # 1

1. WHAT IS THE NAVY INSTRUCTION THAT COVERS THE FAMILY ADVOCACY PROGRAM?
 - A. NAVMEDCOMINST 6810.1
 - B. BUMEDINST 6120.20B
 - C. NAVMEDCOMINST 6320.22
 - D. BUMEDINST 6300.2A

2. THE COMMANDER, NAVAL MEDICAL COMMAND (COMNAVMEDCOM) WILL APPOINT WHAT OFFICER AS THE FAP MANAGER AT COMNAVMEDCOM TO ADMINISTER THE FAP FOR MTF'S AND DTF?
 - A. MC SOCIAL WORKER
 - B. MSC SOCIAL WORKER
 - C. NC SOCIAL WORKER
 - D. CHAPLAIN

3. ALL KNOWN OR SUSPECTED CHILD MALTREATMENT AND SPOUSE ABUSE MUST BE REPORTED TO THE SPONSOR'S CO HOW LONG AFTER THE FAR RECEIVES THE REFERRAL OR THE VICTIM IS SEEN IN THE MTF?
 - A. IMMEDIATELY
 - B. 24 HOURS
 - C. 36 HOURS
 - D. 48 HOURS

4. THE CO OR OIC WILL APPOINT A FULL TIME SOCIAL WORKER AS THE FAR (MUST HAVE A MASTER'S DEGREE) IF THE NUMBER OF NEW CASES REFERRED TO THE CASE REVIEW SUBCOMMITTEE REACHES AN AVERAGE OF HOW MANY CASES EACH MONTH FOR SIX (6) CONSECUTIVE MONTHS OVERSEAS?
 - A. 1
 - B. 3
 - C. 4
 - D. 5

5. IF A FULL TIME FAR IS NOT AVAILABLE, WHO MAY NOT BE ASSIGNED A COLLATERAL DUTY AS THE FAR?
 - A. CHAPLAIN
 - B. PHYSICIAN'S ASSISTANT
 - C. NURSE CORPS OFFICER
 - D. MEDICAL CORPS OFFICER

6. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE FAMILY ADVOCACY PROGRAM?
- A. SUSPECTED VICTIMS SEEN AT A DTF MUST BE REPORTED TO THE FAR OF THE SUPPORTING MTF?
 - B. USUALLY THERE ARE TWO (2) CASE REVIEW SUBCOMMITTEES.
 - C. CHAPLAINS MAY WORK WITH AN OFFENDER FOR A WEEK BEFORE REPORTING THE INCIDENT
 - D. ALL OF THE ABOVE IS TRUE
7. WHAT REPORT MUST BE SUBMITTED TO THE CO NAVAL MEDICAL DATA SERVICES CENTER WITHIN FIFTEEN (15) DAYS OF THE DATE THE CRS MAKES A STATUS DETERMINATION OR CLOSES, TRANSFERS, OR REOPENS THE CASE?
- A. DD-2404
 - B. DD-2486
 - C. OPNAV 5290/1
 - D. NAVMED 5211/1
8. WHICH OF THE BELOW WOULD NOT BE ASSIGNED TO A CASE REVIEW SUBCOMMITTEE?
- A. PEDIATRICIAN, PEDIATRIC OR EMERGENCY ROOM NURSE AND MILITARY CHAPLAIN
 - B. DOD SCHOOL COUNSELOR, HEALTH CARE ADMINISTRATOR FROM THE MTF
 - C. NSIC AGENT, STAFF JUDGE ADVOCATE, SECURITY OFFICER OR PROVOST MARTIAL'S OFFICER IN CHARGE OF THE MTF
 - D. FAMILY SERVICES CENTER COUNSELOR WHO DOESN'T WORK WITH THE FAP
9. HOW OFTEN DOES THE CASE REVIEW SUBCOMMITTEE (CRS) MEET?
- A. WEEKLY
 - B. BI-MONTHLY
 - C. MONTHLY
 - D. QUARTERLY
10. IN INTRA-FAMILY CASES, WHEN A STATUS DETERMINATION OF SUBSTANTIATED, SUSPECTED OR AT RISK IS MADE, A ONE LINE ENTRY (FAP CASE RECORD ACTIVATED THIS DATE SEE FAR) MUST BE MADE ON WHAT FORM(S)?
- A. SF-600
 - B. NAVMED 6150/20
 - C. NAVMED 6150/4
 - D. BOTH A & B

11. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE OPERATION OF THE NAVY/MARINE CORPS CENTRAL REGISTRY?
- A. DATA ENTRIES INTO THE CENTRAL REGISTRY WILL BE ACCOMPLISHED WITHIN THIRTY (30) DAYS OF RECEIPT (PROVIDED FORM IS NOT RETURNED)
 - B. DD-2486 WILL BE FILED BY ASSIGNED SERIAL NUMBER AND BE RETAINED FOR FOUR (4) YEARS AFTER DATA ENTRY
 - C. AT LEAST 10% OF ALL CASES SCREENED AND ENTERED WILL BE REVIEWED TO ENSURE ACCURACY OF THE REGISTRY'S SCREENING AND DATA ENTRY FUNCTIONS
 - D. THESE QUALITY ASSURANCE REVIEWS WILL BE REPORTED TO COMNAVMECOM
12. ALL PRACTICING MEDICAL CORPS OFFICERS, CIVILIAN PHYSICIANS, CLINICAL PSYCHOLOGISTS, NURSE CORPS OFFICERS, CIVILIAN NURSES, PHYSICIAN ASSISTANTS, AND ALL PEDIATRIC, EMERGENCY ROOM AND PSYCHIATRY DEPARTMENT CORPSMAN MUST RECEIVE HOW MUCH TRAINING ON DIAGNOSIS AND DISPOSITION IN SPOUSE AND CHILD MALTREATMENT CASES?
- A. 30 MINUTES AS PART OF COMMAND INDOCTRINATION
 - B. 2 HOURS ANNUALLY
 - C. 3 HOURS EVERY 2 YEARS
 - D. 4 HOURS EVERY 2 YEARS
13. ALL CORRESPONDENCE ADDRESSED TO CO's CONCERNING FAP CASES INCLUDING ALL MESSAGES AND LETTERS CONTAINING IDENTIFYING INFORMATION WILL BE LABELED?
- A. "PERSONAL FOR"
 - B. "FOR CO's EYES ONLY"
 - C. ATTENTION COMMANDING OFFICER
 - D. EITHER A OR B
14. DURATION FOR A CASE TO BE CONSIDERED SUSPECTED AND UNDER INVESTIGATION MUST NOT EXCEED?
- A. 10 WEEKS
 - B. 12 WEEKS
 - C. 14 WEEKS
 - D. 16 WEEKS
15. WHICH OF THE BELOW IS NOT TRUE CONCERNING RELEASE OF INFORMATION IN FAP CASES?
- A. REQUESTS FOR A COPY OF THE FAP FILE SHOULD BE HANDLED AS A FREEDOM OF INFORMATION REQUEST
 - B. REQUESTS FOR A COPY OF THE FAP FILE SHOULD BE HANDLED AS A PRIVACY ACT REQUEST
 - C. WHEN ANY DISCLOSURE IS MADE, THE MEDICAL JOURNAL WILL INDICATE DATE AND TIME OF RELEASE, TYPE OF INFORMATION RELEASED, THE REASON FOR MAKING THE DISCLOSURE THE NAME AND ADDRESS OF THE RECIPIENT OF THE INFORMATION AND THE NAME OF THE PERSON RELEASING THE INFORMATION
 - D. RECORDS MAY BE SUBJECT TO A SUBPOENA WHEN ORDERED BY A JUDGE

16. THE NAVAL MEDICAL DATA SERVICES CENTER WILL SEND THE DD-2404 TO MEDCOM EVERY?
- A. MONTH
 - B. QUARTER
 - C. SEMIANNUALLY
 - D. YEAR
17. IN CASES OF CHILD MALTREATMENT AND THE PARENT OR GUARDIAN IS NOT AVAILABLE OR REFUSES TO SIGN CONSENT, THE REASON THE FORM WASN'T SIGNED SHALL BE ENTERED ON THE?
- A. OPNAV 5290/1
 - B. NAVMED 5211/1
 - C. DD-2486
 - D. SF-600
18. IF A VICTIM WERE ABUSED, WHAT COLOR BRUISE (IN THE COLOR PHOTOGRAPH) WOULD BE SEEN 5 TO 7 DAYS AFTER AN INCIDENT?
- A. PURPLE
 - B. YELLOW
 - C. BROWN
 - D. GREEN
19. WHAT IS A CORRECT ENTRY ON THE DD-2486 (CHILD/SPOUSE ABUSE INCIDENT REPORT) IF THE CRS DOES NOT WANT TO FLAG THE SPONSOR'S NAVMILPERSCOM PERSONNEL RECORD?
- A. 000000
 - B. 940911
 - C. 11 SEP 94
 - D. 9-11-94
20. THE TREATMENT FOR WHICH CONDITION REQUIRES PLACING A WICK IN THE EAR FOR 48 HOURS MOISTENED WITH ALUMINUM ACETATE EVERY 3 HOURS, FOLLOWED BY TOPICAL ANTIBIOTICS AND STEROIDS?
- A. PERFORATED TYMPANIC MEMBRANE
 - B. ACUTE EXTERNAL OTITIS
 - C. AURAL FURUNCULOSIS
 - D. OTOMYCOSIS
21. IF DRAINAGE DOES NOT OCCUR AFTER DEBRIDEMENT IN A PERIAPICAL ABSCESS, WHAT SHOULD BE DONE?
- A. RINSE WITH HYDROGEN PEROXIDE
 - B. PACK WITH EUGENOL
 - C. RINSE WITH WARM SALINE
 - D. RINSE WITH WARM WATER

22. WHAT IS THE PROPER TREATMENT FOR A TYPE I DENTAL FRACTURE?
- A. SMOOTH THE EDGES WITH SANDPAPER
 - B. APPLY SMALL AMOUNTS OF CAVITY VARNISH
 - C. SPLINT WITH ZOE
 - D. BOTH A AND B
23. WHAT IS THE FIRST THING TO TRY WHEN TREATING RECURRENT APTHOUS STOMATITIS?
- A. HOLD ORAL TETRACYCLINE IN MOUTH
 - B. RINSE WITH PEROXIDE
 - C. RINSE WITH STERILE SALINE
 - D. RINSE WITH SODIUM BICARBONATE
24. THE GRAMS STAIN (GRAM POSITIVE COCCI) WHICH IS DARK BLUE-BLACK WOULD BE PRESENT IN AN INDIVIDUAL WITH?
- A. PNEUMONIA, IMPETIGO AND ENDOCARDITIS
 - B. GAS GANGRENE, TETANUS AND BOTULISM
 - C. PLAGUE, BRUCELLOSIS AND WHOOPING COUGH
 - D. TYPHOID, PARATYPHOID AND GASTROENTERITIS
25. THE DEPARTMENT OF THE NAVY IS DIVIDED INTO ALL THE FOLLOWING BRANCHES EXCEPT?
- A. SHORE ESTABLISHMENT
 - B. EXECUTIVE
 - C. NAVY DEPARTMENT
 - D. OPERATING FORCES
26. WHO MAY REQUEST A COMPETENCY FOR DUTY EXAMINATION OF A SEAMAN ON A DD?
- A. COMMANDING OFFICER OF THE TREATING FACILITY
 - B. DIVISION OFFICER
 - C. LEADING CHIEF
 - D. CDO
27. WHEN A HEALTH CARE PROVIDER GIVES ALL THE NECESSARY INFORMATION ON A PROCEDURE TO A PATIENT, CONSENT IS TERMED?
- A. ACTUAL
 - B. ASSUMED
 - C. INFORMED
 - D. IMPLIED

28. WHAT ADMISSION CODE IS INDICATED WHEN A PATIENT IS RECEIVED FROM AN ARMY, NAVY, OR AIR FORCE FACILITY FOR ADMISSION?
- A. "FT" (O)
 - B. "FT" (M)
 - C. "NBD"
 - D. "NBFT"
29. WHAT ADMISSION CODE IS INDICATED IF THE MOTHER AND BABY WERE PREVIOUSLY ADMITTED TO ANOTHER MEDICAL TREATMENT FACILITY?
- A. "LB"
 - B. "FT" (O)
 - C. "NBFT"
 - D. "NBD"
30. WHAT CONDITION OF THE EYE IS CHARACTERIZED BY INCREASED INTRAOCULAR PRESSURE ELEVATED OVER 25MM HG?
- A. HORDEOLUM
 - B. DENDRITIC ULCER
 - C. CONJUNCTIVITIS
 - D. ACUTE GLAUCOMA
31. WHICH OF THE FOLLOWING DEPARTMENTS IN A NAVAL HOSPITAL WOULD BE UNDER THE DIRECTORATE FOR ANCILLARY SERVICES?
- A. ORTHOPEDICS
 - B. EDUCATION AND TRAINING
 - C. AVIATION PHYSIOLOGY TRAINING
 - D. OBSTETRICS/GYN
32. WHICH OF THE FOLLOWING DEPARTMENTS IN A NAVAL HOSPITAL WOULD BE UNDER THE DIRECTORATE FOR NURSING SERVICE?
- A. OPERATING ROOM
 - B. CLINICAL INVESTIGATION
 - C. OCCUPATIONAL HEALTH/PREVENTIVE MEDICINE
 - D. FOOD MANAGEMENT
33. WHICH OF THE BELOW LISTED PERSONNEL WOULD BE PERMITTED TO SERVE ON A SURVEY BOARD?
- A. PERSON WHO CARRIES MATERIAL ON THEIR RECORDS.
 - B. PERSON CHARGED WITH CUSTODY OF THE MATERIAL BEING SURVEYED.
 - C. E-7 OR ABOVE, GS-10 OR ABOVE
 - D. NONE OF THE ABOVE

34. WHAT PROGRAM ORIGINATES AS GRAVES REGISTRATION, PROVIDING SEARCH, RECOVERY AND EVACUATION OF REMAINS TO A PROCESSING POINT? IT TERMINATES IN CURRENT DECEDENT AFFAIRS PROGRAM FUNCTIONS, REQUIRING IDENTIFICATION AND PREPARATION OF REMAINS IN A MORTUARY AND SHIPMENT TO A FINAL DESTINATION DESIGNATED BY THE NOK?
- A. CONCURRENT RETURN PROGRAM
 - B. RETURN OF REMAINS PROGRAM
 - C. CASUALTY ASSISTANCE CALLS PROGRAM
 - D. EACH OF THE ABOVE
35. WHO IS REQUIRED TO FILL OUT BLOCKS 13 THROUGH 49 OF THE NAVMED 6120/1 (COMPETENCY FOR DUTY EXAMINATION)?
- A. INDIVIDUAL
 - B. HOSPITAL CORPSMAN
 - C. HEALTH CARE PROVIDER
 - D. COMMAND INITIATING REQUEST
36. WHAT IS USED TO ESTABLISH THE CRITERIA FOR COLLECTING, MAINTAINING AND RELEASING MEDICAL TREATMENT RECORDS?
- A. FREEDOM OF INFORMATION ACT (F.O.I.A)
 - B. THE PRIVACY ACT
 - C. LOCAL HOSPITAL POLICY
 - D. THE COMBINATION OF A AND B

MMART #1

1. WHAT BUMED INSTRUCTION PERTAINS TO THE MOBILE MEDICAL AUGMENTATION READINESS TEAM?
 - A. 6440.6
 - B. BUMED INST 5100.13
 - C. OPNAVINST 1000.16
 - D. BUPERS INST 1616.9A

2. THE NAVAL HEALTH SCIENCES EDUCATION AND TRAINING COMMAND (HSETC) MUST SUBMIT A FORMAL TRAINING PLAN TO BUMED ANNUALLY BY?
 - A. 1 FEBRUARY
 - B. 30 JUNE
 - C. 1 AUGUST
 - D. 31 DECEMBER

3. WHO IS RESPONSIBLE TO MANAGE AND MAINTAIN PREVENTIVE MEDICINE AND VECTOR CONTROL BLOCKS IN SUPPORT OF PREVENTIVE MEDICINE MMARTS?
 - A. NAVMEDLOGCOM
 - B. NAVENVIRHLTHCEN
 - C. SUPPLY BLOCK MAINTENANCE AND DISTRIBUTION CENTER
 - D. NAVENPVNTMEDU

4. WHAT COMMAND NORMALLY HAS DIRECT OPERATIONAL CONTROL OVER MMART ASSETS THROUGHOUT THE DURATION OF THE PARTICULAR EXERCISE, DEPLOYMENT, OR OTHER MISSION?
 - A. RECEIVING COMMAND
 - B. REQUESTING COMMAND
 - C. SPONSORING COMMAND
 - D. ANY OF THE ABOVE

5. PERSONNEL WHO DEPLOY ON MMART SHOULD HAVE A GENEVA CONVENTION CARD, WHICH IS WHAT FORM?
 - A. PHS-731
 - B. OPNAV 1740/1
 - C. DD2N
 - D. DD-1934

6. WHICH OF THE TEAMS LISTED BELOW IS NOT PART OF THE MMART?
 - A. SPECIAL PSYCHIATRIC RAPID INTERVENTION TEAM
 - B. MEDICAL REGULATING TEAM
 - C. HUMANITARIAN SUPPORT TEAM
 - D. NURSING TEAM

7. THE COMMANDING OFFICER WILL APPOINT EACH MEMBER TO THE MMART IN WRITING FOR A MINIMUM OF?
- A. 6 MONTHS
 - B. 12 MONTHS
 - C. 18 MONTHS
 - D. 24 MONTHS
8. WHAT TEAMS(S) ARE ON 48 HOURS ALERT ON EACH COAST AT ALL TIMES?
- A. 1 ST AND 1 MRT
 - B. 1 SST AND 1 PMT
 - C. 1 HST AND 1 SPRINT
 - D. 1 SSU AND 1 ASU
9. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE MMART COORDINATOR?
- A. MANAGES THE MMART TRAINING PROGRAM
 - B. MAINTAINS FILE ON MEDICAL PERSONNEL READINESS CHECKLIST OF EACH MEMBER AND REVIEWS THEM MONTHLY
 - C. PROVIDES ADMINISTRATIVE AND TECHNICAL SUPPORT TO THE TEAM LEADERS
 - D. MAINTAINS THE FILE OF CERTIFIED BIRTH CERTIFICATES AND COMPLETED PASSPORT APPLICATIONS OF MEMBERS WHO DO NOT POSSES A VALID PASSPORT
10. REQUESTS FOR MMART ASSISTANCE TO FOREIGN GOVERNMENTS MUST FIRST BE SUBMITTED TO?
- A. AMERICAN EMBASSY
 - B. DEPARTMENT OF STATE
 - C. DEPARTMENT OF DEFENSE
 - D. SECRETARY OF THE NAVY
11. WHO IS RESPONSIBLE TO ISSUE FUNDED TAD ORDERS AND SECURITY CLEARANCE VERIFICATION?
- A. SENIOR COMMAND
 - B. REQUESTING COMMAND
 - C. RECEIVING COMMAND
 - D. SPONSORING COMMAND
12. THE QUARTERLY MMART READINESS REPORT (MED-6440-1) MUST BE FORWARDED TO BUMED BY WHAT WORKING DAY OF EACH QUARTER?
- A. 1ST
 - B. 5TH
 - C. 10TH
 - D. 20TH

13. THE POST DEPLOYMENT CRITIQUE (MED 6440-3) MUST BE SUBMITTED TO BUMED HOW LONG AFTER COMPLETING A DEPLOYMENT?
- A. 10 DAYS
 - B. 15 DAYS
 - C. 20 DAYS
 - D. 30 DAYS
14. WHAT REPORT MUST BE SUBMITTED TO BUMED WHEN A TEAM IS ABSENT FROM THE COMMAND LONGER THAN 72 HOURS FOR TRAINING, THIS SHOULD BE DONE ONE WEEK PRIOR TO SCHEDULED ABSENCE BY A NAVGRAM?
- A. MED 6440-2
 - B. MED 6440-3
 - C. MED 6440-4
 - D. MED 6440-5
15. PREPOSITIONED MMART BLOCKS ARE PLACED ON ALL THE BELOW LISTED SHIPS EXCEPT?
- A. LSD
 - B. LPH
 - C. LHA
 - D. LHD
16. WHAT MMART SUPPLY BLOCK CONTAINS SUFFICIENT MEDICAL MATERIAL TO EXTEND THE CAPABILITIES OF A SURGICAL SUPPLY BLOCK TO CARE FOR 250 NON-COMBAT CASUALTIES, THE MAJORITY OF WHICH WILL BE WOMEN AND CHILDREN?
- A. SURGICAL RESUPPLY BLOCK (AMAL 004)
 - B. DISASTER AUGMENT BLOCK (AMAL 005)
 - C. NEUROSURGICAL SUPPLY BLOCK (AMAL 006)
 - D. SURGICAL SUPPORT SUPPLY BLOCK (AMAL 009)
17. TASK ORGANIZED PREVENTIVE MEDICINE TEAM ARE AVAILABLE FROM THE BELOW LISTED AREAS EXCEPT?
- A. NAVENPVNTMEDU 2-NORFOLK
 - B. NAVENPVNTMEDU 5-SAN DIEGO
 - C. DVECC CHARLESTON
 - D. DVECC ALAMEDA
18. WHAT PREVENTIVE MEDICINE BLOCK CONTAINS SUPPORT ITEMS REQUIRED TO SUPPORT A FOUR-MEMBER TEAM IN THE FIELD FOR 30 DAYS?
- A. BASIC FIELD SUPPORT BLOCK (AMAL - 021)
 - B. EPIDEMIOLOGY BLOCK (AMAL - 025)
 - C. VECTOR CONTROL BLOCK MODULE 1 (AMAL - 026)
 - D. VECTOR CONTROL BLOCK MODULE 8 (AMAL - 033)

19. WHAT OVERALL TEAM READINESS IS INDICATED WHEN THE TEAM/TF SURGEON IS NOT MISSION CAPABLE AND CANNOT CORRECT WITHIN 14 DAYS/6 MONTHS?
- A. C-2
 - B. C-3
 - C. C-4
 - D. C-5
20. WHAT RATING (FOR PERSONNEL) IS INDICATED BY A DEFICIENCY CORRECTABLE BY SPONSORING COMMAND WITHIN 14 DAYS?
- A. P-1
 - B. P-2
 - C. P-3
 - D. P-4
21. WHAT SUPPLY BLOCK CATEGORY IS INDICATED WHEN ALL EQUIPMENT CONTAINED IN APPLICABLE AMAL IS AVAILABLE AND FULLY FUNCTIONAL. A MINIMUM OF 99% OF SUPPLIES ARE AVAILABLE, THE REMAINING SUPPLIES CAN BE OBTAINED LOCALLY AND SENT BY FOLLOW-ON SHIPMENT WITHIN 96 HOURS?
- A. C-1
 - B. C-2
 - C. C-3
 - D. C-4
22. WHICH MMART TEAM DOESN'T REQUIRE ANY OF ITS MEMBERS TO HAVE A SECRET CLEARANCE?
- A. PREVENTIVE MEDICINE TEAM (PMT)
 - B. MEDICAL REGULATING TEAM (MRT)
 - C. HUMANITARIAN SUPPORT TEAM (HST)
 - D. SPECIALIST SUPPORT TEAM (SST)
23. HOW LONG BEFORE THE LOSS OF THE TASK FORCE (TF) SURGEON MUST A REPLACEMENT BE IDENTIFIED?
- A. 3 MONTHS
 - B. 6 MONTHS
 - C. 9 MONTHS
 - D. 12 MONTHS
24. WHAT MMART SUPPLY BLOCK IS PREPOSITIONED AT THE U.S. NAVAL HOSPITAL IN ROTA SPAIN?
- A. AMAL - 003
 - B. AMAL - 004
 - C. AMAL - 005
 - D. AMAL - 009

PREVENTIVE MEDICINE # 1

1. WHAT INSTRUCTION IN THE NAVY PERTAINS TO DISEASE ALERT REPORTS?
 - A. NAVMEDCOMINST 6220.2
 - B. BUMEDINST 6220.3
 - C. NAVMEDCOMINST 6230.1
 - D. BUMEDINST 6250.13A

2. A PERSON OR ANIMAL KNOWN TO HAVE BEEN ASSOCIATED WITH AN INFECTED PERSON OR ANIMAL, OR A CONTAMINATED ENVIRONMENT AND TO HAVE THE OPPORTUNITY TO ACQUIRE AN INFECTION WOULD BE TERMED?
 - A. CARRIER
 - B. CONTACT
 - C. HOST
 - D. INFECTED PERSON

3. THE TRANSMISSION OF AN INFECTIOUS AGENT BY PROJECTION ON TO THE MUCOUS MEMBRANES OF THE NOSE OR MOUTH WOULD BE TERMED?
 - A. VEHICLE-BORNE
 - B. VECTOR-BORNE
 - C. DIRECT
 - D. AIRBORNE

4. WHICH OF THE BELOW IS NOT ONE OF THE FOUR INTERNATIONAL QUARANTANABLE DISEASES?
 - A. SMALLPOX
 - B. YELLOW FEVER
 - C. PLAGUE
 - D. TYPHOID

5. WHAT SERIOUS ACUTE INTESTINAL INFECTION IS CHARACTERIZED BY A SUDDEN ONSET, VOMITING, PROFUSE WATERY STOOLS, RAPID DEHYDRATION, ACIDOSIS AND COLLAPSE?
 - A. SMALLPOX
 - B. YELLOW FEVER
 - C. PLAGUE
 - D. CHOLERA

6. WHAT FORM OF PLAGUE IS TRANSMITTED BY THE BITE OF THE INFECTIVE RAT FLEA (XENOPSYLLA CHEOPIS)?
 - A. BUBONIC
 - B. PNEUMONIC
 - C. SEPTICEMIC
 - D. PHARYNGEAL AND TONSILLAR

7. WHAT MOSQUITO IS RESPONSIBLE FOR TRANSMITTING YELLOW FEVER?
- A. AEDES
 - B. AEDES EGYPTI
 - C. ANOPHELES
 - D. CULEX
8. WHAT INFECTION OF THE COLON IS USUALLY ASYMPTOMATIC, HOWEVER SYMPTOMS MAY RANGE FROM MILD ABDOMINAL DISCOMFORT WITH DIARRHEA CONTAINING BLOOD OR MUCOUS ALTERNATING WITH CONSTIPATION TO ACUTE DYSENTERY WITH FEVER, CHILLS AND BLOODY DIARRHEA?
- A. DENGUE FEVER
 - B. VARICELLA - SHINGLES
 - C. AMEBIASIS
 - D. BOTULISM
9. WHICH OF THE FOLLOWING DISEASES DOES THE FLY OR CONTAMINATED WATER NOT TRANSMIT?
- A. AMEBIASIS
 - B. SHIGELLASIS
 - C. RELAPSING FEVER
 - D. CHOLERA
10. WHAT TYPE OF MALARIA IS THE MOST SERIOUS AND IS NOT CHARACTERIZED BY RECURRENCE?
- A. PLASMODIUM VIVAX
 - B. OVALE
 - C. FALCIPARUM
 - D. MALIGNANT TERTIAN
11. WHAT DISEASE IS CHARACTERIZED BY A FEVER OF 104 F CORYZA (RUNNY NOSE), SEVERE COUGH, CONJUNCTIVITIS, KOPLIC SPOTS ON THE BUCCAL MUCOSA?
- A. CHICKEN POX
 - B. MALARIA
 - C. RUBELLA(GERMAN MEASLES)
 - D. MEASLES
12. WHAT IS THE MEDICAL TERM FOR A PERSON WITH RING WORM OF THE FINGER OR THE TOENAIL?
- A. TINEA CAPITIS
 - B. TINEA CORPORUS
 - C. TINEA PEDIS
 - D. TINEA UNGUIUM

13. WHAT ACUTE VIRAL DISEASE IS CHARACTERIZED BY CHILLS, HEADACHE, ANOREXIA, MALAISE, FEVER AND PAINFUL ENLARGEMENT OF THE SALIVARY GLANDS?
- A. INFECTIOUS PAROTITIS
 - B. VIRAL PNEUMONIA
 - C. MEMINGOCOCCAL MENINGITIS
 - D. POLIOMYELITIS
14. WHICH OF THE BELOW IS NOT TRUE CONCERNING PNEUMOCOCCAL PNEUMONIA?
- A. SPUTUM SMEARS REVEAL MANY GRAM NEGATIVE DIPLOCOCCI
 - B. CHARACTERIZED BY SHAKING CHILLS WITH FEVER, CHEST PAIN, DYSPNEA, LEUKOCYTOSIS AND COUGH WITH RUSTY SPUTUM
 - C. PRELIMINARY DIAGNOSIS IS BASED ON SYMPTOMS, CHEST X-RAY AND AN ELEVATED WHITE BLOOD COUNT (WBC).
 - D. IT IS MOST COMMON BACTERIAL PNEUMONIA
15. WHAT DISEASE IS CHARACTERIZED BY PAINFUL MUSCLE CONTRACTIONS, PRINCIPALLY THE MASSETER AND NECK MUSCLES?
- A. TYPHOID FEVER
 - B. TUBERCULOSIS
 - C. TETANUS (LOCK JAW)
 - D. MEMINGOCOCCAL MENINGITIS
16. WHICH OF THE BELOW IS NOT TRUE CONCERNING SEXUALLY TRANSMITTED DISEASES (SDT)?
- A. THERE IS NO CURE FOR HERPES GENITALIA
 - B. TREATMENT FOR NON-GONOCOCCAL URETHRITIS IS ORAL PENICILLIN
 - C. INCUBATION PERIOD FOR GONORRHEA IS 2 TO 9 DAYS
 - D. THE INFECTIOUS AGENT FOR SYPHILIS IS TREPONEMA PALLADIUM
17. WHAT PERSONNEL ARE QUALIFIED TO PROCURE STANDARD STOCK PESTICIDES APPROVED FOR USE ABOARD SHIP AND TO CONDUCT SHIPBOARD PEST CONTROL PROGRAMS IF THEY HAVE SUCCESSFULLY COMPLETED THE ONE DAY COURSE AND 1/2 DAY OJT TRAINING?
- A. SUPPLY
 - B. MEDICAL
 - C. FOOD SERVICE
 - D. EITHER A OR B
18. WHAT INSECT RANKS FIRST IN THE IMPORTANCE OF DISEASE TRANSMITTED TO MAN?
- A. TICK
 - B. FLEA
 - C. FLY
 - D. MOSQUITO

19. WHAT RODENT PREFERS MEAT AND FISH FOR FOOD?
- A. BLACK ROOF RAT
 - B. NORWAY RAT
 - C. BROWN HOUSE RAT
 - D. BROWN ROOF RAT
20. WHICH OF THE BELOW IS NOT A RECOMMENDED FOOD FOR RAT TRAPS?
- A. BACON RIND
 - B. PEANUT BUTTER
 - C. CHEESE
 - D. COCONUT
21. WHICH OF THE FOLLOWING WATER SOURCES ARE NOT MATCHED CORRECTLY?
- A. GROUND WATER----- WELLS AND SPRINGS
 - B. SURFACE----- STREAMS, RIVERS, PONDS AND LAKES
 - C. VEGETATION-----COCONUT, PINEAPPLE AND CACTUS
 - D. SNOW AND ICE-----DISTILLATION
22. WHO IS RESPONSIBLE FOR ASSURING THAT A RESIDUAL DISINFECTANT OF WATER IS MAINTAINED?
- A. MUNICIPALITY
 - B. NAVY
 - C. ENVIRONMENT PROTECTION AGENCY
 - D. PUBLIC HEALTH SERVICE
23. POTABLE WATER OBTAINED FROM AN AREA WHERE AMEBIASIS OR HEPATITIS IS ENDEMIC MUST BE CHLORINATED OR BROMINATED TO HOW MANY PARTS PER MILLION AFTER A 30 MINUTE CONTACT TIME?
- A. 0.2 PPM
 - B. 0.5 PPM
 - C. 1.0 PPM
 - D. 2.0 PPM
24. WHICH OF THE BELOW IS NOT TRUE CONCERNING BACTERIOLOGICAL TESTING AND OBTAINING WATER SAMPLES?
- A. COTTON MOISTENED WITH ALCOHOL AND HELD WITH THUMB FORCEPS SHOULD BE USED TO FLAME A LEAKING SPIGOT
 - B. GREENISH-GOLD METALLIC SHEEN (COLIFORM BACTERIA) INDICATES FECAL CONTAMINATION
 - C. CHLORINE READINGS SHOULD BE LOGGED ON A DD-686
 - D. AT LEAST FOUR SAMPLES SHOULD BE TESTED EACH WEEK

25. WHAT COLOR COMPARATOR KIT IS SIMPLE TO OPERATE AND SUITABLE FOR GENERAL SHIPBOARD USE TO TEST WATER?
- A. ORTHOTOLIDINE-ARSENITE
 - B. TAYLOR
 - C. PALIN-DPD
 - D. MEMBRANE FILTER TECHNIQUE
26. HOW OFTEN MUST EMERGENCY WATER BE INSPECTED TO INSURE THAT THE WATER IS PROPERLY STORED AND SAFE FOR CONSUMPTION?
- A. WEEKLY
 - B. MONTHLY
 - C. QUARTERLY
 - D. SEMI-ANNUALLY
27. WHO IS RESPONSIBLE FOR PROMULGATING INSTRUCTIONS FOR SHIP TO SHORE POTABLE WATER CONNECTIONS AND FOR PROVIDING POTABLE WATER FROM THE APPROVED SOURCE WHEN THE SHIP IS BERTHED AT A NAVAL FACILITY?
- A. NAVAL FACILITIES ENGINEERING COMMAND
 - B. NAVAL SHIPS SYSTEMS COMMAND
 - C. BUREAU OF MEDICINE AND SURGERY
 - D. LOCAL PREVENTIVE MEDICINE UNIT
28. WHAT IS THE MINIMUM AMOUNT OF WATER PER MAN, PER DAY, FOR DRINKING ABOARD SHIP?
- A. 1 GALLON
 - B. 2 GALLONS
 - C. 5 GALLONS
 - D. 10 GALLONS
29. HOSES USED FOR DRINKING WATER ABOARD SHIP SHALL BE LABELED?
- A. DRINKING WATER ONLY
 - B. POTABLE WATER ONLY
 - C. NOT FOR SEA WATER USE
 - D. CHLORINATE BEFORE USE
30. HOW LONG SHOULD THE CHRONOLOGICAL LOG BE MAINTAINED, INDICATING THE DATE, SOURCE OF SAMPLE, BACTERIOLOGICAL RESULTS OBTAINED AND ACTION TAKEN BECAUSE OF UNSATISFACTORY WATER ANALYSIS?
- A. 12 MONTHS
 - B. 18 MONTHS
 - C. 24 MONTHS
 - D. 48 MONTHS

31. HOW FAR FROM THE NEAREST LAND MAY A SHIP PERMIT OVERBOARD DISCHARGE OF UNTREATED SEWAGE?
- A. 3 MILES
 - B. 5 MILES
 - C. 10 MILES
 - D. 25 MILES
32. WHAT FLY MAY SERVE AS A MECHANICAL VECTOR OF THE DISEASE ORGANISM IN THE SAME WAY AS HOUSE FLIES, BUT THEY DO NOT PRESENT THE SAME PUBLIC HEALTH PROBLEM SINCE THEY RARELY ENTER DWELLING?
- A. WARBLE FLY
 - B. DEER FLY
 - C. BLACK FLY
 - D. BLOW FLY
33. WHAT IS THE EASIEST WAY FOR A COCKROACH TO GAIN ACCESS TO A SHIP?
- A. BAGGED POTATOES AND ONIONS
 - B. BOTTLE CASES
 - C. FOOD PACKAGES
 - D. ALL OF THE ABOVE
34. WHAT IS THE MOST SERIOUS DISEASE TRANSMITTED TO MAN BY MITES?
- A. SCHISTOSOMIAS
 - B. SCRUB TYPHUS
 - C. SCABIES
 - D. HOOKWORM
35. THE SAFE GUARDS TO INSURE A POTABLE WATER SUPPLY AND THE DETAILS OF CHEMICAL PURIFICATION FOR SHIPS ARE COVERED IN THE MANUAL OF NAVAL PREVENTIVE MEDICINE (NAV,MED P-5010) IN WHAT CHAPTER?
- A. 5
 - B. 6
 - C. 7
 - D. 8
36. WHAT IS THE ONLY INSECTICIDE APPROVED FOR AIRCRAFT DISINFECTION BY THE WORLD HEALTH ORGANIZATION?
- A. 0.5% MALATHION
 - B. BHC (LINDANE)
 - C. RESMETHRIN
 - D. PYRETHRUM

37. WHO IS RESPONSIBLE FOR THE OPERATION AND MAINTENANCE OF THE SHIP-BOARD WATER SUPPLY SYSTEM, PRODUCTION OF AN ADEQUATE AMOUNT OF WATER, AND INSURING BACTERIOLOGICAL PURITY BY CHLORINATION?
- A. OPERATIONS OFFICER
 - B. MEDICAL OFFICER
 - C. ENGINEERING OFFICER
 - D. BOTH B AND C
38. WHEN STRUCTURES ARE BUILT FOR RODENT CONTROL, ALL OPENINGS SHOULD BE COVERED WITH WHAT SIZE GALVANIZED HARDWARE CLOTH?
- A. 25 GAUGE, 1/8" MESH
 - B. 28 GAUGE, 3/8" MESH
 - C. 30 GAUGE, 5/8" MESH
 - D. 35 GAUGE, 1/8" MESH
39. WHAT SHOULD BE USED TO CONTROL CRAB LICE IF THEY BECOME RESISTANT TO KWELL (LINDANE)?
- A. 1% MALATHION DUST
 - B. 2% DIAZINON
 - C. 1% BAGON OIL SOLUTION
 - D. 2% BAGON BAIT
40. WHAT IS THE TERM USED TO DENOTE A TB SKIN TEST REACTION IN WHICH THE LARGEST DIAMETER OF INDURATION IS LESS THAN 5MM?
- A. CONVERSION
 - B. CONVERTER
 - C. REACTOR
 - D. NON-REACTIVE
41. UNDER WHAT CIRCUMSTANCES MUST A PPD NEVER BE GIVEN?
- A. PRIOR TO DEPARTURE ON PCS ORDERS
 - B. 1 TO 6 WEEKS PRIOR TO SEPARATION
 - C. AFTER RECEIVING A PREVIOUS POSITIVE
 - D. AFTER CONTACT WITH A PATIENT WITH TB
42. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE NAVY TUBERCULOSIS CONTROL PROGRAM?
- A. ANNUAL REPORT OF TB SCREENING IS SUBMITTED TO NAVMEDCOM BY 01 FEB
 - B. THE PPD IS READ IN NOT LESS THAN 48 HOURS OR MORE THAN 72 HOURS
 - C. TB CONTACTS SHOULD BE SCREENED AT 3, 6, AND 12 MONTH INTERVALS
 - D. ENSURE A COPY OF THE TB CONTACT/CONVERTER FOLLOW UP FORM (NAVMED 6224/1) IS SENT TO NAVMEDCOM

43. WHAT IS USED AS THE CHEMOPROPHYLAXIS IN THE PREVENTION OF TUBERCULOSIS?

- A. GAMMA GLOBULIN
- B. ISONIAZID (INH)
- C. CHLOROQUINE-PRIMAQUINE
- D. CHEST X-RAY

44. WHAT IS THE INCUBATION PERIOD FOR CHOLERA?

- A. 2-3 DAYS
- B. 2-3 WEEKS
- C. 1-3 WEEKS
- D. 24 HOURS

45. WHAT IS THE INCUBATION PERIOD FOR AMEBIC DYSENTERY (AMEBIASIS)?

- A. 1-6 DAYS
- B. 5-6 DAYS
- C. 18 DAYS
- D. 2 - 4 WEEKS

**PREVENTIVE MEDICINE
E-6 AND ABOVE #1**

1. WHAT NAVAL PUBLICATION IS THE NAVAL PREVENTIVE MEDICINE MANUAL?
 - A. NAVMED P-117
 - B. NAVMED P-5095
 - C. NAVMED P-5036
 - D. NAVMED P-5010

2. THE TEMPERATURE IN LIVING SPACES SHOULD BE MAINTAINED AT?
 - A. 65F
 - B. 70F
 - C. 75F
 - D. 80F

3. WHAT CHAPTER OF THE PREVENTIVE MEDICINE MANUAL PERTAINS TO WASTEWATER TREATMENT AND DISPOSAL, ASHORE AND AFLOAT?
 - A. CHAPTER 1
 - B. CHAPTER 3
 - C. CHAPTER 5
 - D. CHAPTER 7

4. HOW MANY CANS ARE REQUIRED IN A MODEL FIELD DISHWASHING UNIT?
 - A. 3
 - B. 4
 - C. 5
 - D. 6

5. WHAT IS THE MARINE SANITATION DEVICE (MSD) SYSTEM INSTALLED ON MOST NAVAL VESSELS?
 - A. CHT
 - B. SWOB
 - C. ETS
 - D. KD

6. WHAT REFERS TO WASTEWATER THAT ORIGINATES FROM CULINARY ACTIVITIES, BATHING AND LAUNDRY FACILITIES, DECK DRAINS AND OTHER WASTE DRAINS?
 - A. SEWAGE
 - B. GREY WATER
 - C. BLACK WATER
 - D. ALL OF THE ABOVE

7. WHAT TYPE OF INDIVIDUAL DISPOSAL SYSTEM IS NOT AUTHORIZED AT NAVAL ACTIVITIES BECAUSE IT IS THE MOST PRIMITIVE OF ALL INDIVIDUAL SEWAGE DISPOSAL SYSTEMS?
- A. CESS POOLS
 - B. SEPTIC SYSTEM
 - C. PIT PRIVY
 - D. IMHOFF TANK
8. WHAT IS THE RECOMMENDED MINIMUM SQUARE FEET OF FLOOR SPACE PER PERSON IN UNMARRIED PERSONNEL HOUSING ASHORE?
- A. 54
 - B. 72
 - C. 84
 - D. 96
9. HOW MANY SHOWERS SHOULD BE PROVIDED IN A BARRACKS WHICH HOUSES 200 PERSONNEL?
- A. 6
 - B. 8
 - C. 10
 - D. 12
10. THE VENEREAL DISEASE INTERVIEWERS GUIDE CONTAINING INSTRUCTIONS ON COMPLETING AND DISTRIBUTING THE VENEREAL DISEASE EPIDEMIOLOGICAL REPORT IS A?
- A. NAVMED P-5036
 - B. NAVMED P-5052-11A
 - C. SECNAVINST 6222.10
 - D. PHS-2936
11. WHAT COPY OF THE VENEREAL DISEASE EPIDEMIOLOGICAL REPORT (PHS-2936) IS SENT TO THE HEALTH DEPARTMENT OF THE AREA WHERE THE CONTACT RESIDES?
- A. GREEN
 - B. YELLOW
 - C. WHITE
 - D. WHITE AND PINK
12. EPIDEMIOLOGICAL INVESTIGATIONS HAVE SHOWN THAT MORE THAN WHAT FRACTION OF ALL REPORTED OUTBREAKS OF FOOD-BORNE ILLNESSES IS THE RESULT OF GROSS CARELESSNESS AND DEFICIENCIES IN FOOD SERVICE SANITATION?
- A. 1/4
 - B. 1/3
 - C. 1/2
 - D. 3/4

13. A SHIP ENTERING A FOREIGN PORT MUST HAVE A CERTIFICATE OF DERATERIZATION ISSUED BY THE U.S. PUBLIC HEALTH SERVICE (USPHS) EVERY?
- A. 6 MONTHS
 - B. 12 MONTHS
 - C. 18 MONTHS
 - D. 24 MONTHS
14. METAL FUME FEVER IS CAUSED BY ALL OF THE BELOW EXCEPT?
- A. ZINC-LEAD
 - B. IRON
 - C. MAGNESIUM
 - D. BERYLLIUM
15. WHAT IS FOUND IN MANY RECTIFIERS THAT UNDER CERTAIN CONDITIONS MAY BREAKDOWN AND GIVE OFF A BROWN CHOKING VAPOR?
- A. CADMIUM
 - B. SELENIUM
 - C. ASBESTOS
 - D. LEAD
16. WHAT AGENT IS A FACTOR IN THE DEVELOPMENT OF CANCER (MESOTHELIOMA) OF THE MEMBRANES LINING THE CHEST AND ABDOMEN?
- A. OTTO FUEL II
 - B. LEAD
 - C. ASBESTOS
 - D. CADMIUM
17. WHEN EXPOSED TO HIGH TEMPERATURES OF ULTRAVIOLET RADIATION, HALOGENATED HYDROCARBONS DECOMPOSE AND FORM EXTREMELY TOXIC MATERIALS SUCH AS?
- A. PHOSGENE GAS
 - B. HYDROGEN GAS
 - C. SODIUM NITRATE
 - D. BOTH A & B
18. WHAT INSTRUCTION IN THE NAVY PERTAINS TO THE HEARING CONSERVATION PROGRAM?
- A. OPNAVINST 5100.23E
 - B. NAVMEDCOMINST 6260.5
 - C. SECNAVINST 2215.3
 - D. OPNAVINST 2216.4B

**NBC WARFARE #1
E-6 AND ABOVE**

1. WHAT PERSONNEL DECONTAMINATION KIT USED TO CHEMICALLY NEUTRALIZE ANY TOXIC CHEMICAL AGENT YOU MAY HAVE ON YOUR CLOTHING OR SKIN?
 - A. M-5
 - B. M-258
 - C. CHEM-500
 - D. ALL OF THE ABOVE

2. CABINETS AND CHESTS WILL BE STENCILED WITH A RED CROSS AND MARKED "DECONTAMINATION MEDICAL SUPPLIES". THE CABINETS AND CHESTS WILL BE KEPT LOCKED AND THE KEY WILL BE IN THE CUSTODY OF WHAT INDIVIDUAL DURING EMERGENCY CONDITIONS?
 - A. MEDICAL DEPARTMENT
 - B. MEDICAL OFFICER
 - C. DAMAGE CONTROL ASSISTANT
 - D. ENGINEERING OFFICER

3. IN CASE OF A KNOWN OR SUSPECTED BIOLOGICAL ATTACK, ALL EXPOSED OR UNPACKAGED FOOD NOT IN CRITICAL SUPPLY SHOULD BE?
 - A. DESTROYED
 - B. DECONTAMINATED
 - C. COOKED TO ABOVE 140 F.
 - D. COOKED TO ABOVE 180 F.

4. WHICH OF THE BELOW FREES WATER OF RADIOACTIVE MATERIAL PROVIDING EMERGENCY DRINKING WATER?
 - A. COAGULATION
 - B. SEDIMENTATION
 - C. FILTRATION
 - D. DISTILLATION

5. CLOTHING THAT IS GROSSLY CONTAMINATED, BUT IN SHORT SUPPLY, SHOULD BE?
 - A. BURIED IN DEEP PITS OR TRENCHES IN METAL CANS WITH TIGHT FITTING LIDS
 - B. BURIED AT SEA
 - C. WASHED THREE TIMES IN HOT WATER WITH DETERGENT
 - D. EITHER A OR B

6. AFTER EMERGENCY TREATMENT IS RENDERED IN THE CONTAMINATED EMERGENCY TREATMENT STATION, THE NUCLEAR CASUALTY SHOULD BE TAKEN TO THE?
- A. DECONTAMINATION STATION
 - B. CLEAN EMERGENCY TREATMENT STATION
 - C. SORTING STATION
 - D. CATEGORY I TREATMENT STATION

SECURITY # 1
E-7

1. WHO IS DIRECTLY RESPONSIBLE TO THE SECRETARY OF THE NAVY FOR POLICIES RELATING TO THE SECURITY OF THE DEPARTMENT OF THE NAVY CLASSIFIED INFORMATION?
 - A. CHIEF OF NAVAL OPERATIONS
 - B. DIRECTOR OF NAVAL INTELLIGENCE
 - C. DIRECTOR, DEFENSE INTELLIGENCE AGENCY
 - D. DIRECTOR, NAVAL INTELLIGENCE SERVICE

2. WHICH OF THE FOLLOWING PUBLICATIONS PRESCRIBES THE PROCEDURES TO BE FOLLOWED IN SAFEGUARDING CLASSIFIED INFORMATION?
 - A. BUMEDINST 5100.13
 - B. OPNAVINST 1000.16
 - C. OPNAVINST 5510.1
 - D. BUMEDINST 4283.1

3. WHICH OF THE FOLLOWING DESCRIPTIONS BEST DEFINES THE TERM "ACCESS"?
 - A. BEING IN A PLACE WHERE CLASSIFIED INFORMATION IS KEPT
 - B. HAVING THE OPPORTUNITY AND ABILITY TO OBTAIN KNOWLEDGE OF CLASSIFIED INFORMATION
 - C. HAVING THE ABILITY TO OBTAIN KNOWLEDGE OF CLASSIFIED INFORMATION ONLY
 - D. TAKING POSSESSION OF CLASSIFIED INFORMATION

4. NORMALLY, WHAT COLOR INK SHOULD BE USED STAMP THE CLASSIFICATION MARKING ON THE DOCUMENT?
 - A. BLACK
 - B. BLUE
 - C. RED
 - D. GREEN

5. WHICH OF THE FOLLOWING SECURITY MEASURES SHOULD YOU TAKE TO PREVENT COMPROMISE OF CLASSIFIED INFORMATION?
 - A. WHEN YOU VACATE YOUR SPACE DURING WORKING HOURS, STOW ALL CLASSIFIED MATTER AS IF YOU WERE SECURING FROM WORK
 - B. WHEN YOU VACATE YOUR SPACE, ENSURE THAT CONTENTS OF WASTE BASKETS ARE PROPERLY STOWED OR DESTROYED
 - C. KEEP ALL CLASSIFIED DOCUMENT COVERED OR FACE DOWN WHEN THEY ARE NOT IN USE
 - D. ALL OF THE ABOVE

6. EACH COMMAND ELIGIBLE TO RECEIVE CLASSIFIED MATERIAL WILL DESIGNATE A SECURITY MANAGER. WHICH OF THE PERSONNEL LISTED BELOW MAY NOT BE APPOINTED AS A SECURITY MANAGER?
- A. ENSIGN
 - B. GS-11
 - C. MASTER CHIEF PETTY OFFICER
 - D. LCDR
7. COMPLETED POST CARD RECEIPT FORMS FOR CLASSIFIED MATERIAL MUST BE KEPT ON FILE FOR A MINIMUM OF?
- A. 1 YEAR
 - B. 2 YEARS
 - C. 3 MONTHS
 - D. 6 MONTHS
8. WHICH, IF ANY, OF THE LISTED MATERIAL MAY BE STORED IN A SAFE CONTAINING CLASSIFIED MATERIAL?
- A. MONEY
 - B. JEWELS
 - C. NARCOTICS
 - D. NONE OF THE ABOVE
9. THE COMBINATION TO A SAFE THAT CONTAINS CLASSIFIED MATERIAL SHOULD BE CHANGED AT WHAT MINIMUM INTERVAL?
- A. 3 MONTHS
 - B. 6 MONTHS
 - C. 12 MONTHS
 - D. 24 MONTHS
10. WHEN LOCKING SECURITY CONTAINERS EQUIPPED WITH COMBINATION LOCKS, ROTATE THE DIAL AT LEAST HOW MANY TIMES?
- A. 3 COMPLETE TURNS
 - B. 4 COMPLETE TURNS
 - C. 5 COMPLETE TURNS
 - D. 6 COMPLETE TURNS
11. WHICH OF THE FOLLOWING INFORMATION, IF COMPROMISED, WOULD CAUSE SERIOUS DAMAGE TO THE NATION?
- A. TOP SECRET
 - B. SECRET
 - C. CONFIDENTIAL
 - D. ALL OF THE ABOVE

12. IF CLASSIFIED EQUIPMENT IS TO BE SUNK AT SEA, AT WHAT MINIMUM DEPTH SHOULD IT BE JETTISONED?
- A. 2000 FATHOMS
 - B. 1500 FATHOMS
 - C. 1000 FATHOMS
 - D. 600 FATHOMS
13. CLASSIFIED CORRESPONDENCE ORIGINATED BY AN ACTIVITY IS SERIALY NUMBERED BEGINNING WITH THE FIRST DAY OF EACH?
- A. CALENDAR YEAR
 - B. FISCAL YEAR
 - C. QUARTER
 - D. MONTH
14. HOW MANY WITNESSING OFFICIALS MUST OBSERVE THE AUTHORIZED DESTRUCTION OF SECRET MATERIAL?
- A. ONE
 - B. TWO
 - C. THREE
 - D. FOUR
15. WHEN USING A SECURITY CONTAINER WITH BUILT-IN LOCK, WHAT IS THE SEQUENCE OF NUMBERS USED TO REST THE SAFE?
- A. 10-20-30
 - B. 30-25-30
 - C. 25-50-25
 - D. 50-25-50
16. THE FIRST PAGE OF A NAVY LETTER IS NOT NUMBERED UNLESS DESIGNATED AS?
- A. TOP SECRET
 - B. SECRET
 - C. CONFIDENTIAL
 - D. ALL OF THE ABOVE

MILITARY REQUIREMENTS # 1

1. WHAT DATE LED TO THE FORMATION OF THE U.S. NAVY?
 - A. 13 OCT 1775
 - B. 04 JUL 1776
 - C. 30 MAY 1777
 - D. 17 JUN 1898

2. WHAT WAS THE NAME OF THE FIRST SUBMARINE WHICH WAS COMMISSIONED DURING THE REVOLUTIONARY WAR?
 - A. HUNLEY
 - B. TURTLE
 - C. ALFRED
 - D. BLUEFISH

3. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE HAND SALUTE?
 - A. THE FOREARM SHOULD BE INCLINED AT 45 DEGREES
 - B. THE HAND SALUTE CAME TO US DIRECTLY FROM THE BRITISH NAVY
 - C. THE NAVY NEVER SALUTES UNCOVERED
 - D. THE MAXIMUM SALUTING DISTANCE IS 30 PACES

4. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE GUN SALUTE?
 - A. GUN SALUTES ARE NORMALLY FIRED AT 5 SECOND INTERVALS
 - B. A 21 GUN SALUTE IS GIVEN ON PRESIDENT'S, MEMORIAL, AND INDEPENDENCE DAYS
 - C. SPECIAL OCCASION GUN SALUTES ARE AT 1 MINUTE INTERVALS COMMENCING AT 1200
 - D. ODD NUMBERS RANGING FROM 11 FOR A VICE CONSUL TO 21 FOR THE PRESIDENT

5. WHAT ARTICLE OF THE CODE OF CONDUCT STATES IF I BECOME A PRISONER OF WAR I WILL KEEP FAITH WITH MY FELLOW PRISONERS, I WILL GIVE NO INFORMATION OR TAKE PART IN ANY ACTION WHICH MIGHT BE HARMFUL TO MY COMRADES. IF I AM SENIOR, I WILL TAKE COMMAND. IF NOT, I WILL OBEY THE LAWFUL ORDERS OF THOSE APPOINTED OVER ME AND WILL BACK THEM UP IN EVERY WAY?
 - A. I
 - B. II
 - C. III
 - D. IV

6. WHAT ARTICLE OF THE CODE OF CONDUCT STATES " IF I AM CAPTURED I WILL CONTINUE TO RESIST BY ALL MEANS AVAILABLE. I WILL MAKE EVERY EFFORT TO ESCAPE AND AID OTHERS TO ESCAPE. I WILL ACCEPT NEITHER PAROLE NOR SPECIAL FAVORS FROM THE ENEMY".
- A. III
 - B. IV
 - C. V
 - D. VI
7. WHAT CLASS OF SCHOOL PROVIDES UNDERGRADUATE EDUCATION, INDOCTRINATION, AND BASIC TRAINING IN FUNDAMENTALS, PRELIMINARIES, OR PRINCIPLES TO MIDSHIPMAN OFFICER CANDIDATES AND OTHER NEWLY COMMISSIONED OFFICERS?
- A. A
 - B. C
 - C. V
 - D. P
8. WHICH OF THE FOLLOWING DRILL POSITIONS WOULD YOU MOVE YOUR LEFT FOOT SMARTLY 12 INCHES TO THE LEFT?
- A. AT EASE
 - B. PARADE REST
 - C. FALLOUT
 - D. REST
9. WHAT COLOR LABEL IS USED TO IDENTIFY A HEALTH HAZARD?
- A. RED
 - B. YELLOW
 - C. BLUE
 - D. WHITE
10. WHAT MATERIAL CONDITION IS SET WHEN A SHIP IS IN NO DANGER OF ATTACK, SUCH AS AT ANCHOR IN A WELL PROTECTED HARBOR OR AT A HOMEPORT DURING REGULAR WORKING HOURS, TO PROVIDE MAXIMUM FREEDOM OF MOVEMENT THROUGHOUT THE SHIP?
- A. DOG ZEBRA
 - B. ZEBRA
 - C. YOKE
 - D. X-RAY

11. WHILE TENDING A LINE FOR A MAN WEARING AN OBA, HOW MANY PULLS WOULD INDICATE ADVANCE?
- A. 1
 - B. 2
 - C. 3
 - D. 4
12. WHAT CLASS OF FIRE IS ASSOCIATED WITH ELECTRICAL OR ELECTRONIC EQUIPMENT?
- A. A
 - B. B
 - C. C
 - D. D
13. WHAT FIRE FIGHTING AGENT IS USED TO CONTROL A CLASS "C" FIRE?
- A. WATER
 - B. AFFF
 - C. HALON 1301
 - D. CO2
14. SHIPBOARD PIPING SYSTEMS ARE COLOR-CODED FOR EASY IDENTIFICATION. WHAT COLOR OF PIPING IS USED TO IDENTIFY A SYSTEM CONTAINING JP-5 FUEL?
- A. PURPLE
 - B. RED
 - C. LIGHT GREEN
 - D. WHITE
15. ON THE WATCH QUARTER AND STATION BILL, WHAT CONDITION IS NORMAL WARTIME CRUISING, THE SHIPS COMPANY STANDS WATCH ON A BASIS OF 4 HOURS ON, 8 HOURS OFF, ABOUT 1/3 OF THE SHIP'S ARMAMENT IS MANNED IN THE EVENT OF A SURPRISE ATTACK?
- A. I
 - B. IE
 - C. II
 - D. III
16. WHAT SOUND POWERED CIRCUIT IS USED BY A LOOKOUT WATCH TO COMMUNICATE WITH THE BRIDGE AND THE SHIPS CIC?
- A. JA
 - B. JL
 - C. 61JS
 - D. X8J

17. WHAT TYPE OF FLAG IS A GENERAL RECALL, ALL PERSONNEL RETURN TO THE SHIP?
- A. PAPA
 - B. QUEBEC
 - C. SIERRA
 - D. YANKEE
18. WHAT TYPE OF FLAG INDICATES THE SHIP HAS MEDICAL GUARD DUTY?
- A. OSCAR
 - B. MIKE 1
 - C. INDIA
 - D. JULIET
19. WHICH OF THE FOLLOWING LEVELS OF HUMAN NEED IS THE FULL REALIZATION OF OUR OWN POTENTIAL?
- A. SAFETY-SECURITY
 - B. SOCIAL-BELONGING
 - C. SELF-ACTUALIZATION
 - D. ESTEEM
20. HOW MANY STARS WOULD DESIGNATE THE FLAG OF AN ADMIRAL?
- A. 2
 - B. 3
 - C. 4
 - D. 5
21. WHAT FLAGSTAFF INSIGNIAS WOULD BE USED FOR AN OFFICER BELOW THE GRADE OF COMMANDER, AND FOR CIVIL OFFICIALS ENTITLED TO HONORS OF A LESSER NATURE?
- A. FLAT TRUCK
 - B. STAR
 - C. SPREAD EAGLE
 - D. HALBERD
22. WHEN A STORM WARNING SIGNAL SHOWS ONE RED PENNANT DISPLAYED BY DAY AND A RED LIGHT OVER A WHITE LIGHT AT NIGHT INDICATES?
- A. GALE WARNING
 - B. SMALL CRAFT WARNING
 - C. STORM WARNING
 - D. HURRICANE WARNING

23. HOW MANY COMMAND TRAINING TEAM MEMBERS SHOULD BE ASSIGNED TO A COMMAND WITH 101-200 PERSONNEL TO TEACH A NAVY RIGHTS AND RESPONSIBILITY WORKSHOP?
- A. 2
 - B. 3
 - C. 4
 - D. 5
24. MEMBERS OF THE COMMAND ASSESSMENT TEAM (CAT) MUST REPEAT THE FORMAL TRAINING IF THEY HAVE BEEN INACTIVE FOR?
- A. 6 MONTHS
 - B. 12 MONTHS
 - C. 18 MONTHS
 - D. 24 MONTHS
25. WHAT RETENTION INCENTIVE IS GIVEN TO MEMBERS SERVING IN CERTAIN SELECTED RATING/NEC'S WHO RE-ENLIST OR EXTEND THEIR ENLISTMENT'S FOR A GIVEN NUMBER OF YEARS?
- A. SRB
 - B. SCORE
 - C. STAR
 - D. GUARD III
26. WHAT PERCENT OF YOUR TAKE-HOME PAY SHOULD YOU BUDGET FOR SAVINGS AND UNFORESEEABLE EXPENSES?
- A. 11
 - B. 22
 - C. 23
 - D. 25
27. MATERIAL CONDITION YOKE WOULD BE SET FOR WHAT LEVEL OF MISSION ORIENTED PROTECTIVE POSTURE (MOPP)?
- A. 1 (SUSPECTED THREAT)
 - B. 2 (POSSIBLE THREAT)
 - C. 3 (PROBABLE THREAT)
 - D. ALL OF THE ABOVE
28. WHICH NAVY FLEET PATROLS THE WESTERN ATLANTIC THAT OPERATES FROM THE WORLD'S LARGEST NAVAL BASE IN NORFOLK, VIRGINIA?
- A. 2ND
 - B. 3RD
 - C. 6TH
 - D. 7TH

29. WHAT PRECEDENCE FOR MESSAGES (IDENTIFIED BY THE PROSIGN Z) RELATES TO INITIAL ENEMY CONTACT REPORTS OR OPERATIONAL COMBAT MESSAGES OF EXTREME URGENCY?
- A. PRIORITY
 - B. IMMEDIATE
 - C. FLASH
 - D. ROUTINE
30. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE WATCH QUARTER AND STATION BILL?
- A. DIVISION OFFICERS PREPARE, COMPLETE AND DETAIL BILLS
 - B. INDICATES EACH PERSONS FIRE STATION, FIRE AND RESCUE STATION, AND CLEANING STATION
 - C. INDICATES EACH PERSONS COLLISION STATION, ABANDON SHIP STATION (WITH EQUIPMENT TO BE PROVIDED), SPECIAL STATION FOR GETTING UNDERWAY AND ANCHORING
 - D. MASTER WQS BILL IS MAINTAINED BY THE COMMANDING OFFICER
31. WHAT RESPIRATORY CARTRIDGE COLOR IS USED FOR A COMBINATION OF ACID GASES AND ORGANIC VAPORS?
- A. PURPLE
 - B. YELLOW
 - C. WHITE
 - D. BLACK
32. WHICH OF THE BELOW IS NOT ONE OF THE DEPARTMENTS ORGANIZED ABOARD SHIP?
- A. MEDICAL
 - B. NAVIGATIONS
 - C. OPERATIONS
 - D. WEAPONS
33. WHAT IS THE PRIMARY PISTOL USED IN THE NAVY TODAY?
- A. SMITH & WESSON .38 CALIBER
 - B. BERETTA, MODEL 92SB-F 9MM
 - C. M1911A1 .45 CALIBER
 - D. GLOCK 600 LASER PISTOL
34. WHAT IS THE SHOTGUN USED PRIMARILY BY THE NAVY?
- A. REMINGTON MODEL # 870
 - B. MOSSBERG MODEL # 500
 - C. BUSHNELL MODEL # 650
 - D. BOTH A & B

35. THE JAPANESE SURRENDERED ABOARD WHAT NAVY SHIP ON SEPTEMBER 2, 1945 WHICH ENDED W.W.II?

- A. USS MISSOURI
- B. USS VINCENNES
- C. USS IOWA
- D. USS YORKTOWN

36. WHICH OF THE BELOW IS NOT TRUE CONCERNING GROOMING STANDARDS FOR WOMEN?

- A. FINGERNAILS SHOULD NOT EXCEED $\frac{1}{4}$ INCHES
- B. E-6 AND BELOW MUST WEAR GOLD EAR RINGS
- C. SMALL SINGLE PEARL EARRINGS ARE AUTHORIZED FOR DINNER OR FORMAL DRESS UNIFORMS
- D. BARRETTES (TWO MAXIMUM) OF A COLOR THAT MATCHES THE HAIR ARE AUTHORIZED

37. WHAT IS A SEAMAN IN THE NAVY EQUAL TO IN THE AIRFORCE?

- A. AIRMAN BASIC
- B. AIRMAN
- C. AIRMAN FIRST CLASS
- D. SENIOR AIRMAN

38. WHAT IS A MASTER CHIEF IN THE NAVY EQUAL TO IN THE AIR FORCE?

- A. SERGEANT MAJOR
- B. MASTER SERGEANT
- C. SENIOR MASTER SERGEANT
- D. CHIEF MASTER SERGEANT

39. THE GOLD OAK LEAF WITH A SILVER ACORN ON EACH SIDE OF THE STEM IDENTIFIES THE?

- A. DENTAL CORPS
- B. MEDICAL SERVICE CORPS
- C. NURSE CORPS
- D. MEDICAL CORPS

CORRESPONDENCE #1

1. WHAT DIRECTIVE GIVES DEPARTMENT OF NAVY STANDARDS FOR WRITING, QUALITY, CORRESPONDENCE FORMAT, & PAPER WORK MANAGEMENT?
 - A. SECNAVINST 5216.5D
 - B. NAVMEDCOMINST 6150.1
 - C. OPNAVINST 5510.1H
 - D. NAVMILPERSCOMINST 1080.1A

2. WHAT IS NOT REQUIRED TO APPEAR ON ALL OUTGOING CORRESPONDENCE?
 - A. DATE
 - B. SSIC
 - C. ORIGINATOR CODE
 - D. TYPISTS INITIALS

3. WHAT ARE THE SIZES OF THE MARGINS IN A STANDARD NAVY LETTER?
 - A. 1/2 INCH
 - B. 1 INCH
 - C. 1 1/4 INCH
 - D. 1 1/2 INCH

4. WHICH OF THE BELOW WOULD BE THE CORRECT DATE FORMAT FOR A NAVY LETTER?
 - A. 12-6-87
 - B. 87 JUN 12
 - C. 12 JUN 87
 - D. JUNE 12 87

5. WHICH OF THE BELOW IS CORRECT CONCERNING THE SUBJECT LINE OF A NAVY LETTER?
 - A. Subj: ADVANCEMENT REQUIREMENTS FOR SEPTEMBER NAVY-WIDE EXAM
 - B. SUBJECT: September Navy-Wide Advancement Exam; Requirements For
 - C. Subj: September Navy-Wide Advancement Exam; Requirements For
 - D. ANY OF THE ABOVE

6. WHEN AN ENCLOSURE TO A LETTER IS BEING SENT UNDER A SEPARATE COVER, HOW SHOULD IT BE IDENTIFIED IN THE "ENCL" LINE OF THE LETTER
 - A. (SEPARATE COVER)
 - B. (sep cover)
 - C. S.C.
 - D. (SC)

7. WHAT TYPE OF CORRESPONDENCE IS USED FOR FORMAL COMMUNICATION WITH ACTIVITIES WITHIN THE DEPARTMENT OF DEFENSE & CAN ALSO BE USED FOR ACTIVITIES OUTSIDE THE DOD IF THEY ADOPTED THE FORMAT?
- A. BUSINESS LETTER
 - B. SPEEDLETTER
 - C. ENDORSEMENT
 - D. NAVAL LETTER
8. WHICH OF THE CIRCUMSTANCES LISTED BELOW REQUIRES THAT THE IDENTIFYING SYMBOLS ARE USED ON OUTGOING CORRESPONDENCE?
- A. LETTERS TO MEMBERS OF CONGRESS OR HEADS OF GOVERNMENT AGENCIES
 - B. LETTER OF PRAISE OR CONDOLENCE
 - C. LETTERS FROM COMMANDING OFFICERS TO OFFICERS-IN-CHARGE
 - D. PERSONAL LETTERS THROUGH OFFICIAL CHANNELS
9. HOW SHOULD THE SIGNATURE OF A PERSON WITH BY DIRECTION AUTHORITY BE INDICATED IF SIGNING ORDERS AFFECTING PAY & ALLOWANCES?
- A. "Acting"
 - B. "Deputy"
 - C. By direction
 - D. By direction of the Commanding Officer
10. ALL CONGRESSIONAL CORRESPONDENCE MUST BE ACKNOWLEDGED WITHIN HOW MANY DAYS FROM THE DATE OF RECEIPT?
- A. 10 WORKING DAYS
 - B. 10 DAYS
 - C. 5 WORKING DAYS
 - D. 5 DAYS
11. WHAT TYPE OF LETTER IS USED WHEN OFFICIALS OF TWO OR MORE ACTIVITIES ISSUE A LETTER CONCERNING A PARTICULAR SUBJECT OR ADMINISTRATIVE PROBLEM COMMON TO BOTH ACTIVITIES?
- A. MULTIPLE ADDRESS
 - B. JOINT
 - C. STANDARD
 - D. BUSINESS
12. WHAT MEMORANDUM IS USED AMONG INDIVIDUALS & OFFICE'S OF THE SAME ACTIVITY & IS CONSIDERED THE MOST INFORMAL?
- A. "FROM-TO" MEMORANDUM
 - B. PLAIN PAPER MEMORANDUM
 - C. MEMORANDUM-FOR
 - D. MEMORANDUM FOR THE RECORD

13. WHAT COLOR & TYPE OF PAPER IS RECOMMENDED FOR COMMAND FILES COPIES OF A NAVAL LETTER?
- A. GREEN TISSUE
 - B. YELLOW TISSUE
 - C. WHITE TISSUE
 - D. PINK TISSUE
14. WHICH OF THE BELOW IS NOT ONE OF THE THREE VERSION OF THE “FROM-TO” MEMORANDUM?
- A. PRINTED MEMORANDUM FORM
 - B. PLAIN PAPER MEMORANDUM
 - C. LETTERHEAD MEMORANDUM
 - D. MEMORANDUM OF AGREEMENT OR UNDERSTANDING
15. THE COMMANDING OFFICER, OFFICER IN CHARGE, OR PERSON “ACTING” IN EITHER POSITION MUST PERSONALLY SIGN ALL THE BELOW DOCUMENTS EXCEPT?
- A. ESTABLISH POLICY, CENTER ON CHANGES TO THE COMMANDS MISSION & ARE ADDRESSED TO HIGHER AUTHORITY
 - B. MATTERS THAT DEAL WITH CERTAIN ASPECTS OF MILITARY JUSTICE
 - C. MATTERS THAT ARE REQUIRED BY LAW (i.e. SHIP’S DECK LOG)
 - D. EVALUATIONS ON E-5
16. WHICH OF THE BELOW IS NOT TRUE CONCERNING A NAVAL LETTER?
- A. WINDOW ENVELOPES ARE ENCOURAGED FOR UNCLASSIFIED CORRESPONDENCE
 - B. MEMBERS LAST NAME SHOULD BE CAPITALIZED IN THE BODY OF THE LETTER IF THE NAME APPEARS AS PART OF THE SUBJECT
 - C. THE SIGNATURE PAGE OF A NAVAL LETTER MUST HAVE A MINIMUM OF FOUR (4) LINES OF TEXT
 - D. AN INDIVIDUAL SHOULD BE ADDRESSED AS “MR” IF THE GENDER IS UNKNOWN
17. WHICH OF THE BELOW IS NOT TRUE CONCERNING CORRESPONDENCE?
- A. 10-12 POINT (PITCH) BLOCK LETTER STYLE TYPE FACE
 - B. ROUTINE CORRESPONDENCE MUST BE ACKNOWLEDGED WITHIN 15 DAYS
 - C. IF YOU USE A SIGNATURE STAMP, INITIAL YOUR SIGNATURE
 - D. ALWAYS USE BLACK OR BLUE-BLACK INK FOR SIGNATURE
18. WHAT IS USED TO PROVIDE A STAND ALONE DOCUMENT IN PREVENTING ESSENTIAL ELEMENTS OF A SUBJECT AND SERVES AS A READILY AVAILABLE SOURCE OF CONDENSED, FACTUAL INFORMATION ON TOPICAL SUBJECTS?
- A. POINT (TALKING) PAPER
 - B. NAVAL LETTER
 - C. BUSINESS LETTER
 - D. MEMORANDUM

19. WHAT IS USED IN PLACE OF A SIGNATURE ON ELECTRONIC MAIL (E-MAIL)?

- A. Sig:
- B. Signature
- C. /S/
- D. ANY OF THE ABOVE

20. HOW IS A SUB PARAGRAPH INDICATED IN A NAVAL LETTER?

- A. a.
- B. (1)
- C. (a.)
- D. 1.

FOOD SANITATION # 1

1. WHO ESTABLISHED SANITARY STANDARDS FOR FOOD PROCUREMENT, INSPECTION ON DELIVERY, FITNESS FOR HUMAN CONSUMPTION, STORAGE AND REFRIGERATION, PREPARATION AND SERVING, AND DISPOSAL OF FOOD RESIDUES?
 - A. BUREAU OF MEDICINE AND SURGERY
 - B. DEPARTMENT OF HEALTH EDUCATION AND WELFARE
 - C. PREVENTIVE MEDICINE UNIT
 - D. NAVY FOOD SERVICE SYSTEMS OFFICE

2. WHO IS RESPONSIBLE FOR PROCURING, RECEIVING, INSPECTING AND STORING FOOD ITEMS?
 - A. COMMANDING OFFICER
 - B. SUPPLY OFFICER
 - C. FOOD SERVICE OFFICER
 - D. MEDICAL OFFICER

3. WHAT IS THE RECOMMENDED DISTANCE THAT FOODSERVICE EQUIPMENT IS AWAY FROM WALLS, FLOORS, OR ADJACENT EQUIPMENT AT SHORE STATIONS?
 - A. 2 INCHES
 - B. 4 INCHES
 - C. 6 INCHES
 - D. 8 INCHES

4. WHICH OF THE BELOW IS NOT TRUE CONCERNING MANUAL DISHWASHING METHODS?
 - A. A THREE COMPARTMENT DEEP SINK IS RECOMMENDED
 - B. WASH WATER SHOULD BE BETWEEN 110 - 125 DEGREES F
 - C. THE FIRST RINSE SHOULD BE WITH CLEAN WATER FROM 140 - 160 DEGREES F
 - D. THE SANITIZING RINSE IS FOR AT LEAST 30 SECONDS AT 170 DEGREES F

5. WHAT TEMPERATURE DO FOODS BEGIN TO BAKE ON DISHES?
 - A. 100 - 110 DEGREES F
 - B. 120 DEGREES F
 - C. 125 DEGREES F
 - D. 140 DEGREES F

6. ENAMELED UTENSILS OR CONTAINERS ARE PROHIBITED IN FOOD SERVICE FACILITIES DUE TO THE POSSIBILITY OF WHAT TYPE OF POISONING?
 - A. ANTIMONY
 - B. ZINC
 - C. ARSENIC
 - D. COPPER

7. WHICH OF THE BELOW IS NOT TRUE CONCERNING REQUIREMENTS FOR MILK PASTEURIZATION?
- A. HEAT MILK TO AT LEAST 145 DEGREES F AND MAINTAIN THIS TEMPERATURE FOR AT LEAST 30 MINUTES
 - B. HEAT MILK TO AT LEAST 161 DEGREES F AND MAINTAIN THIS TEMPERATURE FOR AT LEAST 15 SECONDS
 - C. MILK PRODUCTS WITH A HIGHER MILK FAT CONTENT OR CONTAINING ADDED SWEETENERS MUST BE HEATED TO AT LEAST 5 DEGREES F ABOVE MINIMUM PASTEURIZATION TEMPERATURES
 - D. PASTEURIZATION PLANTS MUST HAVE A COMPLIANCE RATING OF 75 OR MORE
8. WHAT OFFICIAL MUST INSPECT ALL MEAT, MEAT PRODUCTS, POULTRY, AND POULTRY PRODUCTS INTENDED FOR INTERSTATE SHIPMENT?
- A. U.S.D.C
 - B. U.S.D.A.
 - C. D.P.S.C.
 - D. D.L.A.
9. WHICH OF THE BELOW IS NOT A SIGN THAT FISH HAS BEEN RE-FROZEN?
- A. SOFT AND FLABBY FLESH
 - B. WRAPPING PAPER MAY BECOME MOIST, SLIMY, OR DISCOLORED
 - C. BOTTOM OF THE BOX MAY BE DISTORTED
 - D. RED-BORDERED EYES
10. WHAT DESCRIBES A CAN THAT HAS FLAT ENDS, AND WHEN ONE END MAY BE FORCED INTO A CONVEX POSITION WHEN THE OTHER END IS BROUGHT DOWN SHARPLY ON A FLAT SURFACE?
- A. SPRINGER
 - B. FLIPPER
 - C. SWELLER
 - D. BULGER
11. WHAT IS THE IDEAL TEMPERATURE FOR THE STORAGE OF FRESH EGGS?
- A. 29 DEGREES F
 - B. 30 DEGREES F
 - C. 31 DEGREES F
 - D. 32 DEGREES F
12. WHAT DISTANCE SHOULD BE ALLOWED BETWEEN THE TOPS OF STACKS OF MEAT AND THE OPENING OF AIR DUCTS IN A REFRIGERATOR?
- A. 6 INCHES
 - B. 2 FEET
 - C. 3 FEET
 - D. 4 FEET

13. WHICH OF THE BELOW IS NOT TRUE CONCERNING FOOD STORAGE PROCEDURES?

- A. EGGS AND BUTTER SHOULD NOT BE STORED WITH FRUITS AND VEGETABLES
- B. TEMPERATURES SHOULD BE A + OR - 3 DEGREES OF THE RECOMMENDED TEMPERATURE
- C. MEDICAL SUPPLIES ABOARD SHIP MUST NEVER BE STORED IN REFRIGERATED FOOD STORAGE SPACES
- D. TEMPERATURE LOGS SHOULD BE MAINTAINED AND ENTRIES SHOULD BE MADE AT LEAST TWICE A DAY

14. WHAT IS THE RECOMMENDED TEMPERATURE RANGE IN THE THAW BOX?

- A. 32 TO 34 F
- B. 33 TO 36 F
- C. 36 TO 38 F
- D. 38 TO 40 F

15. HOW OFTEN SHOULD ICE MACHINES BE INSPECTED FOR COCKROACH INFESTATIONS?

- A. DAILY
- B. WEEKLY
- C. EVERY TWO WEEKS
- D. MONTHLY

16. WHAT IS THE MAXIMUM TIME FOOD CAN BE HELD IF NOT KEPT BELOW 40 DEGREES F OR ABOVE 140 DEGREES F?

- A. 1 HOUR
- B. 2 HOURS
- C. 3 HOURS
- D. 4 HOURS

17. WHAT CLASS OF FROZEN SANDWICH IS PRODUCED IN A COMMERCIAL FROZEN FOOD OPERATION IN WHICH A CENTRAL KITCHEN IS DESIGNED SPECIFICALLY FOR MASS SANDWICH PRODUCTION?

- A. I
- B. II
- C. III
- D. IV

18. FROZEN SANDWICHES MUST BE CONSUMED WITHIN HOW MANY HOURS AFTER REMOVAL FROM THE FREEZER?

- A. 3 HOURS
- B. 5 HOURS
- C. 7 HOURS
- D. 10 HOURS

19. EPIDEMIOLOGICAL INVESTIGATIONS HAVE SHOWN THAT MORE THAN WHAT FRACTION OF ALL REPORTED OUTBREAKS OF FOOD-BORNE ILLNESSES IS THE RESULT OF GROSS CARELESSNESS AND DEFICIENCIES OF FOOD SERVICE SANITATION?
- A. 1/4
 - B. 1/3
 - C. 1/2
 - D. 3/4
20. WHICH OF THE FOLLOWING FOOD ITEMS ARE NOT MORE COMMONLY INVOLVED IN OUTBREAKS OF FOOD-BORNE ILLNESS?
- A. HAMBURGER
 - B. CHICKEN
 - C. LOBSTER
 - D. MILK PRODUCTS
21. WHAT TYPE OF FOOD POISONING IS CAUSED BY A SPECIFIC GROUP OF ORGANISMS NAMELY THE SALMONELLA AND SHIGELLA SPECIES?
- A. INFECTION
 - B. INTOXICATION
 - C. STAPHYLOCOCCAL
 - D. BOTULISM
22. WHEN THE SANITARY COMPLIANCE SCORE (SCS) IS 84 OR BELOW, ALL VIOLATIONS MUST BE CORRECTED WITHIN?
- A. 5 DAYS
 - B. 7 DAYS
 - C. 10 DAYS
 - D. 14 DAYS
23. ALL FOOD SERVICE PERSONNEL SHALL BE EXAMINED AND DETERMINED TO BE FREE FROM COMMUNICABLE DISEASE BEFORE INITIAL ASSIGNMENT IN FOOD SERVICE. SUBSEQUENT PHYSICAL EXAMINATIONS SHALL BE CONDUCTED?
- A. MONTHLY
 - B. QUARTERLY
 - C. SEMI ANNUALLY
 - D. ANNUALLY
24. HOW MUCH INITIAL TRAINING IS REQUIRED OF FOOD SERVICE PERSONNEL ON FOOD SERVICE SANITATION PRINCIPLES?
- A. 3 HOURS
 - B. 6 HOURS
 - C. 9 HOURS
 - D. 12 HOURS

25. EVIDENCE OF COMPLETING INITIAL AND REFRESHER TRAINING IS MAINTAINED ON THE FOOD SERVICE TRAINING CERTIFICATE (NAVMED 4061/1) AND IS KEPT ON FILE BY THE?

- A. FOOD SERVICE OFFICER
- B. SUPPLY OFFICER
- C. MEDICAL OFFICER
- D. MEDICAL DEPARTMENT REPRESENTATIVE

26. ALL FOOD SERVICE SANITATION TRAINING SHALL BE CONDUCTED BY?

- A. MESS MANAGEMENT SPECIALISTS E-5 AND ABOVE
- B. MEDICAL DEPARTMENT REPRESENTATIVES E-5 AND ABOVE
- C. PREVENTIVE MEDICINE TECHNICIANS
- D. CIVILIAN FOOD SERVICE SPECIALISTS

27. WHICH OF THE BELOW IS NOT TRUE CONCERNING FOOD SERVICE SANITATION?

- A. FOOD SERVICE INSTRUCTORS MUST BE RE-CERTIFIED EVERY THREE YEARS
- B. FOOD SERVICE PERSONNEL MUST BE INSPECTED BEFORE COMMENCING WORK EACH DAY
- C. BEARDS SHOULD BE COMPLETELY COVERED BY THE USE OF A "SNOOD" OR BEARD BAG
- D. FOOD SERVICE TRAINING CERTIFICATES MUST BE CHECKED MONTHLY BY MEDICAL DEPARTMENT PERSONNEL

IMMUNIZATIONS # 1

1. ALL BIOLOGIC'S OBTAINED IN THIS COUNTRY FOR GENERAL USE BY THE ARMED FORCES WILL CONFORM TO WHAT AGENCIES REGULATIONS FOR THE PRODUCTION AND SALE OF SUCH MATERIALS?
 - A. SECRETARY OF THE TREASURY
 - B. ARMED SERVICES INVESTIGATIONAL DRUG REVIEW BOARD
 - C. NATIONAL INSTITUTE OF HEALTH
 - D. PUBLIC HEALTH SERVICE

2. ALL PERSONNEL OF THE ARMED SERVICES SHALL BE IMMUNIZED IN ACCORDANCE WITH?
 - A. AR 40-562
 - B. AFR 161-13
 - C. BUMEDINST 6230.3
 - D. ALL OF THE ABOVE

3. WHAT HANDLING CODE MUST BE USED ON ALL BIOLOGICAL'S (DURING SHIPMENT) WHICH MUST BE KEPT FROZEN FOR PRESERVATION?
 - A. F
 - B. I
 - C. W
 - D. G

4. WHAT BIOLOGICAL MUST ALWAYS BE SHIPPED AND STORED IN A FROZEN STATE?
 - A. PLAGUE
 - B. YELLOW FEVER
 - C. TETANUS
 - D. INFLUENZA

5. BIOLOGICAL SHIPMENTS WHICH SHOW A CHANGE IN THE PHYSICAL APPEARANCE OR SUGGEST BACTERIAL CONTAMINATION WILL NOT BE USED. DISPOSITION INSTRUCTIONS SHOULD BE REQUESTED FROM THE?
 - A. SUPPLY SOURCE
 - B. MANUFACTURER
 - C. PUBLIC HEALTH SERVICE
 - D. SURGEON GENERAL

6. PERSONNEL WITH SIGNIFICANT ALLERGIES TO EGGS OR FOWL ARE REQUIRED TO RECEIVE WHAT IMMUNIZATION?
 - A. YELLOW FEVER
 - B. MEASLES
 - C. INFLUENZA
 - D. PLAGUE

7. ALL BIOLOGICAL'S (OTHER THAN FROZEN) WILL BE STORED AT TEMPERATURES BETWEEN?
- A. 4 TO 10 DEGREES CENTIGRADE
 - B. 35.6 TO 46.4 DEGREES FAHRENHEIT
 - C. 0 TO 5 DEGREES FAHRENHEIT
 - D. EITHER A OR B
8. WHEN THE ORAL POLIO CONTAINER IS THAWED AND ENTERED, THE ANTIGENIC EFFECTIVENESS OF THE VACCINE IS MAINTAINED WITHOUT SUFFICIENT LOSS (IF KEPT REFRIGERATED AT 2 TO 8 DEGREES CENTIGRADE) FOR A PERIOD OF?
- A. 24 HOURS
 - B. 7 DAYS
 - C. 30 DAYS
 - D. 60 DAYS
9. IF SYMPTOMS DO NOT LESSEN (ANAPHYLACTIC REACTIONS), AFTER THE ARRIVAL OF A MEDICAL OFFICER, THE PHYSICIAN SHOULD GIVE AN ADDITIONAL 0.5 ML OF EPINEPHRINE IV IN WHAT VEIN?
- A. MEDIAN CUBITAL
 - B. BASILIC
 - C. FEMORAL
 - D. JUGULAR
10. WHAT IMMUNIZATION REQUIRES A BOOSTER BE GIVEN EVERY 10 YEARS?
- A. YELLOW FEVER
 - B. CHOLERA
 - C. ADENOVIRUS VACCINE
 - D. RUBELLA
11. WHAT LIVE VIRUS VACCINE MAY BE GIVEN TO A FEMALE SUSPECTED OF BEING PREGNANT?
- A. SMALLPOX
 - B. ORAL POLIO
 - C. YELLOW FEVER
 - D. RUBELLA
12. AIRCREW MEMBERS WILL NOT FLY FOR A MINIMUM OF 12 HOURS (24 HOURS IF NOT DETRIMENTAL TO THE MISSION) AFTER RECEIVING?
- A. SMALLPOX
 - B. TYPHOID
 - C. ORAL POLIO
 - D. ALL OF THE ABOVE

13. WHAT IS THE MINIMUM PERIOD BETWEEN THE DOSES OF LIVE VIRUS VACCINES?
- A. 7 DAYS
 - B. 14 DAYS
 - C. 30 DAYS
 - D. IT DOESN'T MATTER AS LONG AS THEY ARE NOT RECEIVED ON THE SAME DAY
14. WHAT IMMUNIZATION SHOULD NEVER UNDER ANY CIRCUMSTANCES BE GIVEN INTRADERMALLY?
- A. TYPHOID
 - B. SMALLPOX
 - C. TETANUS
 - D. CHOLERA
15. THE ORIGIN AND BATCH NUMBER WILL RECORDED ON THE PHS-731 (INTERNATIONAL CERTIFICATE OF VACCINATION) FOR WHAT IMMUNIZING AGENT?
- A. YELLOW FEVER
 - B. CHOLERA
 - C. PLAGUE
 - D. TYPHOID
16. WHAT FORM IN THE HEALTH RECORD SHOULD BE CHECKED BEFORE ADMINISTERING ANY IMMUNIZING AGENT?
- A. SF-600
 - B. SPECIAL SF-600
 - C. NAVPERS 5510/1
 - D. NAVMED 6150/20
17. WHAT SHOULD BE DONE WITH THE SF-601 (IMMUNIZATION RECORD) WHEN A SINGLE CATEGORY IS COMPLETELY FILLED?
- A. GIVE IT TO THE MEMBER
 - B. SUBMIT IT TO NAVMEDCOM
 - C. RETAIN IN HEALTH RECORD
 - D. DESTROY IT AFTER THE LATEST ENTRIES HAVE BEEN TRANSCRIBED ON THE NEW SF-601
18. THE PRIMARY SMALLPOX VACCINATION SHOULD SHOW A TYPICAL JENNERIAN VESICLE, THIS TYPE OF REACTION SHOULD BE RECORDED AS?
- A. MAJOR
 - B. EQUIVOCAL
 - C. UNSUCCESSFUL
 - D. SUCCESSFUL

19. THE ANNUAL INFLUENZA INOCULATION SHOULD BE CONSIDERED WHAT TYPE OF IMMUNIZATION?

- A. PRIMARY
- B. SECONDARY
- C. PROPHYLACTIC
- D. DISCRETIONARY

20. WHAT IMMUNIZATION IS NOT GIVEN TO RECRUITS AT A NAVAL TRAINING CENTER?

- A. INFLUENZA
- B. ADENOVIRUS VACCINE
- C. MENINGOCOCCAL VACCINE
- D. TYPHOID

**PHARMACY AND TOXICOLOGY
FORM#1**

1. THE RESPONSE OF LIVING TISSUE TO CHEMICAL STIMULATION IN THE ABSENCE OF DISEASE, THIS ALMOST EXCLUSIVELY DEALS WITH RESEARCH AND DEVELOPMENT WOULD BE TERMED?
 - A. PHARMACOGNOSY
 - B. POSOLOGY
 - C. PHARMACODYNAMICS
 - D. PHARMACOTHERAPEUTICS

2. USING CLARK'S RULE, WHAT WOULD BE THE DOSE FOR A CHILD WHO WEIGHS 75 POUNDS IF THE ADULT DOSE IS 100 MGM?
 - A. 25 MGM
 - B. 50 MGM
 - C. 60 MGM
 - D. 75 MGM

3. USING YOUNG'S RULE, WHAT WOULD BE THE DOSE FOR AN 8-YEAR OLD CHILD IF THE ADULT DOSE IS 15 ML?
 - A. 2ML
 - B. 6ML
 - C. 10ML
 - D. 12ML

4. WHICH OF THE FACTORS THAT INFLUENCE DOSAGE OF DRUGS IS NOT CORRECT?
 - A. FEMALES REQUIRE SMALLER DOSES THAN MALES
 - B. OUTDOOR WORKERS REQUIRE LARGER DOSES THAN PERSONS WHO WORK INSIDE
 - C. MOST DRUGS GIVEN BEFORE MEALS ARE MORE QUICKLY ABSORBED
 - D. CAUCASIANS REQUIRE LARGER DOSES THAN BLACKS

5. WHAT METHOD OF DRUG ADMINISTRATION IS GIVEN BY INJECTION?
 - A. PARENTERAL
 - B. SUBLINGUAL
 - C. BUCCAL
 - D. TOPICAL

6. WHAT ANTACID MAY ALSO BE USED AS A LAXATIVE?
 - A. ALUMINUM HYDROXIDE GEL (AMPHOJEL)
 - B. MAGNESIUM HYDROXIDE
 - C. ALUMINA AND MAGNESIA ORAL SUSPENSION
 - D. MAGALDRATE (RIOPAN)

7. WHICH OF THE BELOW IS NOT TRUE CONCERNING ANTACIDS?
- A. MOST ORAL DRUGS SHOULD NOT BE TAKEN WITHIN 2 HOURS OF TAKING AN ANTACID?
 - B. ALUMINUM HYDROXIDE GEL (AMPHOJEL) MAY CAUSE DIARRHEA
 - C. ALUMINA, MAGNESIA AND SIMETHICONE ORAL SUSPENSION (MYLANTA, GELSIL) REDUCES FLATULENCE
 - D. MAGALDRATE (RIOPAN) HAS A LOWER SODIUM CONTENT
8. WHAT ASTRINGENT IS USED FOR POISON IVY, SWELLING AND BRUISES, INSECT BITES, ATHLETE'S FOOT, SUPERFICIAL EXTERNAL OTITIS BUT SHOULD NOT BE APPLIED TO BLISTERED, RAW OR OOZING AREAS OF THE SKIN?
- A. ALUMINUM ACETATE TOPICAL SOLUTION
 - B. BURROW'S SOLUTION
 - C. CALAMINE LOTION
 - D. ZEPHRIN CHLORIDE
9. WHICH OF THE FOLLOWING EMOLLIENTS ARE USED TO PROTECT SENSITIVE SKIN FROM THE SUN?
- A. COCOA BUTTER (THEOBROMA OIL)
 - B. HYDROUS WOOL FAT (LANOLIN)
 - C. PETROLATUM (PETROLEUM JELLY)
 - D. ZINC OXIDE OINTMENT
10. WHAT SYNTHETIC NON NARCOTIC DERIVATIVE OF CODEINE ACTS AS AN ANTITUSSIVE AND IS USED TO CONTROL NON PRODUCTIVE COUGHS BY SOOTHING MINOR THROAT AND BRONCHIAL IRRITATIONS?
- A. GUAIFENESIN (ROBITUSSIN)
 - B. BENZONATATE (TESSALON PERLES)
 - C. TERPIN HYDRATE ELIXIR WITH CODEINE
 - D. DEXTROMETHORPHAN (DM)
11. WHAT ANTISEPTIC IS THE STANDARD BY WHICH ALL OTHER ANTISEPTICS, DISINFECTANTS, AND GERMICIDAL AGENTS ARE MEASURED IN THEIR EFFECTIVENESS?
- A. THIMERSOL (MERTHIOLATE)
 - B. BENZALKONIUM CHLORIDE (ZEPHRIAN CHLORIDE)
 - C. PHENOL (CARBOLIC ACID)
 - D. POVIDONE-IODINE (BETADINE)
12. WHAT BACTERIOSTATIC CLEANING AND NEUROTOXIC AGENT MUST NOT BE USED ON PREMATURE INFANTS, DENUDED SKIN, BURNS, OR MUCOUS MEMBRANES?
- A. HEXACHLOROPHENE (PHISOHEX)
 - B. ISOPROPYL ALCOHOL (ISOPROPANOL)
 - C. GLUTARALDEHYDE (CIDEX)
 - D. HYDROGEN PEROXIDE

13. WHAT SYSTEMIC SULFONAMIDE IS BACTERIOSTATIC AND IS INDICATED IN THE TREATMENT OF URINARY TRACT INFECTIONS AND ACUTE OTITIS MEDIA?
- A. SILVER SUFADIAZINE (SILVADENE)
 - B. SULFISOXAZOLE (GANTRISIN)
 - C. SULFACETAMIDE
 - D. SULAMYD
14. WHICH OF THE BELOW LISTED CONDITIONS IS PENICILLIN NOT EFFECTIVE IN IT'S TREATMENT?
- A. RHEUMATIC FEVER
 - B. BACTERIAL ENDOCARDITIS
 - C. TYPHOID FEVER
 - D. ANAEROBIC STREPTOCOCCAL INFECTIONS
15. WHICH OF THE BELOW IS NOT TRUE CONCERNING ANTIBIOTICS?
- A. PENICILLIN V. POTASSIUM IS THE DRUG OF CHOICE FOR UNCOMPLICATED GROUP "A" BETA-HEMOLYTIC STREPTOCOCCAL INFECTIONS
 - B. METHICILLIN SODIUM IS ONLY ADMINISTERED PARENTALLY
 - C. PENICILLIN G PROCAINE 4.8 MILLION UNITS IM AT TWO SITES WITH 1 GRAM OF PROBENECID ORALLY SHOULD BE USED FOR UNCOMPLICATED GONORRHEA
 - D. PENICILLIN G (AQUEOUS) IN DOSES OF 5 MILLION UNITS OR HIGHER SHOULD BE GIVEN BY I.V. INFUSION ONLY
16. WHAT DRUG IS ADMINISTERED BOTH ORALLY AND PARENTALLY FOR CERTAIN RESPIRATORY TRACT INFECTIONS, OTITIS MEDIA, CERTAIN URINARY TRACT INFECTIONS AND INFECTIONS OF THE SKIN AND SKIN STRUCTURES?
- A. CEPHADRINE (ANSPOR, VELOSEF)
 - B. CEFOXITIN (MEFOXIN)
 - C. CEFAZOLIN (ANCEFF, KEFZOL)
 - D. CEPHALEXIN (KEFLEX)
17. WHICH OF THE BELOW LISTED DRUGS IS NOT USED IN THE TREATMENT OF TUBERCULOSIS?
- A. STREPTOMYCIN SULFATE
 - B. RIFAMPIN (RIFADIN)
 - C. TETRACYCLINE HYDROCHLORIDE (ACHROMYCIN)
 - D. ISONIAZID (INH)
18. WHAT GROUP OF DRUGS ARE SIMILAR TO PENICILLIN IN THEIR ANTIBACTERIAL SPECTRA AND ARE OFTEN USED FOR PATIENTS WHO ARE SENSITIVE TO PENICILLIN?
- A. AMINOGLYCOSIDES
 - B. MACROLIDES
 - C. CEPHALOSPORINS
 - D. TETRACYCLINE

19. WHAT DRUG IS USED IN THE TREATMENT OF PYELONEPHRITIS, PYELITIS, AND CYSTITIS BUT IS CONTRAINDICATED WHERE SIGNIFICANT RENAL IMPAIRMENT EXISTS?
- A. ERYTHROMYCIN (ILOTYCIN, E-MYCIN)
 - B. CHLORAMPHENICOL SODIUM (CHLOROMYCETIN)
 - C. PENAZOPYRIDINE (PYRIDIUM)
 - D. NITROFURANTOIN (MACRODANTIN)
20. WHAT FUNGICIDE IS USED TO TREAT TINEA PEDIS (ATHLETES FOOT)?
- A. GRISEOFULVIN (GRIS-PEG, FULVICIN)
 - B. NYSTATIN (MYCOSTATIN)
 - C. UNDECYLENIC ACID (DESENEX)
 - D. MICONAZOLE NITRATE (MONISTAT)
21. WHICH OF THE BELOW LISTED DRUGS IS NOT USED IN THE TREATMENT OF CANDIDA INFECTIONS?
- A. UNDECYLENIC ACID (DESENEX)
 - B. NYSTATIN (MYCOSTATIN)
 - C. CLOTRIMAZOLE (LOTRIMIN, MYCELEX)
 - D. MICONAZOLE NITRATE (MONISTAT)
22. WHAT DRUG IS A PEDICULICIDE BUT MAY ALSO BE USED IN THE TREATMENT OF SCABIES?
- A. METRONIDAZOLE
 - B. FLAGYL
 - C. CROTAMITON (EURAX)
 - D. LINDANE (KWELL)
23. WHAT IS USED AS THE DRUG OF CHOICE FOR THE PREVENTION OR RELAPSE OF MALARIA BUT IS CONTRAINDICATED IN G-6-PD DEFICIENT PERSONNEL AS IT MAY RESULT IN HEMOLYTIC ANEMIA?
- A. CHLOROQUINE PHOSPHATE (ARALEN)
 - B. PRIMAQUINE PHOSPHATE
 - C. SULFADOXINE AND PYRIMETHAMINE
 - D. FANSIDAR
24. WHAT IS REGARDED AS THE DRUG OF CHOICE FOR PINWORM AND ROUND WORM INFECTIONS?
- A. THIABENDAZOLE (MINTEZOL)
 - B. PYRVINIUM PAMOATE (POVAN)
 - C. PYRANTEL PAMOATE (ANTIMINTH)
 - D. MEBENDAZOLE (VERMOX)

25. WHAT CATHARTIC (NORMALLY TAKEN AT BEDTIME) IS USED AS A PREPARATORY AGENT PRIOR TO SOME SURGERIES AND RADIOLOGICAL EXAMINATIONS?
- A. GLYCERIN SUPPOSITORIES
 - B. BISACODYL (DUCOLAX)
 - C. MAGNESIUM CITRATE
 - D. DUCOSATE SODIUM (COLACE)
26. WHAT ANTI-DIARRHEAL IS A CHEMICAL ANALOG OF MEPERIDINE HYDROCHLORIDE AND IS CLASSED AS A SCHEDULE-V NARCOTIC?
- A. DIPHENOXYLATE HYDROCHLORIDE
 - B. LOMOTIL
 - C. KAOLIN MIXTURE WITH PECTIN
 - D. BOTH A & B
27. WHAT ANALGESIC, ANTIPYRETIC AND ANTI-INFLAMMATORY IS CONTRAINDICATED IN PEPTIC ULCER DISEASE?
- A. ASCRIPTIN, ECOTRIN, EASPRIN
 - B. ACETAMINOPHEN (TYLENOL)
 - C. IBUPROFEN (MOTRIN)
 - D. INDOMETHACIN (INDOCIN)
28. WHAT DRUG HAS A HIGH INCIDENCE OF TOXIC SIDE EFFECTS AND IS RECOMMENDED ONLY FOR PATIENTS WHO DO NOT RESPOND TO LESS TOXIC DRUGS?
- A. TOLMETIN SODIUM (TOLECTIN)
 - B. NAPROXEN SODIUM (ANAPROX)
 - C. PHENYLBUTAZONE (BUTAZOLIDINE)
 - D. SULINDAC (CLINORIL)
29. WHAT DIURETIC IS INDICATED IN THE TREATMENT OF EDEMA ASSOCIATED WITH CONGESTIVE HEART FAILURE, CIRRHOSIS OF THE LIVER AND RENAL DISEASE BUT IS PARTICULARLY USEFUL WHEN A GREATER DIURETIC POTENTIAL IS DESIRED?
- A. CHLORTHALIDONE (HYGROTON)
 - B. ACETAZOLAMIDE (DIAMOX)
 - C. FUROSEMIDE (LASIX)
 - D. HYDROCHLOROTHIAZIDE (HYDRODIURAL)
30. WHAT DRUG IS INDICATED FOR USE IN HYPERACTIVE OR HYPERKINETIC CHILDREN AND CHILDREN DIAGNOSED WITH ATTENTION DEFICIT DISORDERS?
- A. METHYLPHENIDATE HYDROCHLORIDE (RITALIN)
 - B. DEXTROAMPHETAMINE SULFATE (DEXEDRINE)
 - C. PHENOBARBITAL (LUMINAL)
 - D. SECOBARBITAL (SECONOL)

31. WHAT IS THE DRUG OF CHOICE IN THE TREATMENT AND MANAGEMENT OF GRAND MAL EPILEPSY?
- A. PENTOBARBITAL (NEMBUTAL)
 - B. SECOBARBITAL (SECONOL)
 - C. PHENOBARBITAL (LUMINAL)
 - D. PHENYTON SODIUM (DILANTIN)
32. WHICH OF THE BELOW IS NOT TRUE CONCERNING MORPHINE SULFATE?
- A. INDICATED FOR SEVERE PAIN AND PREOPERATIVELY TO SEDATE PATIENTS
 - B. PREFERRED FOR SEVERE PAIN WITH ACUTE ALCOHOLISM AND CONVULSIVE DISORDERS
 - C. MAY BE USED FOR SEVERE PAIN IN MYOCARDIAL INFARCTION
 - D. ALL OF THE ABOVE ARE TRUE
33. WHAT DRUG IS USED AS AN INTESTINAL TRANQUILIZER TO CONTROL DIARRHEA?
- A. CAMPHORATED OPIUM TINCTURE
 - B. MEPERIDINE HYDROCHLORIDE
 - C. CHLORPROMAZINE HYDROCHLORIDE
 - D. PROCHLORPERIZINE (COMPAZINE)
34. WHAT DRUG IS INDICATED FOR ALLEVIATING MANIFESTATIONS OF PSYCHOSIS, TENSION, AGITATION, AND MAY ALSO BE USED AS AN ANTIEMETIC?
- A. THIORIDAZINE (MELLARIL)
 - B. PROCHLORPERIZINE (COMPAZINE)
 - C. CHLOROPROMAZINE HYDROCHLORIDE (THORAZINE)
 - D. HALOPERIDOL (HALDOL)
35. WHAT RAPID ACTING ANTI-ANXIETY AND ANTIMETIC WITH ANTISPASMODIC AND MUSCLE RELAXANT IS MOST OFTEN USED IN PRE AND POSTOPERATIVE SEDATION AND IN CONJUNCTION WITH DEMEROL TO POTENTIATE ITS EFFECTS AND REDUCE NAUSEA?
- A. DIAZEPAM (VALIUM)
 - B. AMITRIPTYLINE HCL (ELAVIL)
 - C. CHLORDIAZEPOXIDE HYDROCHLORIDE (LIBRIUM)
 - D. HYDROXIZINE HYDROCHLORIDE (VISTARIL)
36. WHAT DRUG IS MOST OFTEN USED AS AN ADJUNCT TO REST, PHYSICAL THERAPY AND OTHER MEASURES FOR THE RELIEF OF DISCOMFORT ASSOCIATED WITH ACUTE, PAINFUL MUSCOSKELETAL CONDITIONS?
- A. CYCLOBENZAPRINE HYDROCHLORIDE (FLEXERIL)
 - B. METHOCARBAMOL (ROBAXIN)
 - C. CHLORZOXAZONE AND ACETAMINOPHEN (PARAFON FORTE)
 - D. ORPHENADRINE, ASPIRIN AND CAFFEINE (NORGESIC)

37. WHAT CARDIOVASCULAR AGENT IS INDICATED FOR PREMATURE ATRIAL AND VENTRICULAR CONTRACTIONS AND OTHER ARRHYTHMIA'S?
- A. QUINIDINE SULFATE
 - B. QUININE SULFATE
 - C. DIGITOXIN (CRYSTODIGIN, PURODIGIN)
 - D. DIGOXIN (LANOXIN)
38. WHAT VASODILATOR IS PRIMARILY USED FOR THE PREVENTION OF ERECTION IN UROLOGICAL ADULT MALE PATIENTS FOLLOWING CIRCUMCISION?
- A. NITROGLYCERIN (NITROSTAT, NITRO-BID)
 - B. AMYL NITRITE
 - C. ISOSORBIDE DINITRATE (ISORDIL, SORBITRATE)
 - D. PRYRIDAMOLE (PERSANTINE)
39. WHAT VASOCONSTRICTOR IS THE DRUG OF CHOICE IN ANAPHYLAXIS AND IS USED FOR THE TEMPORARY RELIEF FROM BRONCHIAL ASTHMA ATTACKS?
- A. PHENYLEPHRINE HYDROCHLORIDE (NEO-SYNEPHRINE)
 - B. OXYMETAZOLINE HYDROCHLORIDE (AFRIN)
 - C. EPINEPHRINE (ADRENALIN, SUS-PHRINE)
 - D. TETRAHYDROZALINE HYDROCHLORIDE (VISINE)
40. WHAT ANTICOAGULANT INTERFERES WITH PROTHROMBIN FORMATION IN THE LIVER, BUT IS USED EXTENSIVELY IN THE TREATMENT OF EMBOLISM AND IN THE PREVENTION OF OCCLUSIONS?
- A. ABSORBABLE GELATIN SPONGE
 - B. WARFARIN SODIUM (COUMADIN)
 - C. HEPARIN SODIUM
 - D. ALL OF THE ABOVE
41. WHAT IS ANOTHER NAME FOR VITAMIN "A"
- A. THIAMINE HYDROCHLORIDE
 - B. CYANOCOBALAMIN
 - C. ASCORBIC ACID
 - D. RETINOL
42. WHAT VITAMIN IS A COENZYME IN THE METABOLISM OF PROTEIN, FAT AND CARBOHYDRATE AND IS MOST OFTEN USED DURING ISONIAZID (INH) THERAPY TO PREVENT THE DEVELOPMENT OF PERIPHERAL NEURITIS?
- A. PYRIDOXINE HYDROCHLORIDE (VITAMIN B6)
 - B. RIBOFLAVIN (VITAMIN B2)
 - C. VITAMIN "D"
 - D. VITAMIN "K"

43. WHAT GENERAL ANESTHETIC IS COMMONLY USED IN DENTISTRY OR AS A PREINDUCTION AGENT TO OTHER GENERAL ANESTHETICS?
- NITROUS OXIDE (LAUGHING GAS)
 - HALOTHANE (FLUOTHANE)
 - KETAMINE HYDROCHLORIDE (KETALAR)
 - FENTANYL AND DROPERIDOL (INNOVAR)
44. WHAT LOCAL ANESTHETIC IS THE STANDARD TO WHICH ALL OTHER LOCAL ANESTHETICS ARE COMPARED?
- PROCAINE HYDROCHLORIDE (NOVOCAIN)
 - LIDOCAINE HYDROCHLORIDE (XYLOCAINE)
 - DIBUCAINE HYDROCHLORIDE (NUPERCAINE)
 - PROPARACAINE (OPHTHETIC, OPTHAIN)
45. WHAT PARASYMPATHETIC DRUG IS INDICATED FOR THE SYMPTOMATIC CONTROL OF MYASTHENIA GRAVIS?
- NEOSTIGMINE METHYLSULFATE (PROSTIGMIN)
 - BETHANECHOL CHLORIDE (URECHOLINE, DUVOID)
 - PILCARPINE (PILOCAR, ISOPTO-CARPINE)
 - EACH OF THE ABOVE
46. WHAT PARASYMPATHOLYTIC DRUG (ANTICHOLINERGIC) RELAXES THE MUSCLES OF THE INTESTINAL TRACT, BRONCHI, URETER, BILIARY DUCTS, GALLBLADDER AND ALSO INHIBITS GLANDULAR SECRETIONS, CAUSING DRYNESS OF THE NOSE, THROAT, BRONCHI, MOUTH AND SKIN?
- GLYCOPYRROLATE
 - ROBINUL
 - PROPANTHELINE BROMIDE (PRO-BANTHINE)
 - ATROPINE SULFATE
47. WHAT DRUG IS USED IN THE TREATMENT OF PEPTIC ULCER BY REDUCING THE VOLUME AND THE ACIDITY OF GASTRIC SECRETIONS AND AS AN ANTISPASMODIC IN THE TREATMENT OF INTESTINAL SPASMS AND IN SPASMS OF THE URETER AND BLADDER?
- ALKALOID OBTAINED FROM BELLADONNA
 - ATROPINE SULFATE
 - GLYCOPYPROLATE
 - PROPANTHELINE BROMIDE
48. WHAT SYMPATHOLYTIC DRUG IS USED IN THE PREVENTION AND TREATMENT OF POSTPARTUM AND POSTABORTAL HEMORRHAGE?
- PROPRANOLOL HYDROCHLORIDE (INDERAL)
 - ERGONOVINE MALEATE (ERGOTRATE)
 - RESPERINE (SANDRIL, SERPISIL)
 - HYDRALAZINE HYDROCHLORIDE (APRESOLINE)

49. WHAT ANTIHISTAMINE HAS A LONGER DURATION OF ACTION THAN BENADRYL AND IS USED FOR THE RELIEF OF MOTION SICKNESS BUT IS CONTRAINDICATED IN PREGNANCY?
- A. DIPHENHYDRAMINE HYDROCHLORIDE
 - B. CHLORPHENIRAMINE MALEATE (CHLOR-TRIMETON)
 - C. MECLIZINE HYDROCHLORIDE (ANTIVET,BONINE)
 - D. DIMENTHYDRINATE (DRAMAMINE)
50. THE DRUG INDICATED FOR THE SYMPTOMATIC RELIEF OF NASAL CONGESTION, DUE TO THE COMMON COLD, HAYFEVER, AND UPPER RESPIRATORY ALLERGIES?
- A. PSEUDOEPHEDRINE HYDROCHLORIDE (SUDAFED)
 - B. TRIPROLIDINE HYDROCHLORIDE (ACTIFED)
 - C. CIMETIDINE (TAGAMET)
 - D. RANITIDINE (ZANTAC)
51. WHAT TYPE OF FOOD POISONING IS DUE TO A SPECIFIC TOXIN PRODUCED OUTSIDE THE BODY?
- A. INFECTION
 - B. SALMONELLA
 - C. INTOXICATION
 - D. ALL OF THE ABOVE
52. WHO ESTABLISHES A CLEARING HOUSE FOR POISON INFORMATION?
- A. NAVY ENVIRONMENTAL HEALTH CENTER (NEHC)
 - B. BUREAU OF MEDICINE
 - C. DISTRICT COMMANDANTS
 - D. PUBLIC HEALTH SERVICE
53. WHAT TYPES OF POISONS ARE SUBDIVIDED INTO CORROSIVES, METALS, AND SALTS?
- A. INORGANIC
 - B. ALKALOIDAL
 - C. NON-ALKALOIDAL
 - D. GASEOUS
54. WHAT ACT OF 1970 WAS ESTABLISHED TO DEFINE FIVE SCHEDULES FOR DRUGS DEPENDENT UPON A DRUG'S POTENTIAL FOR ABUSE, MEDICAL USEFULNESS, AND DEGREE OF DEPENDENCY, IF ABUSED?
- A. DRUG ENFORCEMENT ADMINISTRATION
 - B. COMPREHENSIVE DRUG ABUSE PREVENTION AND CONTROL
 - C. FEDERAL DRUG ADMINISTRATION
 - D. HARRISON NARCOTIC

55. WHAT SCHEDULE OF CONTROLLED DRUGS MAY HAVE PRESCRIPTIONS REFILLED UP TO FIVE TIMES WITHIN A SIX-MONTH PERIOD?
- A. I
 - B. II
 - C. III
 - D. ALL OF THE ABOVE
56. WHICH OF THE BELOW IS NOT A TRUE STATEMENT CONCERNING THE ANTIDOTE LOCKER?
- A. SECURED WITH A WIRE SEAL
 - B. SHALL CONTAIN AT LEAST THE ANTIDOTES LISTED IN THE NAVMED P-5095
 - C. SHALL BE INVENTORIED AT LEAST MONTHLY
 - D. IT SHOULD CONTAIN THE ADDRESS AND TELEPHONE NUMBER OF THE LOCAL POISON CONTROL CENTER
57. WHAT BOOK IN THE PHARMACY IS AN EXCELLENT SOURCE FOR COMPOUNDING INFORMATION THAT IS KNOWN AS THE PHARMACIST'S BIBLE?
- A. PHYSICIANS DESK REFERENCE (PDR)
 - B. UNITED STATES PHARMACOPEIA (USP)
 - C. REMINGTON'S PHARMACEUTICAL SCIENCES
 - D. NATIONAL FORMULARY (NF)
58. WHAT SYSTEM IS THE ONE USED IN THE UNITED STATES FOR WEIGHT ONLY AND IS USED FOR COMMERCIAL BUYING AND SELLING?
- A. AVOIRDUPOIS
 - B. METRIC
 - C. APOTHECARY
 - D. TROY
59. WHAT IS THE SMALLEST UNIT OF VOLUME IN THE APOTHECARY SYSTEM?
- A. LITER
 - B. DRAM
 - C. OUNCE
 - D. MINIM
60. WHAT IS THE PRIMARY UNIT OF WEIGHT IN THE AVOIRDUPOIS AND APOTHECARY SYSTEM?
- A. FLUID OUNCE
 - B. FLUID DRAM
 - C. GRAIN
 - D. SCRUPLE

61. WHAT IS THE HOUSEHOLD EQUIVALENT OF 15ML?
- A. ONE TEASPOONFUL
 - B. ONE DESSERT SPOONFUL
 - C. ONE TABLESPOONFUL
 - D. TWO TABLESPOONFUL
62. WHAT IS THE HOUSEHOLD EQUIVALENT OF 120ML?
- A. ONE WINEGLASSFUL
 - B. ONE TEACUPFUL
 - C. ONE TUMBLERFUL
 - D. ONE PINT
63. WHAT IS THE APOTHECARY EQUIVALENT OF 240 ML?
- A. 1 FL. OZ.
 - B. 8 FL. OZ
 - C. 16 FL. OZ.
 - D. 32 FL. OZ
64. WHAT IS THE PROCESS OF CONVERTING A SOLID INTO A LIQUID BY MEANS OF HEAT?
- A. TRITURATION
 - B. FUSION
 - C. FILTRATION
 - D. COLATION
65. WHAT WOULD 86 DEGREES FAHRENHEIT EQUAL IN CENTIGRADE?
- A. 24C
 - B. 26C
 - C. 28C
 - D. 30C
66. WHAT WOULD 70 DEGREES CENTIGRADE EQUAL IN FAHRENHEIT?
- A. 140 F
 - B. 158 F
 - C. 176 F
 - D. 212 F
67. THE MORTAR AND PESTLE USED FOR TRITURATING VERY PURE PRODUCTS SUCH AS EYE OINTMENTS, OR PREPARATIONS WHICH STAIN SHOULD BE MADE OF?
- A. WEDGWOOD
 - B. UNGLAZED CROCKERY
 - C. GLASS
 - D. METAL

68. WHAT TYPE OF BALANCE IS OPTIONAL EQUIPMENT IN THE PHARMACY, USED TO WEIGH LOADS OF MORE THAN 648MG, AND MUST BE CONSPICUOUSLY MARKED CLASS?
- A. A
 - B. B
 - C. C
 - D. D
69. WHAT ARE LIQUID PREPARATIONS, USUALLY AQUEOUS, CONTAINING THE INSOLUBLE SUBSTANCE INTENDED FOR EXTERNAL APPLICATIONS?
- A. LOTIONS
 - B. SUSPENSIONS
 - C. OINTMENTS
 - D. BOTH A & B
70. WHICH OF THE FOLLOWING MEDICATIONS DOES NOT REQUIRE A SHAKE WELL LABEL?
- A. MAGMAS
 - B. SUSPENSIONS
 - C. LOTIONS
 - D. LINIMENTS
71. WHAT SIZE CAPSULE HAS THE CAPACITY OF HOLDING ABOUT 65MG OF A SUBSTANCE?
- A. 00
 - B. 2
 - C. 3
 - D. 5
72. WHAT TYPE OF PHARMACEUTICAL INCOMPATIBILITY EXISTS WHEN SULFA DRUGS ARE INACTIVATED BY PROCAINE HCL?
- A. PHYSICAL
 - B. CHEMICAL
 - C. THERAPEUTIC
 - D. ALL OF THE ABOVE
73. TO COUNTERACT THE AFFECT OF BARBITURATES, PHYSIOLOGIC ANTIDOTES MAY BE GIVEN, INCLUDING?
- A. DOXAPRAM HCL
 - B. PHENYTOIN SODIUM
 - C. AMOBARBITAL
 - D. EPHEDRINE

74. DRUGS, WHICH STOP THE GROWTH OF MICROORGANISMS WITHOUT NECESSARILY DESTROYING THEM, ARE KNOWN AS?
- A. PARASITICIDE
 - B. ANTISEPTICS
 - C. GERMICIDES
 - D. FUNGICIDES
75. THE FOLLOWING DRUGS (ALUMINUM ACETATE TOPICAL SOLUTION (BURROW'S SOLUTION) AND CALAMINE LOTION) ARE CLASSIFIED AS WHAT TYPE OF DRUGS?
- A. EMOLLIENTS
 - B. ASTRINGENTS
 - C. AMINOGLYCOSIDES
 - D. MACROLIDES
76. WHICH OF THE FOLLOWING DRUGS ARE CLASSIFIED AS PSYCHOTHERAPEUTIC AGENTS?
- A. PHENYLBUTAZONE (BUTAZOLIDINE)
 - B. ISOSORBIDE DINITRATE (ISORDIL, SORBITRATE)
 - C. THIORIDAZINE (MELLARIL)
 - D. PHENYTOIN SODIUM (DILANTIN)
77. THE FOLLOWING DRUGS (METHYLPHENIDATE HYDROCHLORIDE, RITALIN, DEXTROAMPHETAMINE SULFATE WHICH IS DEXEDRINE) ARE CLASSIFIED AS WHAT TYPE OF DRUG?
- A. CARDIOVASCULAR AGENT
 - B. SKELETAL MUSCLE RELAXANT
 - C. CENTRAL NERVOUS SYSTEM (CNS) STIMULANT
 - D. VASODILATOR
78. WHICH OF THE FOLLOWING DRUGS ARE CLASSIFIED AS VASOCONSTRICTORS?
- A. HEPARIN SODIUM
 - B. INDOMETHACIN (INDOCIN)
 - C. METHOCARBAMOL (ROBAXIN)
 - D. TETRAHYDROZALINE HYDROCHLORIDE (VISINE)

SUPPLY # 1

1. WHAT PUBLICATION IS THE OPERATING PROCEDURES MANUAL FOR MILITARY STANDARD REQUISITIONING AND ISSUE PROCEDURES (MILSTRIP) AND THE MILITARY STANDARD TRANSACTION REPORTING AND ACCOUNTING PROCEDURES (MILSTRAP)?
 - A. NAVSUP P-437
 - B. NAVSUP P-409
 - C. NAVSUP P-485
 - D. NAVSUPINST 4235.3

2. WHICH OF THE BELOW IS NOT TRUE CONCERNING COMNAVMEDEDMATSUPPCOM NOTE 6700?
 - A. IT IS A NAVAL MEDICAL AND DENTAL MATERIAL BULLETIN
 - B. CONTAINS INFORMATION OF IMPORTANCE AND INTEREST TO MEDICAL SUPPLY DEPARTMENTS
 - C. INDICATES CHANGES IN STOCK NUMBERS AND MATERIAL UNIT FOR USE WITH DISPOSAL INSTRUCTIONS
 - D. ISSUED QUARTERLY BY COMMANDER NAVAL MEDICAL MATERIAL SUPPLY COMMAND

3. WHAT TYPE APPROPRIATION GENERALLY COVERS THE CURRENT OPERATING AND MAINTENANCE EXPENSES OF THE NAVY?
 - A. CONTINUING
 - B. MULTIPLE-YEAR
 - C. ANNUAL
 - D. EACH OF THE ABOVE

4. TYPE COMMANDERS (TYCOM) ARE REQUIRED TO SUPPLEMENT THE AMAL WITH ALL THE BELOW LISTED SUPPLIES EXCEPT?
 - A. FIRST AID GUN BAGS
 - B. LABORATORY SUPPLIES
 - C. AIRWAYS AND LITTERS
 - D. BATTLE DRESSING SUPPLIES

5. THE LAST NINE DIGITS OF THE NATIONAL STOCK NUMBER ARE KNOWN AS THE?
 - A. GROUP
 - B. FEDERAL SUPPLY CLASSIFICATION CODE
 - C. NATIONAL ITEM IDENTIFICATION NUMBER
 - D. COGNIZANCE SYMBOL 9L

6. WHAT FEDERAL SUPPLY CATALOG CLASS PERTAINS TO MEDICATED COSMETICS AND TOILETRIES?
 - A. 6505
 - B. 6508
 - C. 6510
 - D. 6515

7. WHAT FEDERAL SUPPLY CLASS CATALOG PERTAINS TO X-RAY EQUIPMENT AND SUPPLIES (MEDICAL, DENTAL AND VETERINARY)?
- A. 6520
 - B. 6525
 - C. 6530
 - D. 6532
8. WHAT MEASUREMENT INDICATES THE MINIMUM QUANTITY OF A STOCK ITEM THAT IS REQUIRED TO SUPPORT OPERATIONS?
- A. OPERATING LEVEL
 - B. SAFETY LEVEL
 - C. STOCKAGE OBJECTIVE
 - D. REQUISITIONING OBJECTIVE
9. WHAT PART SET OF THE DD-1348 (REQUISITION SYSTEM DOCUMENT) IS USED BY NONAUTOMATED SHIPS FOR REQUISITIONING FOLLOW-UP MODIFICATION, OR CANCELLATION AND TRACER REQUESTS?
- A. 2 PART
 - B. 4 PART
 - C. 6 PART
 - D. 8 PART
10. WHAT DOCUMENT SHOULD BE USED TO REQUISITION MEDICAL BOOKS AND JOURNALS?
- A. DD-1149
 - B. DD-1348
 - C. DD-1380
 - D. DD-686
11. ALL PURCHASES FROM THE IMPREST FUND ARE PAID IN CASH AND ANY PURCHASE MAY NOT EXCEED?
- A. \$150.00
 - B. \$300.00
 - C. \$5,000.00
 - D. \$10,000.00
12. WHAT FORM SHOULD BE USED TO REPORT A DISCREPANCY WHEN YOU RECEIVE ORDERED SUPPLIES?
- A. DD-1348-1
 - B. DD-1348M
 - C. SF-364
 - D. 1250-1

13. THE FORCE ACTIVITY DESIGNATOR (F/AD) IDENTIFIES AND CATEGORIZES A FORCE OR ACTIVITY ON THE BASIS OF IT'S MILITARY IMPORTANCE AND WOULD BE INDICATED BY?
- A. A, B, OR C
 - B. I THRU V
 - C. 01 THRU 15
 - D. ANY OF THE ABOVE
14. WHAT TYPE OF INVENTORY SHOULD BE CONDUCTED IF A RANDOM SAMPLING INVENTORY OF A SPECIFIC STOREROOM FAILS TO MEET THE INVENTORY ACCURACY RATE OF 90% WHEN DIRECTED BY TYCOM, INCIDENT TO SUPPLY MANAGEMENT INSPECTION, WHEN DIRECTED BY THE C.O., OR WHEN CIRCUMSTANCES INDICATE THAT IT IS ESSENTIAL TO EFFECTIVE INVENTORY CONTROL?
- A. BULKHEAD TO BULKHEAD
 - B. SPECIFIC COMMODITY
 - C. SPECIAL MATERIAL
 - D. SPOT
15. WHAT STOCK RECORD(S) WOULD MOST COMMONLY BE USED IN RECORDING USAGE DATA ON STOCK RECORDS?
- A. NAVSUP 766
 - B. NAVSUP 1114
 - C. NAVSUP 1250-1
 - D. BOTH A AND B
16. WHAT IS THE HANDLING CODE FOR CONTROLLED SUBSTANCES?
- A. F AND W
 - B. P AND I
 - C. Q AND R
 - D. D AND G
17. THE NARCOTIC INVENTORY BOARD WILL CONSIST OF TWO (2) COMMISSIONED OFFICERS AND A ____ ON A LARGE SHIP OR A SHORE COMMAND?
- A. WARRANT OFFICER
 - B. PHYSICIAN ASSISTANT
 - C. E-7
 - D. E-6
18. WHAT SURVEY FORM IS USED IF NO PERSONAL RESPONSIBILITY EXISTS?
- A. DD-200
 - B. DD-2090
 - C. DD-2064
 - D. EITHER A OR B

**OPTICAL CHARACTER RECOGNITION (OCR)
TYPEWRITER AND FORMS
FORM # 1**

1. ALL OCR DOCUMENTS SHOULD BE STORED IN A CLEAN AND?
 - A. COOL ROOM
 - B. DRY ROOM
 - C. DARK ROOM
 - D. ALL THE ABOVE ARE TRUE

2. WHAT IS THE FIRST THING TO BE ACCOMPLISHED WHEN THE OCR DOCUMENTS ARE INITIALLY PLACED IN THE TYPEWRITER?
 - A. TYPE THE WORD "ALIGN" IN THE UPPER RIGHT CORNER
 - B. MAKE SURE THE ALIGNMENT IS STRAIGHT AS YOU WOULD WITH A REGULAR TYPEWRITER
 - C. BE SURE THE HEADER LINE CONTAINS THE FORM NUMBER
 - D. TEAR OFF THE TOP OF EACH FORM

3. WHERE WOULD YOU FIND INFORMATION ON APPROVED OCR EQUIPMENT?
 - A. BUPERSINST 1130
 - B. NAVSO P-3050
 - C. OPNAVINST 5140.5
 - D. SECNAVINST 10460.9

4. WHICH OF THE BELOW WOULD DESIGNATE THE LETTER "O" IN THE OCR CHARACTER SET OF ALPHA LETTERS?
 - A.
 - B. |
 - C. 0
 - D. o

5. WHICH OF THE BELOW WOULD DESIGNATE THE NUMBER "ONE" IN THE OCR CHARACTER SET OF NUMERALS?
 - A. |
 - B. 1
 - C. **1**
 - D. I

6. WHICH OF THE BELOW ABSTRACT SYMBOLS INDICATE A CHARACTER DELETE?
 - A. -
 - B. SLANT
 - C. CHAIR
 - D. CHINESE CHRISTMAS TREE

7. WHICH OF THE BELOW ABSTRACT SYMBOLS INDICATE A BLOCK DELETE?
- - BLOB
 - PERCENT SIGN
 - CHAIR
 - }
8. WHICH OF THE BELOW ABSTRACT SYMBOLS IS NOT RECOGNIZED BY OCR READERS IN THE NAVY?
- ‡ - BLOB
 - BELT BUCKLE
 - CHINESE CHRISTMAS TREE
 - ALL OF THE ABOVE ARE RECOGNIZED
9. THE PLATEN AND BAIL ROLLS SHOULD BE CLEANED TO REMOVE CORRECTION MATERIAL AND/OR CARBON THAT MIGHT GET ON THE ORIGINALS HOW OFTEN?
- AFTER EACH USE
 - DAILY
 - WEEKLY
 - MONTHLY
10. WHAT IS THE MAIN OBJECTIVE OF INSTRUCTION IN OPTICAL CHARACTER RECOGNITION?
- FOR THE TYPIST TO SHARPEN HIS EYE AND CAUSE HIM OR HER TO BECOME MORE CRITICAL OF THEIR WORK
 - ELIMINATE ERRORS AT THE SOURCE AND THEREBY REDUCE THE NUMBER OF REJECTED DOCUMENTS
 - TO USE ONLY LOWER CASE ALPHA CHARACTERS, NUMERICS, SYMBOLS, AND PUNCTUATION'S ON YOUR DOCUMENTS
 - B IS TRUE BECAUSE OF A
11. WHAT LINE DELETE IS USUALLY TYPED ONLY AT THE END OF THE LINE WHERE THERE IS A SPACE?
- (ELONGATED HYPHEN)
 - (HOOK)
 - ? (FORK)
 - ?(VERTICAL RULE)
12. WHICH OF THE BELOW LISTED FORM(S) CANNOT BE CORRECTED BY THE LINE OR BLOCK DELETE?
- NAVPERS 1070/602
 - NAVPERS 1070/606
 - NAVPERS 1070/610
 - ALL OF THE ABOVE

13. HOW CAN FILLING IN OF OPENINGS IN SUCH CHARACTERS AS "9" OR "R" BE CORRECTED?
- A. CLEAN TYPE
 - B. USE GOOD QUALITY CARBON RIBBON
 - C. TYPE WITH RHYTHM
 - D. CALL SERVICE
14. THE TYPE ARM IS BENT AND A SERVICE MAN MUST BE CALLED FOR?
- A. FLYING CAPITOLS
 - B. EXCESSIVE EMBOSSING
 - C. CHARACTER SKEW
 - D. LINE SKEW
15. WHICH OF THE BELOW IS NOT A TRUE STATEMENT CONCERNING OCR DOCUMENTS?
- A. REINFORCED ENVELOPES SHOULD BE USED TO MAIL DOCUMENTS
 - B. TRANSMITTAL LETTER IS TYPED ON A NAVCOMP 3051
 - C. ONLY ONE GROUP (TYPE) OF DOCUMENT MAY BE SENT PER TRANSMITTAL LETTER
 - D. MAXIMUM OF 50 DOCUMENTS PER TRANSMITTAL (EXCEPT ALLOTMENTS)
16. WHAT IS THE SYSTEM USED BY ALL ARMED SERVICES TO MAINTAIN COMPUTERIZED LEAVE AND PAY ACCOUNTS, FURNISHES MONTHLY LEAVE AND EARNING STATEMENTS (LES), AND PROVIDES FINANCIAL MANAGEMENT REPORTS TO NMPC?
- A. JUMPS
 - B. MAPMIS
 - C. DODPM
 - D. BOTH A & B
17. ALL OCR DATA INPUT DOCUMENTS SHALL BE MAILED DAILY VIA?
- A. CERTIFIED MAIL
 - B. REGISTERED MAIL
 - C. AIR MAIL
 - D. EITHER A OR B
18. WHICH OF THE BELOW IS NOT TRUE CONCERNING OCR NOMENCLATURE?
- A. MISALIGNMENT- THE PRINTING OF ONE OR MORE CHARACTERS OUT OF LINE
 - B. SKEW- THE TILTING OF A CHARACTER OR LINE OF TYPING
 - C. DENSITY-THE LIGHT BLUE AREAS OUTLINING THOSE PORTIONS OF AN OCR FORM THAT WILL BE READ BY THE SCANNER
 - D. TARGET AREA-THE AREA IN WHICH INFORMATION IS TO BE TYPED

19. IF A DOCUMENT HAS BEEN TRANSMITTED TO NMPC OR NAVFINCEN IS SUBSEQUENTLY CORRECTED OR RE-TYPED, THE CORRECTED DOCUMENT IS ANNOTATED IN THE MIDDLE OF THE BOTTOM MARGIN AS A CORRECTED COPY WITH HOW MANY NUMERALS INDICATED?
- A. 3
 - B. 5
 - C. 7
 - D. 9
20. WHAT GROUP OF NON-SCANABLE DOCUMENTS ARE SENT TO NMPC BY ADMINISTRATIVE OFFICES?
- A. I
 - B. II
 - C. V
 - D. VI
21. MATERIAL IN SUSPENSE FILES MAY BE DESTROYED AFTER HOW MANY DAYS IF NO FOLLOW-UP ACTION IS REQUIRED?
- A. 30
 - B. 60
 - C. 90
 - D. 120

ADMINISTRATION # 2
E-6 & ABOVE

1. WHAT MANUAL SPELLS OUT THE PRECISE STEPS TO BE TAKEN IN THE CARE OF THE DEAD?
 - A. BUPERSINST 1770.2
 - B. OPNAVINST 5510.1F
 - C. BUMEDINST 5360.1D
 - D. BUMEDINST 6230.1H

2. WHAT PART OF THE DECEDENT AFFAIRS PROGRAM COMBINES VARIOUS PROGRAMS AND TERMINATES INTO A DIFFERENT PROGRAM?
 - A. RETURN OF REMAINS PROGRAM
 - B. GRAVES REGISTRATION
 - C. CASUALTY ASSISTANCE CALLS
 - D. CONCURRENT RETURN

3. AS DEFINED BY THE DECEDENT AFFAIRS PROGRAM, WHICH OF THE BELOW WOULD BE CONSIDERED A SECONDARY EXPENSE IN THE CARE OF THE DEAD?
 - A. FUNERAL COACH
 - B. SHIPPING CASE
 - C. URN
 - D. CLOTHING

4. WHICH OF THE BELOW IS NOT TRUE CONCERNING NOTIFICATION OF THE NEXT OF KIN IN CASE OF DEATH OR A MISSING CASUALTY?
 - A. PERSONAL NOTIFICATION SHOULD BE MADE BETWEEN 0600-2200
 - B. NOTIFICATION MUST NEVER BE MADE BY TELEPHONE
 - C. UNDUE DELAY IS CONSIDERED IN EXCESS OF 24 HOURS
 - D. EACH NOTIFICATION MUST BE CONFIRMED IN WRITING

5. REMAINS TO BE BURIED AT SEA SHOULD BE HOW FAR FROM THE NEAREST LAND?
 - A. 3 MILES
 - B. 5 MILES
 - C. 10 MILES
 - D. 25 MILES

6. CHRONOLOGICAL NUMBERED PROGRESS REPORTS SHALL BE DISPATCHED TO BUMED EVERY 24 HOURS WHEN SEARCH, RECOVERY, AND IDENTIFICATION OPERATIONS CONTINUE FOR MORE THAN?
 - A. 12 HOURS
 - B. 24 HOURS
 - C. 36 HOURS
 - D. 48 HOURS

7. TO MINIMIZE CELLULAR DETERIORATION, REMAINS SHOULD BE REFRIGERATED AT?
- A. 32-34 DEGREES F
 - B. 34-36 DEGREES F
 - C. 36-40 DEGREES F
 - D. 35.6 TO 46.4 DEGREES F
8. HOW MANY SIGNED COPIES OF THE CERTIFICATE OF DEATH (OVERSEAS) DD-2064 MUST ACCOMPANY THE REMAINS TO ANOTHER OVERSEAS AREA OR TO A PORT OF ARRIVAL IN CONUS?
- A. 1
 - B. 2
 - C. 3
 - D. 4
9. UNLESS SPECIFICALLY REQUESTED BY THE NEXT OF KIN, REMAINS WILL NOT BE SHIPPED TO ARRIVE AT A DESTINATION ON?
- A. NEW YEARS DAY
 - B. FOURTH OF JULY
 - C. ARMISTICE DAY
 - D. EASTER SUNDAY
10. WHO MUST COORDINATE ARRANGEMENTS FOR BURIAL AT SEA IF REQUESTED OUTSIDE CONUS?
- A. STAFF MEDICAL OFFICER
 - B. FLEET COMMANDER-IN-CHIEF
 - C. AREA COMMANDER
 - D. ANY OF THE ABOVE
11. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE INVENTORY OF PERSONAL EFFECTS (NAVSUP 29)
- A. COMMANDING OFFICER APPOINTS INVENTORY BOARD CONSISTING OF TWO MEMBERS
 - B. AN ORIGINAL AND FOUR COPIES WILL BE PREPARED, DULY ATTESTED, AND SIGNED BY THE BOARD MEMBERS
 - C. THE BOARD WILL SEND ALL FIVE COPIES WITH THE PERSONAL EFFECTS TO THE PATIENT AFFAIRS OFFICER FOR COMPLETION, DISPOSITION, AND SIGNATURE
 - D. THE INVENTORY BOARD WILL SEND ONE COPY TO NMPC, FILE ONE IN THE SERVICE RECORD OF THE DECEASED, AND SEND ONE TO THE OFFICER WHO APPOINTED THE BOARD

12. WHEN A DECEDENT AFFAIRS OFFICER IS ASSIGNED TO THE ACTIVITY CHARGED WITH THE INVESTIGATIVE RESPONSIBILITIES APPLICABLE TO THE SEARCH AND RECOVERY OF THE REMAINS. WHAT IS HIS ROLE?
- A. COORDINATOR
 - B. SUPERVISOR
 - C. LOCAL COMMANDER
 - D. ALL OF THE ABOVE
13. WHICH OF THE FOLLOWING IS CONSIDERED TO BE THE MOST APPROPRIATE ESCORT FOR THE REMAINS OF A LIEUTENANT COMMANDER, MSC, USN?
- A. LT, DC, USN
 - B. LCDR, MC, USNR
 - C. CDR, MSC, USN
 - D. ANY MEDICAL OFFICER
14. WHAT IS THE MAXIMUM ALLOWABLE STOP OVER TIME FOR AN ESCORT FOR THE PURPOSE OF ATTENDING THE FUNERAL SERVICE IF DESIRED BY THE NEXT OF KIN?
- A. 24 HOURS
 - B. 48 HOURS
 - C. 72 HOURS
 - D. 96 HOURS
15. IF AN ESCORT ACCOMPANIES THE REMAINS, HE SHALL PRESENT WHICH OF THE FOLLOWING TO THE NEXT OF KIN IF AVAILABLE, OTHERWISE TO THE CACO?
- A. DD-1375
 - B. DD-1149
 - C. CERTIFICATE OF DEATH
 - D. LIST OF GOVERNMENT SERVICES PROVIDED
16. THE ACTIVITIES THAT HAVE JOINT RESPONSIBILITY FOR THE USE AND FORMAT OF THE NAVY CARE-OF-THE-DEAD CONTRACTS ARE BUMED AND?
- A. NAVCOMP
 - B. NAVSUP
 - C. BUPERS
 - D. NRAO
17. HOW MANY BANDS (OF NOT LESS THAN 3/4") ARE PLACED AROUND THE CASKET FOR BURIAL AT SEA?
- A. 2
 - B. 4
 - C. 6 MINIMUM OF 5
 - D. 12

18. WHO IS RESPONSIBLE FOR NOTIFICATION OF THE NEXT OF KIN IF A MEMBER DIES IN A NAVAL HOSPITAL AND THE NEXT OF KIN IS IN THE UNITED STATES?
- A. COMMANDING OFFICER
 - B. BUMED
 - C. BUPERS
 - D. SECNAV
19. THE AUTHORIZED GOVERNMENT ALLOWANCE FOR EXPENSES TOWARD INTERMENT OF DECEASED NAVY MEMBER IN A PRIVATE CEMETERY IS?
- A. \$75.00
 - B. \$1,180.00
 - C. \$1,390.00
 - D. \$3,100.00
20. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE DECEDENT AFFAIRS PROGRAM?
- A. SPECIAL ESCORTS RECEIVE \$50.00 PER DAY PER DIEM ALLOWANCE
 - B. AN ESCORT IN RETIRED OR INACTIVE STATUS SHOULD BE TREATED AS A CIVILIAN
 - C. CREMAINS ARE SENT BY REGISTERED MAIL WHEN AN ESCORT IS NOT AUTHORIZED
 - D. ESCORTS ARE RESPONSIBLE FOR REMAINS ABOARD MILITARY AIRLIFT COMMAND (MAC) AIRCRAFT
21. WHICH OF THE BELOW WOULD BE CONSIDERED A NON-FIXED MEDICAL TREATMENT FACILITY?
- A. MEDICAL CENTER
 - B. HOSPITAL SHIP
 - C. U.S. NAVAL HOSPITAL
 - D. CLINIC
22. WHICH OF THE CASUALTIES LISTED BELOW WOULD NOT BE CONSIDERED "KILLED IN ACTION"
- A. CASUALTY WHO DIES IMMEDIATELY AFTER EXPOSURE TO NERVE GAS
 - B. MAN WHO IS KILLED OUTRIGHT FROM A LAND MINE
 - C. CASUALTY WHO DIES FROM WOUNDS AFTER REACHING A MEDICAL TREATMENT FACILITY
 - D. ALL OF THE ABOVE WOULD BE CONSIDERED "KIA"
23. THE AUTHORIZED STRENGTH OF THE DENTAL CORPS MAY EQUAL WHAT PERCENTAGE OF ALL AUTHORIZED NAVY, MARINE CORPS PERSONNEL, AND MIDSHIPMEN?
- A. 0.2%
 - B. 0.6%
 - C. 0.13%
 - D. 0.65%

24. WHICH OF THE BELOW PERSONNEL MAY BE ASSIGNED SUPERVISORY DUTIES AS SENIOR ASSISTANT TO THE CHIEF OF A CLINICAL SERVICE?
- A. HM2
 - B. HM1
 - C. HMC
 - D. HMCS
25. WHAT IS THE TITLE OF THE SENIOR MEDICAL OFFICER ASSIGNED TO HEADQUARTERS MARINE CORPS?
- A. STAFF MEDICAL OFFICER, U.S. MARINE CORPS
 - B. SENIOR MEDICAL OFFICER, HEADQUARTERS, U.S. MARINE CORPS
 - C. THE MEDICAL OFFICER, U.S. MARINE CORPS
 - D. STAFF MEDICAL OFFICER, FLEET MARINE FORCE
26. THE INDIVIDUALS NAME ON THE DD-173/3 (DIARY MESSAGE) SHALL CONTAIN A MAXIMUM OF HOW MANY CHARACTERS?
- A. 15
 - B. 20
 - C. 25
 - D. 30
27. THE ENLISTED DISTRIBUTION VERIFICATION REPORT (EDVR REPORT 1080) IS DISTRIBUTED HOW OFTEN BY THE ENLISTED PERSONNEL MANAGEMENT CENTER (EPMAC)?
- A. MONTHLY
 - B. QUARTERLY
 - C. SEMI-ANNUALLY
 - D. ANNUALLY
28. WHAT TYPE OF ORDERS ARE ONLY ISSUED TO OFFICERS?
- A. ADDU
 - B. TEMDU
 - C. TEMADD (TAD)
 - D. REPEAT TRAVEL ORDERS
29. IF A MEMBER ENLISTS ON 1 OCT 90, TAKES 10 DAYS LEAVE ON COMPLETION OF RECRUIT TRAINING, AND IS AN UNAUTHORIZED ABSENCE STATUS FOR 30 DAYS. WHAT WOULD BE HIS LEAVE BALANCE BE ON 1 OCT 91?
- A. ZERO
 - B. 7.5 DAYS
 - C. 17.5 DAYS
 - D. 20.0 DAYS

30. WHAT PART OF THE RECORD OF EMERGENCY DATA (NAVPERS 1070/602) PROVIDES AN IMMEDIATE UP-TO-DATE RECORD OF EMERGENCY DATA FOR CASUALTY REPORTING AND NOTIFICATION OF THE NEXT OF KIN?
- A. I
 - B. II
 - C. III
 - D. IV
31. WHAT IS THE BASIC DOCUMENT WHICH ESTABLISHES A LEGAL RELATIONSHIP BETWEEN THE GOVERNMENT AND ENLISTED MEMBER UPON ENLISTMENT?
- A. DD FORM 4
 - B. NAVPERS 1070/600
 - C. NAVPERS 1070/601
 - D. NAVPERS 1070/621
32. WHAT PAGE IN THE SERVICE RECORD CONTAINS PERTINENT INFORMATION RELATIVE TO THE MEMBERS APTITUDE TEST SCORES, CIVILIAN EDUCATION AND TRAINING, PERSONAL INTERESTS, AND CIVILIAN EXPERIENCE?
- A. NAVPERS 1070/602
 - B. NAVPERS 1070/603
 - C. NAVPERS 1070/604
 - D. NAVPERS 1070/605
33. WHAT PAGE IN THE SERVICE RECORD CONTAINS COURT-MARTIAL ACTION WHEN A GUILTY FINDING IS MADE BY THE COURT AND APPROVED BY THE CONVENING AUTHORITY?
- A. NAVPERS 1070/606
 - B. PAGE 7
 - C. PAGE 8
 - D. NAVPERS 1070/609
34. WHICH OF THE BELOW IS NOT A TRUE STATEMENT CONCERNING THE ENLISTED SERVICE RECORD?
- A. THE NAVPERS 1070/605 (HISTORY OF ASSIGNMENTS) SHALL BE SIGNED BY THE DISBURSING OFFICER INDICATING THE REENLISTMENT BONUS PAID
 - B. THE NAVPERS 1070/622 (ASSIGNMENT TO AND EXTENSION OF ACTIVE DUTY) IS USED FOR NAVAL RESERVE PERSONNEL
 - C. THE IMMEDIATE RE-ENLISTMENT CONTRACT (NAVPERS 1070/601) IS PREPARED IF A MEMBER RE-ENLISTS WITHIN 48 HOURS FOLLOWING DISCHARGE
 - D. THE RECORD OF EMERGENCY DATA (NAVPERS 1070/602) WILL INCLUDE COMMERCIAL INSURANCE COMPANIES TO BE NOTIFIED IN CASE OF DEATH

35. WHAT SERVICE RECORD FORM MUST BE SIGNED BY THE SERVICE MEMBER?

- A. ENLISTED CLASSIFICATION RECORD
- B. RECORD OF PERSONNEL ACTIONS
- C. HISTORY OF ASSIGNMENTS
- D. RECORD OF UNAUTHORIZED ABSENCE

36. WHAT ENTRY WOULD NOT BE INCLUDED ON THE ADMINISTRATIVE REMARKS (NAVPERS 1070/613)?

- A. NJP (NO PAY INVOLVED)
- B. ACKNOWLEDGMENT OF MEDICAL TREATMENT
- C. UNAUTHORIZED ABSENCE THAT EXCEEDS 24 HOURS
- D. DECLARATION OF DESERTION

37. WHICH OF THE FORMS LISTED BELOW IS NOT AN OCR DOCUMENT?

- A. NAVPERS 1070/601
- B. NAVPERS 1070/622
- C. NAVPERS 1070/606
- D. NAVPERS 1070/603

38. WHAT LETTER IS USED TO INDICATE A REQUIRED EVALUATION REPORT ASSIGNED ANNUALLY ON THE ENLISTED PERFORMANCE EVALUATION (NAVPERS 1070/609)?

- A. M
- B. P
- C. S
- D. T

39. WHICH OF THE FORMS LISTED BELOW WOULD BE FOUND ON THE RIGHT SIDE OF THE ENLISTED SERVICE RECORD (NAVPERS 1070/600)?

- A. SEPARATION FROM ACTIVE DUTY
- B. STANDARD TRANSFER ORDER
- C. APPLICATION FOR ID CARDS
- D. LEAVE PAPERS

40. WHICH OF THE FORMS LISTED BELOW WOULD BE FOUND ON THE LEFT SIDE OF THE OFFICERS SERVICE RECORD (NAVPERS 1070/66)

- A. TRAINING SCHOOL RECORD
- B. OFFICER QUALIFICATION QUESTIONNAIRE
- C. NAVPERS 1070/602
- D. OFFICIAL CORRESPONDENCE AFFECTING UTILIZATION AND ASSIGNMENT

41. THE SERVICE MEMBER WHO RECEIVED A DISCHARGE UNDER OTHER THAN HONORABLE CONDITIONS FOR MISCONDUCT OR SECURITY REASONS WOULD BE ISSUED WHAT CERTIFICATE?
- A. DD FORM 257N
 - B. DD FORM 259N
 - C. DD FORM 260N
 - D. DD FORM 794N
42. WHAT SECTION OF THE EDVR CONTAINS AN ALPHABETIC LISTING OF ALL MEMBERS IN THE ACTIVITY'S PERSONNEL ACCOUNT REGARDLESS OF THEIR STATUS?
- A. 1&2
 - B. 3
 - C. 4 THRU 8
 - D. 9 THRU 12
43. THE PERSONNEL DIARY (DD 173/3) SHALL BE PREPARED IN ACCORDANCE WITH WHAT MANUAL(S)?
- A. BUPERS
 - B. PAYPERS
 - C. TRANSFER
 - D. BOTH A & B
44. THE PERSONNEL DIARY SHALL BE PREPARED BY NAVAL ACTIVITIES WHEN DIRECTED BY?
- A. EPMAC
 - B. MAPTIS
 - C. ODCR
 - D. EDVR
45. WHAT ARE THE FIRST TWO DIGITS OF THE APPROPRIATIONS SYMBOL WHICH IDENTIFIES THE DEPARTMENT OF DEFENSE?
- A. 19
 - B. 21
 - C. 57
 - D. 97
46. WHICH OF THE PERSONNEL LISTED BELOW IS NOT A SPECIAL ASSISTANT TO THE COMMANDING OFFICER IN A NAVAL HOSPITAL?
- A. EQUAL OPPORTUNITY ASSISTANT
 - B. PATIENT AFFAIRS OFFICER
 - C. SENIOR ENLISTED ADVISOR
 - D. SENIOR CHAPLAIN

47. WHICH OF THE BELOW WOULD BE AN EXAMPLE OF A TERTIARY SUBJECT OF AN INSTRUCTION?
- A. 6000
 - B. 6200
 - C. 6220
 - D. 6224
48. WHAT DOES BUMED INSTRUCTION 6222.3B INDICATE?
- A. 3RD INSTRUCTION FROM BUMED WITH THE SAME SSIC
 - B. 2ND MAJOR SUBJECT COVERED BY THAT INSTRUCTION
 - C. 2ND MAJOR REVISION OF THAT INSTRUCTION
 - D. 3RD MAJOR REVISION OF THAT INSTRUCTION
49. WHAT TYPE OF APPROPRIATION IS AVAILABLE FOR INCURRING OBLIGATIONS UNTIL THE FUNDING IS EXHAUSTED OR UNTIL THE PURPOSE FOR WHICH IT WAS MADE IS ACCOMPLISHED?
- A. NO-YEAR
 - B. ANNUAL
 - C. MULTIPLE-YEAR
 - D. BOTH A & C
50. WHAT IS THE STATUS OF AN APPROPRIATION THAT IS NO LONGER AVAILABLE FOR INCURRING OBLIGATIONS BUT REMAINS AVAILABLE FOR DISBURSEMENTS TO LIQUIDATE EXISTING OBLIGATIONS?
- A. LAPSED
 - B. EXPIRED
 - C. CURRENT
 - D. CLOSED
51. WHAT APPROPRIATION SYMBOL DESIGNATES A CONTINUING APPROPRIATION DURING FISCAL YEAR (FY) 84?
- A. 84
 - B. X
 - C. 4/5
 - D. 17
52. WHAT IS THE MINIMUM AMOUNT OF MEDICAL MATERIAL TO BE MAINTAINED ON BOARD A SHIP AT ANY TIME?
- A. STOCKAGE OBJECTIVE
 - B. OPERATING LEVEL
 - C. SAFETY LIST
 - D. AMAL

53. WHAT HANDLING CODE WOULD BE USED FOR A DRUG OR OTHER ITEM WHICH REQUIRES SECURITY STORAGE?
- A. D
 - B. F
 - C. M
 - D. Q
54. WHAT FORM SHOULD BE USED TO REQUISITION STANDARD STOCK BUMED CONTROLLED ITEMS?
- A. NAVSUP 1114
 - B. NAVSUP 1250-1
 - C. DD-1149
 - D. DD-1348
55. THE TERM "SMALL PURCHASE" IN THE OPEN MARKET REFERS TO PURCHASES NOT IN EXCESS OF?
- A. \$1,500.00
 - B. \$2,500.00
 - C. \$5,000.00
 - D. \$10,000.00
56. ALL PURCHASES FROM THE IMPREST FUND ARE PAID IN CASH AND NO ONE PURCHASE MAY EXCEED?
- A. \$150.00
 - B. \$300.00
 - C. \$500.00
 - D. \$1,000.00
57. WHAT IS THE MAXIMUM AMOUNT OF MATERIAL MAINTAINED ON BOARD A SHIP AND ON ORDER TO SUSTAIN CURRENT OPERATIONS NORMALLY FOR 9 MONTHS?
- A. STOCKAGE OBJECTIVE
 - B. REQUISITIONING OBJECTIVE
 - C. OPERATING LEVEL
 - D. SAFETY LEVEL
58. EQUIPMENT (OTHER THAN INDUSTRIAL) WOULD BE CONSIDERED PLANT PROPERTY CLASS?
- A. I
 - B. II
 - C. III
 - D. IV

59. ALL CLASSES OF PLANT PROPERTY MUST BE INVENTORIED EVERY?
- A. YEAR
 - B. 2 YEARS
 - C. 3 YEARS
 - D. 4 YEARS
60. WHAT PART OF THE PRESCRIPTIONS (DD-1289) LISTS THE DRUG OR IT'S INGREDIENTS TO BE USED AND THEIR AMOUNTS?
- A. SUPERSSCRIPTION
 - B. INSCRIPTION
 - C. SUBSCRIPTION
 - D. SIGNA
61. ALL PRESCRIPTION SHALL BE WRITTEN IN BLACK OR BLUE-BLACK INK, INDELIBLE PENCIL, OR TYPEWRITTEN, AND SHALL BE KEPT ON FILE FOR?
- A. 1 YEAR
 - B. 2 YEARS
 - C. 3 YEARS
 - D. 4 YEARS
62. WHAT IS THE SECOND RESPONSIBILITY OF MEDICAL SUPPORT TO THE FLEET MARINE FORCE?
- A. MEDICAL TRAINING
 - B. MEDICAL PLANNING
 - C. PREVENTIVE MEDICINE
 - D. CARE OF THE SICK AND INJURED
63. THE MEDICAL BATTALION CONSISTS OF AN H & S COMPANY, TWO SHOCK AND SURGICAL COMPANIES AND HOW MANY COLLECTING AND CLEARING COMPANIES?
- A. 2
 - B. 4
 - C. 5
 - D. 7
64. WHAT PRINCIPLE IS USED TO KEEP INJURIES AND MORTALITY TO A MINIMUM BY PROMPT INSERTION OF THE CASUALTY INTO THE MEDICAL SUPPORT SYSTEM?
- A. PROXIMITY
 - B. FLEXIBILITY
 - C. MOBILITY
 - D. CONTINUITY

65. WHO IS RESPONSIBLE TO DIRECT THE OPERATION OF THE BATTALION AID STATION?
- A. HMCM
 - B. BATTALION COMMANDER
 - C. BATTALION SURGEON
 - D. ASSISTANT BATTALION SURGEON
66. THE COMMANDING OFFICER OF THE MEDICAL BATTALION PROVIDES TASK ORGANIZED MEDICAL SUPPORT UNITS TO FULFILL APPROVED OPERATIONAL REQUIREMENTS OF THE?
- A. MAU
 - B. MAB
 - C. MAF
 - D. ALL OF THE ABOVE
67. CASUALTY RECEIVING AND TREATMENT SHIPS (CRT'S) THAT CAN RECEIVE CASUALTIES INDICATE THIS DURING THE DAY BY DISPLAYING A?
- A. RED CROSS PENNANT
 - B. PENNANT WITH TWO WHITE STRIPES ON A GREEN BACKGROUND
 - C. MIKE FLAG
 - D. BLINKING GREEN LIGHT
68. WHAT TYPE OF CASUALTY RECEIVING SHIP SERVES AS A FLOATING COMMAND CENTER FOR AMPHIBIOUS OPERATIONS?
- A. LCC
 - B. LHA
 - C. LPH
 - D. LPD
69. WHAT GROUP OF CASUALTIES HAVE WOUNDS REQUIRING MEDICAL CARE BUT ARE SO SLIGHT THAT THEY CAN BE MANAGED BY THE BATTALION AID STATION?
- A. WHITE - MINIMAL
 - B. YELLOW - IMMEDIATE
 - C. GREEN - DELAYED
 - D. RED - EXPECTANT
70. CASUALTIES IN THE PRIORITY CATEGORY MUST BE EVACUATED WITHIN HOW MANY HOURS TO KEEP THE CONDITION FROM BECOMING URGENT?
- A. 2
 - B. 4
 - C. 6
 - D. 12

71. WHO IS RESPONSIBLE FOR INSURING THAT EACH LANDING FORCE MEDICAL REGULATION SECTION OR TEAM IS EMBARKED ON THE SAME SHIP WITH THE UNIT IT WILL SUPPORT ASHORE?
- A. COMMANDER OF THE LANDING FORCE
 - B. COMMANDER AMPHIBIOUS TASK FORCE
 - C. AMPHIBIOUS TASK FORCE M.O.
 - D. MEDICAL SUPPORT OPERATIONS CENTER
72. WHAT IS THE NAUTICAL MILE RADIUS OF A KC-130 TRANSPORT?
- A. 500
 - B. 750
 - C. 1000
 - D. 1500
73. WHICH OF THE OFFICERS LISTED BELOW WOULD BE ELIGIBLE TO SERVE ON A FORMAL SURVEY BOARD IF THE ARTICLE WAS MEDICAL?
- A. COMMANDING OFFICER
 - B. OPERATIONS OFFICER
 - C. SUPPLY OFFICER
 - D. MEDICAL OFFICER
74. WHAT TYPE INVENTORY IS TAKEN WHEN DIRECTED BY THE C.O. OF WHEN CIRCUMSTANCES CLEARLY INDICATE THAT IS ESSENTIAL TO EFFECTIVE INVENTORY CONTROL?
- A. BULKHEAD TO BULKHEAD
 - B. SPECIFIC COMMODITY
 - C. VELOCITY
 - D. SPECIAL MATERIAL
75. WHAT TYPE OF INVENTORY WOULD BE REQUIRED FOR ALL CLASSIFIED STORE ROOM ITEMS?
- A. SPOT
 - B. VELOCITY
 - C. SPECIFIC COMMODITY
 - D. SPECIAL MATERIAL
76. WHAT FUND IS USED TO FINANCE THE PURCHASE AND MAINTENANCE OF STOCKS OF COMMON SUPPLY ITEMS?
- A. NAVAL WORKING
 - B. NAVY MANAGEMENT
 - C. NAVY INDUSTRIAL
 - D. NAVY STOCK

77. WHAT TYPE OF FUND WOULD INVOLVE RECEIVING PUBLIC CONTRIBUTIONS FOR THE PURPOSE OF CONSTRUCTING AND MAINTAINING THE USS ARIZONA MEMORIAL AT PEARL HARBOR?
- A. REVOLVING
 - B. MANAGEMENT
 - C. TRUST
 - D. DEPOSIT
78. WHAT PUBLICATION SERVES AS A REFERENCE FOR PERSONNEL RESPONSIBLE FOR ORIGINATING AND PROCESSING MILSTRIP/MILSTRAP DOCUMENTS?
- A. NAVSUP-P-437
 - B. NAVSUP-P-409
 - C. NAVSUP-P-485
 - D. NAVSUPINST 4235.3

ANATOMY AND PHYSIOLOGY # 2

1. WHAT ANATOMICAL TERM PERTAINS TO THE OUTER PART OR SURFACE OF A STRUCTURE?
 - A. MEDIAL
 - B. LATERAL RECUMBENT
 - C. POSTERIOR
 - D. PERIPHERY

2. WHAT IS THE BODIES SELF-REGULATED CONTROL OF ITS INTERNAL ENVIRONMENT?
 - A. DIGESTION
 - B. HOMEOSTASIS
 - C. METABOLISM
 - D. ALL OF THE ABOVE

3. WHAT IS THE MAIN PROTECTIVE TISSUE OF THE BODY?
 - A. COLUMNAR
 - B. CUBOIDAL
 - C. SQUAMOUS
 - D. ADIPOSE

4. WHAT TYPE TISSUE ACTS AS A VEHICLE FOR ELIMINATION OF WASTE FROM THE BODY?
 - A. LIQUID
 - B. OSSEOUS
 - C. EPITHELIAL
 - D. MUSCULAR

5. WHICH OF THE BELOW IS NOT TRUE CONCERNING SUBSTANCES WITHIN THE BONE?
 - A. YELLOW MARROW MANUFACTURES WHITE BLOOD CELLS
 - B. RED MARROW MANUFACTURES RED BLOOD CELLS
 - C. THE MEDULLARY CANAL CONTAINS THE MARROW
 - D. THE PERIOSTEUM IS THE PAIN CENTER OF THE BONE

6. THE HYOID BONE (BY IT'S SHAPE) WOULD BE CLASSIFIED AS WHAT TYPE OF BONE?
 - A. LONG
 - B. SHORT
 - C. FLAT
 - D. IRREGULAR

7. WHAT BONES FORM THE SIDE AND BASE OF THE SKULL, AND ALSO HOUSE THE AUDITORY, OR HEARING ORGANS?
- A. FRONTAL
 - B. ZYGOMATIC PROCESS
 - C. TEMPORAL
 - D. ETHMOID
8. WHAT BONE FORMS PART OF THE BASE AND BACK OF THE SKULL AND CONTAINS A LARGE HOLE, CALLED THE FORAMEN MAGNUM?
- A. SPHENOID
 - B. OCCIPITAL
 - C. VOMER
 - D. MALAR
9. WHAT IS THE SECOND CERVICAL VERTEBRAE THAT CAUSES THE HEAD TO TURN?
- A. AXIS
 - B. ATLAS
 - C. 2ND
 - D. SACRUM
10. WHAT PART OF THE INNOMINATE BONE IS USED AS A REFERENCE POINT FOR MAKING SURGICAL AND ANATOMICAL MEASUREMENTS?
- A. ISCHIUM
 - B. ILIUM
 - C. PUBIS
 - D. OBTURATOR FORAMEN
11. WHAT ARE THE TWO BONY PROMINENCES AT THE DISTAL END OF THE FEMUR, WHICH ARTICULATES WITH THE TIBIA AND THE PATELLA?
- A. GREATER AND LESSER TROCHANTER
 - B. LATERAL AND MEDIAL MALLEOLUS
 - C. LATERAL AND MEDIAL CONDYLES
 - D. SESAMOID BONES
12. WHICH OF THE BELOW IS NOT TRUE CONCERNING JOINTS?
- A. WHENEVER TWO BONES ARE ATTACHED TO EACH OTHER, A JOINT IS FORMED
 - B. THE ELBOW AND KNEE ARE CONSIDERED HINGE JOINTS
 - C. EXAMPLES OF BALL AND SOCKET JOINTS ARE THE SHOULDER AND HIP
 - D. IMMOVABLE JOINTS CONSIST OF THE SKULL VERTEBRAE, AND THE SYMPHYSIS PUBIS

13. TURNING DOWNWARD AS IN PLACING THE HAND PALM DOWN WOULD BE TERMED?
- A. PRONATION
 - B. SUPINATION
 - C. EVERSION
 - D. INVERSION
14. WHAT IS THE TERM USED TO DENOTE A MUSCLES ABILITY TO BECOME SHORTER OR THICKER?
- A. ELASTICITY
 - B. CONTRACTABILITY
 - C. TONICITY
 - D. EXTENSIBILITY
15. WHAT MUSCLE IS MOST COMMONLY INVOLVED IN A STIFF NECK?
- A. MASSETER
 - B. TEMPORAL
 - C. TRAPEZIUS
 - D. STERNOCLEIDOMASTOID
16. WHAT IS THE BROAD FLAT MUSCLE THAT COVERS APPROXIMATELY ONE THIRD OF THE BACK ON EACH SIDE?
- A. DIAPHRAGM
 - B. SARTORIUS
 - C. LATISSIMUS DORSI
 - D. PECTORALIS MAJOR
17. WHAT PART OF WHOLE BLOOD IS CLEAR, SLIGHTLY ALKALINE, STRAW COLORED LIQUID CONSISTING OF 92% WATER?
- A. PLASMA
 - B. BLOOD SERUM
 - C. ERYTHROCYTES
 - D. HEMOGLOBIN
18. WHICH OF THE BELOW IS NOT TRUE CONCERNING RED BLOOD CELLS (ERYTHROCYTES)?
- A. THEY ARE FORMED IN THE RED BONE MARROW
 - B. EMOTIONAL STRESS, STRENUOUS EXERCISE, AND HIGH ALTITUDES MAY CAUSE A DECREASE IN RBC'S
 - C. NORMAL RBC COUNT IS LOWER IN FEMALES
 - D. HEMOGLOBIN IS THE KEY TO THE RBC'S ABILITY TO CARRY OXYGEN AND CARBON DIOXIDE

19. WHAT IS THE NORMAL BLOOD PLATELETS (THROMBOCYTES) PER CUBIC MILLIMETER OF BLOOD?
- A. 6,000 TO 8,000
 - B. 15,000 TO 20,000
 - C. 250,000
 - D. 4.5 TO 5 MILLION
20. THE INNER SURFACE OF THE HEART IS LINED WITH A DELICATE SEROUS MEMBRANE CALLED THE?
- A. ENDOCARDIUM
 - B. PERICARDIUM
 - C. MYOCARDIUM
 - D. EPICARDIUM
21. WHAT PART OF THE HEART PUMPS THE BLOOD PAST THE PULMONARY VALVE THROUGH THE PULMONARY ARTERY TO THE LUNGS FOR OXYGENATION?
- A. LEFT VENTRICLE
 - B. RIGHT VENTRICLE
 - C. LEFT ATRIUM
 - D. RIGHT ATRIUM
22. IF A MAN'S BLOOD PRESSURE IS 130/80, HIS PULSE PRESSURE WOULD BE?
- A. 50
 - B. 80
 - C. 130
 - D. 210
23. WHAT VENOUS SYSTEM IS DIVIDED INTO DEEP AND SUPERFICIAL VEINS?
- A. HEPATIC
 - B. PULMONARY
 - C. PORTAL
 - D. SYSTEMIC
24. WHAT VEIN SOMETIMES USED FOR IV INJECTION, ORIGINATES ON THE INNER ASPECT OF THE FOOT?
- A. GREAT SAPHENOUS
 - B. MEDIAL CUBITAL
 - C. CEPHALIC
 - D. BRACHIAL

25. THE LONG CYLINDRICAL TUBE COMPOSED OF 16 TO 20 C-SHAPED CARTILAGINOUS RINGS, EMBEDDED IN A FIBROUS MEMBRANE IS CALLED?
- A. EPIGLOTTIS
 - B. LARYNX
 - C. PHARYNX
 - D. TRACHEA
26. WHAT IS THE SPACE BETWEEN THE TWO LUNGS WHICH EXTENDS FROM THE STERNUM TO THE THORACIC VERTEBRAE AND FROM THE FASCIA OF THE NECK TO THE DIAPHRAGM?
- A. ALVEOLI
 - B. PLEURAE
 - C. MEDIASTINUM
 - D. INTERCOSTAL MUSCLES
27. THE LUNGS WHEN FILLED TO THEIR FULL CAPACITY HOLD HOW MUCH AIR?
- A. 500ML
 - B. 1,200 ML
 - C. 3,400 ML
 - D. 6,500 ML
28. RATTLING SOUNDS IN THE THROAT DUE TO PARTIAL OBSTRUCTION, ALSO A DRY COARSE RALE IN THE BRONCHIAL TUBES WOULD BE TERMED?
- A. STERTOROUS RESPIRATIONS
 - B. RHONCHUS
 - C. APNEA
 - D. BRADYPNEA
29. WHAT PART OF THE NEURON CARRIES COMMAND IMPULSES FROM THE CENTRAL AREA TO THE RESPONDING MUSCLES OR ORGANS?
- A. MOTOR NEURON
 - B. SENSORY NEURON
 - C. INTER NEURON
 - D. OUTER NEURON
30. WHAT PART OF THE BRAIN IS THE LARGEST AND MOST SUPERIORLY SITUATED PORTION?
- A. CEREBELLUM
 - B. CEREBRUM
 - C. PONS
 - D. MEDULLA OBLONGATA

31. WHAT PART OF THE BRAIN IS THE CENTER FOR THE CONTROL OF HEART ACTION, BREATHING, CIRCULATION, AND CONTROL OF BODY TEMPERATURE?
- A. PONS
 - B. MEDULLA OBLONGATA
 - C. CEREBRUM
 - D. CEREBELLUM
32. THE PAIR OF CRANIAL NERVES AND 31 PAIR OF SPINAL NERVES FORM THE?
- A. PERIPHERAL NERVOUS SYSTEM
 - B. PARASYMPATHETIC NERVOUS SYSTEM
 - C. AUTONOMIC NERVOUS SYSTEM
 - D. CENTRAL NERVOUS SYSTEM
33. WHAT NERVE CONTROLS THE MUSCLE THAT TURNS THE EYE OUTWARD?
- A. OPTIC
 - B. ACCESSORY
 - C. ABDUCENS
 - D. TROCHLEAR
34. WHAT NERVE EXTENDS DOWN THROUGH THE NECK TO THE PHARYNX, LARYNX, TRACHEA, ESOPHAGUS, AND THORACIC AND ABDOMINAL VISCERA?
- A. OLFACTORY
 - B. FACIAL
 - C. VAGUS
 - D. HYPOGLOSSAL
35. THE TOUGH, FIBROUS, PROTECTIVE PORTION OF THE GLOBE, WHICH IS THE OUTER LAYER (WHITE PORTION) OF THE EYE IS CALLED THE?
- A. CORNEA
 - B. RETINA
 - C. CHOROID
 - D. SCLERA
36. THE OPTIC GLOBE IS FILLED WITH A JELLY LIKE SUBSTANCE WHICH HELPS TO MAINTAIN THE SHAPE OF THE EYEBALL AND PREVENTS MISS-SHAPING BY MAINTAINING INTRAOCULAR PRESSURE AND IS CALLED?
- A. CONJUNCTIVA
 - B. LACRIMAL GLAND
 - C. AQUEOUS HUMOR
 - D. VITREOUS HUMOR

37. THE BASE OF WHAT AUDITORY OSSICLE IS ATTACHED TO THE OVAL WINDOW (FENESTRA OVALIS) THE MEMBRANE-COVERED OPENING OF THE INNER EAR?
- A. HAMMER
 - B. STAPES
 - C. INCUS
 - D. MALLEOUS
38. THE PITUITARY GLAND IS LOCATED AT THE BASE OF THE BRAIN IN THE SELLATURCICA OF THE SPHENOID BONE, IT HAS WHAT SHAPE?
- A. PEA SHAPED
 - B. BUTTERFLY
 - C. FOUR ROUND BODIES
 - D. CAPS
39. WHAT HORMONE STIMULATES CONTRACTION OF THE MUSCLES OF THE UTERUS?
- A. OXYTOCIN
 - B. VASOPRESSIN
 - C. SOMATOTROPIN
 - D. THYROTROPIN
40. LACK OF THE PARATHYROID HORMONE IN THE HUMAN BODY MAY CAUSE?
- A. DIABETES MELLITUS
 - B. DIABETES INSIPITUS
 - C. TETANY
 - D. ACROMEGALY
41. WHAT ENDOCRINE GLAND IS SHAPED LIKE A BUTTERFLY, LIES IN THE ANTERIOR PART OF THE NECK, BELOW THE LARYNX?
- A. ADRENAL
 - B. THYROID
 - C. PARATHYROID
 - D. ISLANDS OF LANGERHANS
42. WHAT STEROID HORMONES INCREASE CERTAIN LIVER FUNCTIONS AND HAVE AN ANTI-INFLAMMATORY EFFECT?
- A. TESTOSTERONE
 - B. THYROXIN
 - C. MINERALOCORTICIDS
 - D. GLUCOCORTICIDS

43. WHAT HORMONE PREPARES THE UTERUS FOR THE RECEPTION AND DEVELOPMENT OF THE FERTILIZED OVUM AND MAINTAINS THE LINING DURING PREGNANCY?
- A. PROGESTERONE
 - B. ESTROGEN
 - C. ENDOMETRIUM
 - D. PARATHORMONE
44. WHAT IS THE LAST AND LONGEST PART OF THE SMALL INTESTINES?
- A. DUODENUM
 - B. JEJUNUM
 - C. CECUM
 - D. ILEUM
45. WHAT IS THE LOCATION OF THE CARDIAC SPHINCTER?
- A. HEART
 - B. LUNGS
 - C. STOMACH
 - D. LARGE INTESTINES
46. WHAT GASTRIC JUICE ACTIVATES PEPSIN FROM PEPSINOGEN, KILLS BACTERIA THAT ENTERS THE STOMACH, INHIBITS THE DIGESTIVE ACTION OF PEPSIN, AND HELPS REGULATE THE OPENING AND CLOSING OF THE PYLORIC SPHINCTER?
- A. BILE
 - B. HYDROCHLORIC ACID
 - C. PTYALIN
 - D. CARBOHYDRATE
47. WHAT IS THE LARGEST GLAND IN THE BODY?
- A. LIVER
 - B. KIDNEY
 - C. GALLBLADDER
 - D. PANCREAS
48. WHAT IS THE CORRECT ORDER THAT URINE IS EXCRETED?
- A. URETERS, KIDNEY, BLADDER, AND URETHRA
 - B. BLADDER, KIDNEY, URETERS, AND URETHRA
 - C. KIDNEY, BLADDER, URETERS, AND URETHRA
 - D. KIDNEY, URETERS, BLADDER, AND URETHRA

49. WHEN THE KIDNEYS FAIL TO REMOVE WASTE PRODUCTS FROM THE BLOOD, WHICH ACCUMULATE IN HIGH CONCENTRATIONS, THIS IS TERMED?
- A. EPIDIDYMITIS
 - B. UREMIA
 - C. HEPATITIS
 - D. PHIMOSIS
50. WHAT SUBSTANCE WITHIN THE KIDNEY IS A PYRAMID-SHAPED MASS OF TUBES OR TUBULES THAT DRAIN THE URINE TO THE PELVIS OF THE KIDNEY?
- A. MEDULLA
 - B. CORTEX
 - C. MALPIGHIAN BODY
 - D. LOOP OF HENLE
51. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE KIDNEY?
- A. GLOMERULONEPHRITIS IS CAUSED BY PROTEIN LOSS FROM THE BODY DUE TO DAMAGED GLOMERULI
 - B. THE STRUCTURAL AND FUNCTIONAL UNIT OF THE KIDNEY IS CALLED A NEPHRON
 - C. THE MAIN FUNCTION IS REABSORPTION OF WATER, SALT, SUGAR, AND PROTEIN ELEMENTS OF THE BLOOD
 - D. THE LOSS OF ONE KIDNEY DOES NOT SERIOUSLY EFFECT THE BODIES WELFARE
52. THE TWO POUCHES THAT LIE BETWEEN THE BLADDER AND THE RECTUM WHICH SECRETE AND STORE A FLUID TO BE ADDED TO THE SECRETION OF THE TESTES AT THE TIME OF EJACULATION IS CALLED?
- A. EJACULATORY DUCT
 - B. SEMINAL VESICLES
 - C. DUCTUS DEFERENS
 - D. VAS DEFERENS
53. WHAT ARE THE TWO PEA-SIZED BODIES THAT SECRETE A MUCOUS LIKE ALKALINE FLUID DURING THE SEXUAL ACT TO PROVIDE LUBRICATION?
- A. SPERMATIC CORDS
 - B. TESTES
 - C. PROSTRATE GLANDS
 - D. BULBOURETHRAL GLANDS
54. WHAT ARE THE TWO ALMOND-SHAPED GLANDS WHICH PRODUCE THE OVA AND THE FEMALE HORMONES?
- A. FALLOPIAN TUBES
 - B. UTERUS
 - C. OVARIES
 - D. VAGINA

55. WHAT IS THE FUNCTION OF THE FALLOPIAN TUBES IN THE FEMALE REPRODUCTIVE SYSTEM?

- A. TRANSMISSION OF A FERTILIZED OVUM TO THE UTERUS
- B. NOURISHMENT OF A FERTILIZED OVUM
- C. PRODUCTION OF OVA
- D. SECRETION OF FEMALE HORMONES

HEALTH SERVICES SUPPORT #2

1. WHAT IS THE PUBLICATION USED FOR HEALTH SERVICE SUPPORT TO THE FLEET MARINE FORCE?
 - A. DD-1380
 - B. FMFM 4-50
 - C. NAVMED 1510.8A
 - D. NAVMED 6224.8

2. WHAT IS THE 2ND RESPONSIBILITY OF HEALTH SUPPORT TO THE FLEET MARINE FORCE?
 - A. EVACUATION OR TRIAGE
 - B. MEDICAL PLANNING
 - C. CARE OF THE SICK AND INJURED
 - D. PREVENTION OF DISEASE AND INJURY

3. THE UNINTERRUPTED PROVISION OF MEDICAL CARE TO THE SICK, INJURED, AND WOUNDED WOULD BE TERMED?
 - A. CONTINUITY
 - B. RESPONSIVENESS
 - C. FLEXIBILITY
 - D. ATTAINABILITY

4. WHAT IS THE AVOIDANCE OF COMPLEXITY, WHICH FOSTERS EFFICIENCY IN BOTH PLANNING AND EXECUTION OF COMBAT SERVICE SUPPORT (CSS) OPERATIONS?
 - A. SUSTAINABILITY
 - B. SIMPLICITY
 - C. ECONOMY
 - D. SURVIVABILITY

5. WHAT LEVEL OF HEALTH SERVICES PROVIDES MOVEMENT OF PATIENTS IN MEDICAL TREATMENT FACILITIES AND IS COORDINATED BY ARMED SERVICES MEDICAL REGULATING OFFICE?
 - A. UNIT LEVEL
 - B. FORCE LEVEL
 - C. THEATER LEVEL
 - D. CONUS LEVEL

6. WHAT ECHELON OF MEDICAL CARE IS NORMALLY PROVIDED BY COMBAT ZONE FLEET HOSPITALS AND HOSPITAL SHIPS?
 - A. II- INITIAL RESUSCITATIVE CARE
 - B. III- RESUSCITATIVE CARE
 - C. IV- DEFINITIVE CARE
 - D. V- CONVALESCENT, RESTORATIVE AND REHABILITATIVE CARE

7. WHICH OF THE BELOW IS NOT TRUE CONCERNING A MARINE EXPEDITIONARY FORCE (MEF)?
- A. LARGEST AND MOST POWERFUL MAGTF (IN EXCESS OF 50,000 MARINES AND NAVY PERSONNEL)
 - B. IS COMMANDED BY A MAJOR GENERAL OR LIEUTENANT GENERAL
 - C. IS NORMALLY BUILT AROUND A MARDIV, AIRCRAFT WING, OR FSSG
 - D. NORMALLY EMBARKED AROUND 20 NAVY AMPHIBIOUS AND MILITARY SEA-LIFT COMMAND SHIPS AND IS CONSIDERED THE MOST VERSATILE MAGTF
8. HOW MANY HOSPITAL CORPSMAN ARE ASSIGNED TO MEDICAL BATTALION HEADQUARTERS AND SERVICE (H&S) COMPANY?
- A. 40
 - B. 65
 - C. 90
 - D. 147
9. THE MEDICAL BATTALION CONSISTS OF H & S COMPANY, FOUR (4) COLLECTING AND CLEARING COMPANIES, AND HOW MANY SURGICAL SUPPORT COMPANIES?
- A. 1
 - B. 2
 - C. 3
 - D. 5
10. THE FOUR (4) COLLECTING AND CLEARING COMPANIES ARE CAPABLE OF PROVIDING HOW MANY BEDS AND OPERATING ROOMS?
- A. 30-1
 - B. 60-2
 - C. 90-3
 - D. 150-5
11. HOW MANY COMPANIES ARE IN A DENTAL BATTALION?
- A. 1
 - B. 3
 - C. 4
 - D. 6
12. WHAT CASUALTY RECEIVING AND TREATMENT SHIP (CRTS) HAS 4 OPERATING ROOMS AND 367 BEDS?
- A. T-AH (HOSPITAL SHIP)
 - B. LPH (AMPHIBIOUS ASSAULT SHIP)
 - C. LHD (AMPHIBIOUS ASSAULT SHIP)
 - D. LHA (AMPHIBIOUS ASSAULT SHIP)

13. THE LHA (AMPHIBIOUS ASSAULT SHIP) GENERAL PURPOSE REQUIRES AUGMENTATION BY HOW MANY MEDICAL PERSONNEL?
- A. 109
 - B. 178
 - C. 342
 - D. 400
14. THE OLDER CLASS OF NAVY SHIP IS NOT SUITABLE AS A CASUALTY RECEIVING AND TREATMENT SHIP?
- A. LCC (AMPHIBIOUS COMMAND SHIP)
 - B. LST (TANK LANDING SHIP)
 - C. LSD (DOCK LANDING SHIP)
 - D. LPD (AMPHIBIOUS TRANSPORT SHIP)
15. THE FLEET SURGICAL TEAMS ARE ASSIGNED TO BOTH PAC AND LANT FLEET COMMANDERS IN CHIEF AND CONTAIN TWO TEAMS AND ARE AUGMENTED BY HOW MANY MEDICAL PERSONNEL?
- A. 21
 - B. 30
 - C. 36
 - D. 41
16. WHAT TRIAGE CATEGORY CODE IS USED FOR CASUALTIES WITH LARGE MUSCLE WOUNDS, FRACTURE OF MAJOR BONES, UNCOMPLICATED MAJOR BURNS, INTRA-ABDOMINAL AND/OR THORACIC, HEAD, OR SPINAL INJURIES?
- A. IMMEDIATE TREATMENT (GROUP T1)
 - B. DELAYED TREATMENT (GROUP T2)
 - C. MINIMAL TREATMENT (GROUP T3)
 - D. EXPECTANT TREATMENT (GROUP T4)
17. THE AEROMEDICAL EVACUATION PRIORITY USED FOR PATIENTS WHOSE IMMEDIATE TREATMENT REQUIREMENTS ARE AVAILABLE LOCALLY BUT WHOSE PROGNOSIS WOULD DEFINITELY BENEFIT FROM AIR EVACUATION ON ROUTINE SCHEDULED FLIGHTS?
- A. 1
 - B. 2
 - C. 3
 - D. 4
18. THE AMPHIBIOUS TASK FORCE MEDICAL REGULATING TEAM (ART-MRT) IS COMPRISED OF AN MCS (0-2), AN HMC (8425/8404) AND HOW MANY ENLISTED PERSONNEL?
- A. 2
 - B. 3
 - C. 4
 - D. 5

19. WHAT MEDICAL REGULATING CENTER/TEAM IS COMPRISED OF 3 HM'S (8404-E-5 OR E-6), AND 2 USMC RADIO OPERATORS (E-2, E-3, E-4)?

- A. LANDING FORCE MEDICAL REGULATING TEAM
- B. LANDING FORCE MEDICAL REGULATING CENTER
- C. AMPHIBIOUS TASK FORCE MEDICAL REGULATING TEAM
- D. AMPHIBIOUS TASK FORCE MEDICAL REGULATING CENTER

20. WHAT IS THE NAUTICAL MILE RADIUS OF AN EVACUATION HELICOPTER?

- A. 50
- B. 75
- C. 100
- D. 150

NBC WARFARE #2

1. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE USE OF BIOLOGICAL AND CHEMICAL AGENTS?
 - A. CHEMICAL AND BIOLOGICAL WEAPONS ARE PARTICULARLY ADAPTABLE FOR USE AGAINST LARGE GROUPS OF PEOPLE
 - B. FROM A MEDICAL POINT OF VIEW, CHEMICAL AGENTS ARE CLASSIFIED BY THE PHYSIOLOGICAL EFFECT
 - C. DEFOLIANTS AND RIOT CONTROL AGENTS WERE USED WITH SOME DEGREE OF EFFECTIVENESS IN VIETNAM
 - D. TOXIC CHEMICALS WERE AUTHORIZED FOR USE IN KOREA AND VIETNAM

2. THE SYMPTOMS OF PIN POINT PUPILS, RUNNY NOSE, DYSPNEA, DIARRHEA, VOMITING, CONVULSIONS, MASSIVE SALIVATION, DROWSINESS, COMA, AND FINALLY UNCONSCIOUSNESS WOULD INDICATE EXPOSURE TO WHAT AGENT?
 - A. NERVE
 - B. BLOOD
 - C. CHOKING
 - D. VOMITING

3. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE USE OF ATROPINE?
 - A. IT IS A ACETYLCHOLINE BLOCKER
 - B. MEDICAL PERSONNEL ARE NOT RESTRICTED IN THE NUMBER GIVEN TO A CASUALTY
 - C. ATROPINE ALONE IS SUFFICIENT TO RELIEVE ANY RESPIRATORY MUSCLE FAILURE
 - D. ATROPINIZATION IS NOTED BY SIGNS OF TACHYCARDIA AND DRY MOUTH

4. BURNS FROM EXPOSURE TO MUSTARD (HD) AND NITROGEN MUSTARD (HN) WILL BE MORE SEVERE IN THE ARMPITS, GROIN, FACE, AND?
 - A. BEHIND THE KNEE
 - B. BACK
 - C. ABDOMEN
 - D. NECK

5. WHICH OF THE BELOW IS NOT TRUE CONCERNING EXPOSURE TO MUSTARD AND NITROGEN MUSTARD?
 - A. THE FIRST NOTICEABLE SYMPTOM IS BLISTERING
 - B. THE PART OF THE BODY MOST VULNERABLE IS THE EYES
 - C. BLISTERING MAY BE DELAYED UP TO 48 HOURS
 - D. BRONCHOPNEUMONIA IS THE MOST FREQUENT COMPLICATION

6. WHAT IS THE SPECIFIC ANTIDOTAL TREATMENT FOR MUSTARD POISONING?
- A. BRITISH ANTI-LEWISITE
 - B. DIMERCAPROL
 - C. SODIUM SULFACETAMIDE 30% SOLUTION
 - D. NONE KNOWN
7. WHAT IS THE MAXIMUM AMOUNT OF AMYL NITRITE THAT MAY BE GIVEN TO A BLOOD GAS VICTIM?
- A. 6 AMPULES
 - B. 8 AMPULES
 - C. 10 AMPULES
 - D. NO LIMIT
8. WHAT CHEMICAL AGENT HAS AN ALMOND LIKE ODOR?
- A. PHOSGENE (CG)
 - B. LEWISITE (L)
 - C. HYDROCYANIC ACID (AC)
 - D. MUSTARD (HD)
9. WHAT IS GIVEN TO A NERVE GAS CASUALTY FOR THE REGENERATION OF THE BLOCKED CHOLINESTERASE?
- A. 2-PAM CHLORIDE (PRALIDOXIME CHLORIDE)
 - B. SODIUM THIOSULFATE
 - C. COPPER SULFATE
 - D. OXYGEN
10. THE SYMPTOMS OF WATERING OF THE EYES, COUGHING, A TIGHT FEELING IN THE CHEST, ARE SYMPTOMS OF EXPOSURE TO?
- A. CHLORACETOPHENONE
 - B. ORTHOCHLOROBENZILIDINE MALANONITRILE
 - C. DIPHENYLAMINOCHLORARSINE
 - D. PHOSGENE
11. WHICH OF THE BELOW IS NOT TRUE CONCERNING STERNUTATORS (VOMITING AGENTS)?
- A. MASK MUST BE WORN IN SPITE OF COUGHING, SNEEZING, SALIVATION AND NAUSEA
 - B. CARRYING OUT DUTIES AS VIGOROUSLY AS POSSIBLE WILL LESSEN AND SHORTEN SYMPTOMS
 - C. A MILD ANALGESIC MAY BE GIVEN TO RELIEVE HEADACHE
 - D. USUALLY THERE IS SPONTANEOUS RECOVERY WITHIN 24 HOURS

12. WHAT IS THE STANDARD INCAPACITATING AGENT (PSYCHOCHEMICAL) IN THE UNITED STATES?

- A. CK
- B. BZ
- C. DM
- D. WP

13. SECONDARY BURNS FROM A NUCLEAR EXPLOSION ARE CAUSED BY?

- A. FLASH
- B. FIRES
- C. RADIATION
- D. ANY OF THE ABOVE

14. WHAT TYPE OF RADIATION DOES NOT CONSTITUTE AN EXTERNAL RADIATION PROBLEM HOWEVER BECAUSE OF THEIR GREAT IONIZING POWER, THEY CONSTITUTE A VERY SERIOUS HAZARD WHEN TAKEN INTO THE BODY THROUGH INGESTION, INHALATION, OR THROUGH AN OPEN WOUND?

- A. GAMMA
- B. NEUTRON
- C. ALPHA
- D. BETA

15. IF SIGNS OF INFECTION DEVELOP IN A CASUALTY WITH RADIATION OVERDOSE, WHAT ANTIBIOTIC THERAPY IS RECOMMENDED?

- A. NORMAL
- B. DOUBLE THE RECOMMENDED DOSE
- C. TRIPLE THE RECOMMENDED DOSE
- D. FOUR TIMES RECOMMENDED DOSE

16. THE DECONTAMINATION OF A SHIP AS A WHOLE BELONGS PRIMARILY TO THE?

- A. COMMANDING OFFICER
- B. MEDICAL OFFICER
- C. ENGINEERING OFFICER
- D. DAMAGE CONTROL OFFICER

17. WHERE WAS THE FIRST LARGE-SCALE USE OF CHEMICAL AGENTS FIRST EMPLOYED IN 1915?

- A. PLYMOUTH, ENGLAND
- B. YPRES, BELGIUM
- C. GENOA, ITALY
- D. BELLA, FRANCE

LABORATORY FORM #2

1. WHAT URINE PRESERVATIVE PREVENTS AIR FROM REACHING THE URINE AND SELDOM CAUSE FALSE POSITIVES?
 - A. TOLUENE
 - B. THYMOL
 - C. HYDROCHLORIC ACID
 - D. CHLOROFORM

2. WHEN DOING A CBC ON AN INFANT, WHERE SHOULD YOU MAKE THE PUNCTURE WITH THE HEMOLET?
 - A. HEEL
 - B. GREAT TOE
 - C. THIGH
 - D. EITHER A OR B

3. WHAT PART OF THE MICROSCOPE SUPPORTS THE MAGNIFICATION AND ADJUSTMENT SYSTEM AND IS THE HANDLE BY WHICH THE MICROSCOPE IS CARRIED?
 - A. BASE
 - B. ARM
 - C. STAGE
 - D. FRAME

4. WHAT OBJECTIVE SHOULD BE USED WHEN DOING A RED BLOOD CELL COUNT?
 - A. LOW POWER
 - B. HIGH POWER
 - C. HIGH DRY
 - D. EITHER B OR C

5. DUST SHOULD BE REMOVED FROM THE MICROSCOPE WITH?
 - A. LENS TISSUE
 - B. A CAMEL HAIR BRUSH
 - C. ALCOHOL
 - D. ACETONE

6. WHAT DILUTING FLUID IS USED FOR DOING A WBC?
 - A. DILUTE HYDROCHLORIC ACID
 - B. GLACIAL ACETIC ACID
 - C. 0.85% SODIUM CHLORIDE (NORMAL SALINE)
 - D. EITHER A OR B

7. AFTER THE FIVE FIELDS ARE COUNTED WHEN DOING A RBC, YOU WOULD MULTIPLY BY?
- A. 50
 - B. 100
 - C. 1,000
 - D. 10,000
8. THE NUMBER OF CELLS COUNTED IN EACH FIELD SHOULD NOT VARY BY MORE THAN HOW MANY CELLS FROM THE FIELD CONTAINING THE FEWEST TO THE FIELD CONTAINING THE MOST?
- A. 5
 - B. 10
 - C. 20
 - D. 30
9. IN THE SAHLI-HELLIGE METHOD OF HEMOGLOBIN ESTIMATION, HOW LONG AFTER THE BLOOD HAS BEEN TRANSFERRED TO THE SAHLI TUBE MAY THE RESULTS BE READ ON THE GRADUATED TUBE?
- A. 5 MINUTES
 - B. 15 MINUTES
 - C. 30 MINUTES
 - D. 1 HOUR
10. WHAT ARE THE RULES FOR COUNTING CELLS WHEN DOING A BLOOD COUNT?
- A. COUNT THE CELLS ON THE LINES AT THE TOP AND BOTTOM BUT NOT THE ONES ON THE RIGHT AND LEFT
 - B. COUNT THE CELLS ON THE LINES AT THE RIGHT AND LEFT BUT NOT THE ONES AT THE TOP AND BOTTOM
 - C. COUNT THE CELLS ON THE LINES AT THE BOTTOM AND RIGHT BUT NOT THE ONES ON THE TOP AND LEFT
 - D. COUNT THE CELLS ON THE LINES AT THE TOP AND LEFT BUT NOT THE ONES ON THE BOTTOM AND RIGHT
11. WHAT IS THE MOST ACCURATE MEANS OF DETERMINING BLOOD VOLUME?
- A. MICROHEMATOCRIT METHOD
 - B. SAHLI-HELLIGE
 - C. HADEN-HAUSSER
 - D. NEWCOMER TESTER
12. THE NORMAL HEMATOCRIT FOR FEMALES IS APPROXIMATELY?
- A. 40% TO 48%
 - B. 50% TO 58%
 - C. 60% TO 80%
 - D. 70% TO 78%

13. WHICH OF THE FOLLOWING CONDITIONS IS CHARACTERIZED BY LEUKOPENIA?
- A. DURING LABOR
 - B. HEPATITIS
 - C. LEUKEMIA
 - D. EMOTIONAL UPSET
14. A FALLING WHITE CELL COUNT WITH THE NUMBER AND MATURITY OF NEUTROPHILS PROGRESSING TOWARD NORMAL INDICATES?
- A. A "SHIFT TO THE LEFT"
 - B. RECOVERY
 - C. POOR PROGNOSIS
 - D. BOTH A AND C
15. WHICH WBC DOES NOT DECREASE IN ACUTE INFECTIONS?
- A. EOSINPHILS
 - B. LYMPHOCYTES
 - C. MONOCYTES
 - D. NEUTROPHILS
16. WHAT WBC INCREASES IN A PERSON WITH TUBERCULOSIS?
- A. EOSINPHILS
 - B. LYMPHOCYTES
 - C. MONOCYTES
 - D. NEUTROPHILS
17. WRIGHT'S STAIN MUST BE STORED IN A STOPPER BOTTLE IN A DARK PLACE FOR A MINIMUM OF?
- A. 5 DAYS
 - B. 10 DAYS
 - C. 15 DAYS
 - D. 30 DAYS
18. WHEN STAINING A SMEAR WITH WRIGHT'S STAIN, THE STAIN AND BUFFER SHOULD BE MIXED UNTIL THE FILM APPEARS?
- A. COPPERY, METALLIC
 - B. SILVERY, METALLIC
 - C. BLUISH-GRAY
 - D. GREENISH-BLUE

19. NEXT TO INCORRECT TIME INTERVALS, THE MOST COMMON CAUSE OF POOR RESULTS WITH WRIGHT'S STAIN IS?
- A. TOO MUCH ACID
 - B. TOO MUCH BUFFER
 - C. INCORRECT pH OF THE STAINING FLUID
 - D. ANY OF THE ABOVE
20. WHAT NEUTROPHIL (ALSO CALLED A STAB) IS INTERMEDIATE IN AGE AND HAS CURVED ITSELF INTO A HORSESHOE OR "S" SHAPE?
- A. METAMYELOCYTE
 - B. BAND
 - C. SEGMENTED
 - D. HYPERSEGMENTED
21. WHAT IS THE LARGEST OF ALL NORMAL WBC'S?
- A. EOSINOPHIL
 - B. MONOCYTE
 - C. BASOPHIL
 - D. LYMPHOCYTE
22. WHICH OF THE BELOW NORMAL VALUES OF LEUKOCYTES IS NOT CORRECT?
- A. (EOS) 2%-4%
 - B. (BASOS) 0%-2%
 - C. (LYMPHOCYTES) 51%-67%
 - D. (MONOS) 4%-8%
23. IF A SMEAR USED IN A DIFFERENTIAL COUNT IS TO BE SAVED FOR RE-EXAMINATION, REMOVE THE IMMERSION OIL BY PLACING A PIECE OF LENS TISSUE OVER THE SLIDE AND MOISTENING THE TISSUE WITH-?
- A. ALCOHOL
 - B. WATER
 - C. XYLOL
 - D. ACETONE
24. THE SPECIFIC GRAVITY OF URINE WILL BE HIGHER DURING WHAT PART OF THE DAY?
- A. MORNING
 - B. NOON
 - C. LATE AFTERNOON
 - D. EVENING

25. A URINOMETER IS THE MOST CONVENIENT MEANS OF DETERMINING SPECIFIC GRAVITY OF URINE. THE URINOMETER SHOULD NOT TOUCH THE SIDES OR BOTTOM OF THE CONTAINER AND SHOULD BE READ AT?
- A. THE TOP OF THE MENISCUS
 - B. THE BOTTOM OF THE MENISCUS
 - C. EYE LEVEL
 - D. ANY OF THE ABOVE
26. WHAT CELLS ARE NOT USUALLY PRESENT IN NORMAL URINE?
- A. SPERMATOOZOA
 - B. CAST
 - C. LEUKOCYTES
 - D. ERYTHROCYTES
27. THE ADDITION OF ONE DROP OF 5% ACETIC ACID TO URINE SEDIMENT WILL DISINTEGRATE?
- A. WHITE CELLS
 - B. MUCOUS THREADS
 - C. CASTS
 - D. RED CELLS
28. WHEN URINE IS OLIVE GREEN TO BROWN-BLACK, IT IS CAUSED BY?
- A. BLOOD
 - B. PHENOLS
 - C. CHYLE
 - D. BILE
29. WHAT IS THE NORMAL pH OF URINE?
- A. 3.6 TO 5
 - B. 4.6 TO 8
 - C. 5 TO 7
 - D. 6.5 TO 9
30. THE SPECIFIC GRAVITY OF A LIQUID OR SOLID SUBSTANCE IS THE WEIGHT OF THE SUBSTANCE AS COMPARED TO AND EQUAL VOLUME OF?
- A. NORMAL SALINE
 - B. DISTILLED WATER
 - C. ETHANOL
 - D. METHANOL

31. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE PREPARATION OF A SMEAR?

- A. SMEAR SPECIMEN SHOULD BE PLACED ON A GLASS SLIDE PREVIOUSLY CLEANED WITH ALCOHOL OR ACETONE AND POLISHED WITH LENS PAPER
- B. EMULSIFY SPECIMEN WITH SALINE IF THICK
- C. LABEL THE SMEAR AND CIRCLE MATERIAL TO BE STAINED WITH A DIAMOND POINT PEN
- D. FIX THE SMEAR BY PASSING IT THROUGH A FLAME (SMEAR SIDE UP) AND BURN IT

32. WHICH OF THE BELOW IS A TRUE STATEMENT CONCERNING VENIPUNCTURE?

- A. BLOOD MAY BE DRAWN FROM AN ARM WITH IV FLUIDS RUNNING INTO IT PROVIDED YOU DON'T USE THE SAME VEIN
- B. IF ARM VEINS CANNOT BE USED DUE TO BANDAGES, THROMBOSED OR HARDENED VEINS, CONSULT SUPERVISOR FOR INSTRUCTIONS ON THE USE OF HAND OR FOOT VEINS
- C. BE VERY CAUTIONS WHEN PERFORMING VENIPUNCTURE IN CASES WHERE PERSONNEL MUST BE STANDING
- D. APPLY TOURNIQUET AROUND ARM WITH ENOUGH TENSION SO THAT THE ARTERY IS COMPRESSED

**LABORATORY FORM #2
E-6 AND ABOVE**

1. WHICH OF THE BELOW IS NOT ONE OF THE FOUR GROWTH REQUIREMENTS FOR BACTERIA?
 - A. OXYGEN
 - B. NUTRITION
 - C. MOISTURE
 - D. DRYNESS

2. WHAT TYPE OF BACTERIA ARE SELF-SUSTAINING?
 - A. MICROAEROPHILIC
 - B. AEROBES
 - C. HETEROTROPHIC
 - D. AUTOTROPHIC

3. WHAT TYPE OF FORMATION IS ANOTHER PHENOMENON THAT CAUSES TROUBLE IN BLOOD TYPING? IT IS CAUSED BY SERA WITH HIGH GLOBULIN CONTENT AND APPEARS AS "RED CELLS" STACKED UP LIKE A PILE OF COINS?
 - A. LANDSTEINER'S
 - B. ROULEAUX
 - C. HUCKER'S
 - D. MONOSTICON

4. BACTERIA ARE CLASSIFIED BY ALL OF THE BELOW EXCEPT?
 - A. GENUS & SPECIES
 - B. TOXINS
 - C. COLONIAL MORPHOLOGY
 - D. BIOCHEMICAL ACTIVITY

5. WHEN DOING A GRAM'S STAIN, WHAT IS REFERRED TO AS THE COUNTER STAIN?
 - A. GENTIAN VIOLET
 - B. GRAM'S IODINE
 - C. 95% ETHYL ALCOHOL/ACETONE
 - D. SAFRANINE

6. WHAT IS THE ACTION OF THE SAFRANINE ON THE GRAM'S STAIN?
 - A. COLORS ALL GRAM NEGATIVE ORGANISM PINK
 - B. COLORS EVERYTHING IN THE SLIDE BLUE, BLUE-BLACK OR PURPLE
 - C. FIXES THE STAIN TO ALL GRAM POSITIVE ORGANISMS
 - D. WASHES THE STAIN OFF THE GRAM NEGATIVE ORGANISMS

7. HOW LONG DOES THE SAFRANINE REMAIN ON THE STAIN BEFORE FLUSHING WITH TAP WATER?
- A. 30 SECONDS TO 1 MINUTE
 - B. 1 MINUTE
 - C. 2 MINUTES
 - D. UNTIL THE PURPLE COLORS STOPS RUNNING
8. PATHOGENS THAT REPRODUCE BEST AT 20 TO 45 DEGREE CENTIGRADE ARE TERMED?
- A. PHYCHROPHILIC
 - B. MESOPHILIC
 - C. THERMOPHILIC
 - D. MICROAEROPHILIC
9. ROD SHAPED BACTERIA APPEARING SINGLY, IN CHAINS OR PALISADES ARE KNOWN AS?
- A. BACILLI
 - B. COCCI
 - C. SPIRILLA
 - D. FLAGELLA
10. WHICH OF THE FOLLOWING BACTERIA IS PRESENT IN AN INDIVIDUAL WITH GONORRHEA?
- A. GRAM NEGATIVE BACILLI
 - B. GRAM POSITIVE BACILLI
 - C. GRAM NEGATIVE COCCI
 - D. GRAM POSITIVE COCCI
11. AFTER THE RPR ANTIGEN IS PREPARED, HOW LONG MAY IT BE KEPT WITHOUT REFRIGERATION?
- A. ONE MONTH
 - B. THREE MONTHS
 - C. SIX MONTHS
 - D. TWELVE MONTHS
12. WHICH OF THE FOLLOWING IS NOT A TRUE STATEMENT CONCERNING THE MONOSPOT SLIDE TEST FOR INFECTIOUS MONONUCLEOSIS?
- A. MAIN REASON FOR THIS TEST IS THAT MONONUCLEOSIS IMITATES MANY DISEASES
 - B. INFECTIOUS MONONUCLEOSIS ANTIBODIES MAY BE DEMONSTRATED AS EARLY AS THE FOURTH DAY OF ILLNESS AND PRACTICALLY ALWAYS BY THE 21ST DAY
 - C. RESULT SHOULD BE READ AFTER TWO MINUTES
 - D. NO AGGLUTINATION IN EITHER BOX IS POSITIVE FOR MONONUCLEOSIS

13. WHICH OF THE BELOW IS NOT TRUE CONCERNING BLOOD GROUPING AND TYPING?

- A. THE MOST IMPORTANT Rh FACTOR IS FACTOR "D"
- B. 85% OF THE POPULATION IS Rh POSITIVE
- C. DETERMINATION OF THE "A" AND "B" AGGLUTINOGEN IS CALLED TYPING
- D. AGGLUTINATION OR ABSENCE OF AGGLUTINATION DETERMINES THE GROUP TO WHICH IT BELONGS

14. AN INDIVIDUAL WHO HAS ANTI "A" AND ANTI "B" ANTIBODIES (AGGLUTINATION) WOULD BE PLACED IN WHAT BLOOD GROUP?

- A. O
- B. A
- C. B
- D. AB

15. AN INDIVIDUAL WHO HAS ANTI "B" ANTIBODIES AND THE ABSENCE OF THE Rh AGGLUTINATION WOULD HAVE WHAT TYPE BLOOD?

- A. O
- B. O+
- C. A-
- D. A+

PATIENT CARE # 2

1. WHAT MORALLY BINDS YOU TO CERTAIN RESPONSIBILITIES AND RULES THAT ARE INCLUDED IN THE SCIENCE OF HEALTH CARE ETHICS?
 - A. HOSPITAL CORPSMAN PLEDGE
 - B. HM RATE TRAINING MANUAL
 - C. NAVPERS 18068
 - D. OATH OF ALLEGIANCE

2. WHICH OF THE BELOW WOULD BE AN EXAMPLE OF AN OBJECTIVE SYMPTOM?
 - A. HEADACHE
 - B. SWELLING
 - C. DIZZINESS
 - D. NAUSEA

3. THE WATER INSIDE A HOT WATER BOTTLE MUST NEVER EXCEED?
 - A. 110 F
 - B. 115 F
 - C. 120 F
 - D. 125 F

4. ALL ARTICLES STERILIZED IN COTTON MUSLIN WRAPPERS AND SEALED IN PLASTIC MUST BE USED WITHIN HOW MANY CALENDAR DAY'S?
 - A. 28
 - B. 30
 - C. 90
 - D. 180

5. WHAT PHYSICAL METHOD OF STERILIZATION MUST ATTAIN A TEMPERATURE OF 320 F TO 160 C, AND THE TIME PERIOD MUST BE AT LEAST TWO HOURS?
 - A. ETO STERILIZATION
 - B. ETHYLENE OXIDE GAS
 - C. DRY HEAT
 - D. STEAM UNDER PRESSURE

6. WHICH OF THE BELOW IS/ARE PRACTICAL STERILIZATION TIME PERIOD(S)?
 - A. 3 MINUTES AT 270 F
 - B. 8 MINUTES AT 257 F
 - C. 18 MINUTES AT 245 F
 - D. ALL THE ABOVE

7. WHICH OF THE BELOW IS NOT TRUE CONCERNING GLUTARALDEHYDE, THE ONLY LIQUID CHEMICAL STERILIZING AGENT?
- A. MOST EFFECTIVE METHOD OF CHEMICAL STERILIZATION AVAILABLE
 - B. MUST BE TOTALLY SUBMERGED IN SOLUTION FOR 10 HOURS
 - C. ITEM TO BE STERILIZED MUST BE CLEANED AND RINSED WITH STERILE WATER OR STERILE NORMAL SALINE
 - D. EXTREMELY TOXIC TO SKIN AND MUCOUS MEMBRANES
8. WHAT TYPE OF SUTURE MATERIAL (IF OPENED) MAY BE STERILIZED?
- A. ABSORBABLE
 - B. NON-ABSORBABLE
 - C. SURGICAL STAINLESS STEEL
 - D. NONE OF THE ABOVE
9. WHAT IS THE LEAST DESIRABLE METHOD OF CLEANING THE OPERATING ROOM?
- A. WET VACUUM
 - B. MOPPING
 - C. DUSTING WITH ANTISEPTIC GERMICIDE
 - D. BOTH A AND B
10. WHAT IS THE RECOMMENDED TEMPERATURE INSIDE AN OPERATING ROOM?
- A. 50 F
 - B. 50 TO 64 F
 - C. 65 TO 74 F
 - D. 75 F

FIRST AID FORM # 2

1. THE PROCEDURES FOR ASSESSING A PATIENT CONDITION UNDER VARIOUS CIRCUMSTANCES ARE BASED ON THE RECOMMENDATION OF?
 - A. CHIEF OF BUMED
 - B. PUBLIC HEALTH SERVICES
 - C. JOINT COMMISSION ON ACCREDITATION OF HOSPITALS (JCAH)
 - D. DEPARTMENT OF TRANSPORTATION (DOT)

2. WHAT IS THE FIELD MEDICAL TAG WHICH IS USED TO IDENTIFY CASUALTIES IN COMBAT?
 - A. DD-1380
 - B. DD-689
 - C. SF-539
 - D. DD-877

3. IN A NON-COMBAT SITUATION, THE CASUALTIES WHICH GENERALLY HAVE INJURIES WHERE TREATMENT CAN BE DELAYED, WOULD BE CLASSIFIED AS PRIORITY?
 - A. I
 - B. II
 - C. III
 - D. IV

4. IN A COMBAT SITUATION, THOSE PERSONNEL FOR WHOM DEFINITIVE TREATMENT CAN BE DELAYED WITHOUT JEOPARDY TO LIFE OR LOSS OF LIMB, WOULD BE PLACED IN WHAT TRIAGE CLASS?
 - A. I
 - B. II
 - C. III
 - D. IV

5. WHAT TECHNIQUE FOR OPENING THE AIRWAY IS RECOMMENDED FOR A NECK INJURY?
 - A. HEAD TILT
 - B. JAW THRUST
 - C. EITHER A OR B
 - D. NEITHER A OR B

6. WHICH OF THE BELOW IS NOT TRUE CONCERNING OPENING A COMPLETELY OBSTRUCTED AIRWAY?
 - A. CHEST THRUST SHOULD NOT BE USED FOR OBESE OR PREGNANT VICTIMS
 - B. BACKSLAPS REQUIRES FOUR SHARP BLOWS BETWEEN THE SHOULDER BLADES
 - C. BACKSLAPS AND CHEST THRUSTS MAY BE USED TOGETHER
 - D. BACKSLAPS AND ABDOMINAL THRUSTS MAY BE USED TOGETHER

7. WHAT TYPE OF ARTIFICIAL VENTILATION IS EFFECTIVE WHEN THE VICTIM HAS EXTENSIVE FACIAL OR DENTAL INJURIES?
- A. MOUTH TO NOSE
 - B. MOUTH TO MOUTH
 - C. BACK PRESSURE ARM LIFT
 - D. MASK TO MASK
8. WHAT SYSTEM HAS THE ADVANTAGE OF PROVIDING GREATER AIR VOLUME AND IS EASIER TO USE?
- A. BAG-VALVE-MASK
 - B. MOUTH TO MASK
 - C. OROPHARYNGEAL
 - D. NASOPHARYNGEAL
9. WHEN USING SUCTIONING DEVICES, YOU SHOULD NOT APPLY SUCTION FOR LONGER THAN?
- A. 5 SECONDS
 - B. 10 SECONDS
 - C. 15 SECONDS
 - D. 30 SECONDS
10. HOW FAR SHOULD THE STERNUM BE DEPRESSED WHEN PERFORMING CPR ON CHILDREN?
- A. 1/2 TO 3/4 INCHES
 - B. 3/4 TO 1- 1/2 INCHES
 - C. 1-1/2 INCHES
 - D. 1-1/2 TO 2 INCHES
11. WHEN ONE PERSON PERFORMS CPR, WHAT IS THE RATIO OF COMPRESSION'S TO VENTILATION'S?
- A. 5 TO 1
 - B. 10 TO 2
 - C. 15 TO 2
 - D. 20 TO 2
12. VITAL SIGNS SHOULD BE CHECKED AFTER PERFORMING HOW MANY COMPLETE CYCLES OF CPR?
- A. 2
 - B. 4
 - C. 5
 - D. 10

13. WHICH OF THE BELOW IS NOT TRUE CONCERNING A CRICO THYROIDOTOMY?
- A. OFTEN KNOWN AS A TRACHEOTOMY
 - B. SMALL LATERAL INCISION IS MADE AT THE BASE OF THE THYROID CARTILAGE
 - C. SHOULD ONLY BE USED AS A LAST RESORT
 - D. AN ALTERNATE METHOD IS TO USE A 18 TO 20 GAUGE INTERCATHETER
14. WHAT TYPE OF WOUND IS TORN RATHER THAN CUT AND IS USUALLY MADE BY BLUNT RATHER THAN SHARP OBJECTS?
- A. ABRASION
 - B. AVULSION
 - C. INCISION
 - D. LACERATION
15. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE USE OF A ROLLER BANDAGE?
- A. THE FINAL TURNS OF A COMPLETED BANDAGE IS OPPOSITE THE INITIAL TURN
 - B. A PIECE OF ROLLER BANDAGE MAY BE USED TO MAKE A FOUR TAILED BANDAGE
 - C. BANDAGE THE COMPLETE ARM OR LEG OF AN EXTREMITY
 - D. THE INITIAL TURN OF A BANDAGE OF THE ARM SHOULD BE AT THE WRIST
16. THE FIGURE OF EIGHT BANDAGE WOULD BE USED TO RETAIN A DRESSING ON THE?
- A. ELBOW
 - B. CHIN
 - C. FOREARM
 - D. LEG
17. WHAT BANDAGE IS PARTICULARLY USEFUL IN RETAINING LARGE DRESSINGS ON THE HAND?
- A. BARTON BANDAGE
 - B. TRIANGULAR BANDAGE
 - C. FIGURE OF EIGHT
 - D. SPIRAL REVERSE
18. WHAT BANDAGE IS USED TO CONTROL BLEEDING FROM THE SCALP OR FOREARM?
- A. ROLLER
 - B. SPIRAL REVERSE
 - C. MODIFIED BARTON
 - D. CRAVAT

19. WHAT PRESSURE POINT SHOULD BE USED TO CONTROL BLEEDING ON THE FACE BELOW THE REGION OF THE EYES?
- A. TEMPORAL
 - B. SUBCLAVIAN
 - C. FACIAL
 - D. COMMON CAROTID
20. WHAT IS THE TERM USED TO DESCRIBE EXCRETION OF BRIGHT RED BLOOD FROM THE RECTUM?
- A. HEMATEMESIS
 - B. HEMATOCHYZIA
 - C. HEMATURIA
 - D. MELENA
21. WHICH OF THE BELOW IS NOT A TRUE STATEMENT CONCERNING RABIES?
- A. IT IS ONLY TRANSMITTED BY THE BITE OF A RABID ANIMAL
 - B. ANIMAL SHOULD BE IMPOUNDED FOR A MINIMUM OF 8 TO 10 DAYS
 - C. RABIES IS SOMETIMES REFERRED TO AS HYDROPHOBIA WHICH IS CAUSED BY A VIRUS
 - D. DO NOT ATTEMPT WOUND CLOSURE AFTER AN ANIMAL BITE
22. WHAT TEMPERATURE SHOULD MOIST HOT SOAK DRESSING BE WHEN APPLIED TO AN ABSCESS FOR 40 MINUTES, 3-4 TIMES A DAY?
- A. 100F
 - B. 105F
 - C. 110F
 - D. 120F
23. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE REMOVAL OF A FOREIGN BODY FROM THE EYE?
- A. DO NOT ATTEMPT TO REMOVE AN OBJECT THAT IS EMBEDDED IN THE EYEBALL
 - B. DIRECT THE FLOW OF WATER TO THE INSIDE CORNER OF THE EYE, AND LET IT RUN DOWN TO THE OUTSIDE CORNER
 - C. FREELY MOVING OBJECTS IN THE EYE MAY BE REMOVED WITH A DRY STERILE COTTON WHICH WILL CAUSE THE FOREIGN BODY TO STICK TO IT
 - D. IF AFTER SEVERAL ATTEMPTS YOU ARE UNSUCCESSFUL, PLACE A LOOSE BANDAGE OVER THE EYES
24. WHAT IS NOT RECOMMENDED IN THE TREATMENT OF A SUCKING CHEST WOUND?
- A. IMMEDIATELY SEAL THE WOUND WITH AN I.D. CARD
 - B. PLACE THE VICTIM IN A FOWLER'S OR SEMI FOWLER'S POSITION
 - C. DURING COMBAT LAY THE VICTIM ON A STRETCHER ON THE AFFECTED SIDE
 - D. GIVE SMALL AMOUNTS OF WATER

25. WHAT TYPE OF SUTURE NEEDLE MAY EITHER HAVE A CUTTING EDGE OR TAPER POINT AND HAVE THE SUTURE FIXED ON THE NEEDLE BY THE MANUFACTURER TO CAUSE THE LEAST TISSUE TRAUMA?
- A. TAPER POINT
 - B. CUTTING EDGE POINT
 - C. ATRAUMATIC (ATRALOC, WEDGED)
 - D. EITHER A OR B
26. WHAT TYPE NONABSORBABLE SUTURE MATERIAL IS PREFERRED OVER SILK FOR THE FACE AND LIP AREAS BECAUSE SILK CAUSES TISSUE REACTION TOO OFTEN?
- A. CATGUT
 - B. NYLON
 - C. COTTON
 - D. LINEN
27. WHAT TYPE OF CHROMIC CATGUT IS MEDIUM CHROMIC AND ABSORPTION TAKES PLACE IN THIRTY DAYS?
- A. TYPE- A
 - B. TYPE- B
 - C. TYPE- C
 - D. TYPE- D
28. WHAT SIZE SUTURE MATERIAL SHOULD BE USED ON THE FACE OF AN ADULT?
- A. 3.0
 - B. 4.0
 - C. 5.0
 - D. 6.0
29. ALL SUTURES IN THE FACE SHOULD BE COMPLETELY REMOVED AFTER HOW MANY DAYS?
- A. 2 DAYS
 - B. 3 DAYS
 - C. 5 DAYS
 - D. 7 DAYS
30. WHAT TYPE SHOCK IS THE MOST FREQUENTLY ENCOUNTERED AND MOST IMPORTANT TYPE FOR THE CORPSMAN TO UNDERSTAND?
- A. HEMORRHAGIC
 - B. NEUROGENIC
 - C. ANAPHYLACTIC
 - D. CARDIGENIC

31. SHUT DOWN OF WHAT ORGAN IS AN EVER PRESENT DANGER IN SHOCK VICTIMS?

- A. KIDNEY
- B. LIVER
- C. BRAIN
- D. HEART

32. WHICH OF THE BELOW IS NOT TRUE CONCERNING A SHOCK VICTIM?

- A. SHOCK SHOULD BE SUSPECTED WITH A BURN OF MORE THAN 10%
- B. THE PULSE RATE IN HEMORRHAGIC SHOCK MAY REACH 160 OR HIGHER
- C. THE PULSE RATE IS SLOWED, OFTEN BELOW 60 IN NEUROGENIC SHOCK
- D. THERE ARE FREQUENT COMPLAINTS OF THIRST

33. INTRAVENOUS FLUID ADMINISTRATION IS THE SINGLE MOST IMPORTANT FACTOR IN THE TREATMENT OF ANY TYPE OF SHOCK EXCEPT?

- A. CARDIOGENIC
- B. NEUROGENIC
- C. OLIGEMIC
- D. VASOGENIC

34. WHAT DEGREE OF SHOCK IS INDICATED IN AN INDIVIDUAL WITH A THRADY PULSE OF 120, SYSTOLIC BP BELOW 60, INCREASED DIAPHORESIS, OBTUNDATION, AND NO URINARY OUTPUT?

- A. 500 - 1200 ML DEFICIT - MILD
- B. 1200 - 1800 ML DEFICIT - MODERATE
- C. 1800 - 2500 ML DEFICIT - SEVERE
- D. 2500 - 3500 ML DEFICIT - EXTREMELY SEVERE

35. WHICH OF THE BELOW IS NOT TRUE CONCERNING MILITARY ANTI-SHOCK TROUSERS (MAST)?

- A. SHOULD BE USED IF SYSTOLIC BP IS LESS THAN 80mm Hg
- B. REMOVAL SHOULD BE UNDER THE DIRECT SUPERVISION OF A PHYSICIAN
- C. THE ONLY ABSOLUTE CONTRAINDICATION IN THEIR USE IS PULMONARY EDEMA
- D. IV FLUIDS SHOULD BE USED WITH EXTREME CAUTION

36. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE ADMINISTRATION OF MORPHINE?

- A. IT MAY NOT BE GIVEN FOR WOUNDS OF THE NASAL PASSAGES, ORAL CAVITY OR JAWS
- B. ADMINISTRATION BY SUBCUTANEOUS OR IM ROUTES MAY NOT BE ABSORBED
- C. MUST NOT BE USED IN MASSIVE HEMORRHAGE
- D. MUST ONLY BE GIVEN INTRAVENOUS

37. WHICH OF THE BELOW IS NOT TRUE CONCERNING A FRACTURE OF THE LOWER ARM?
- A. CAREFULLY STRAIGHTEN THE FOREARM
 - B. APPLY TWO WELL PADDED SPLINTS
 - C. THERE IS A DEFORMITY WHEN EITHER THE RADIUS OR THE ULNA IS FRACTURED ALONE
 - D. SUPPORT THE FOREARM WITH A WIDE SLING OR CRAVAT
38. THE SPLINT SHOULD BE SECURED IN HOW MANY PLACES WHEN IMMOBILIZING A FRACTURED FEMUR?
- A. 3
 - B. 4
 - C. 5
 - D. 6
39. WHAT BANDAGE MAY BE USED TO IMMOBILIZE A FRACTURED CLAVICLE?
- A. WIDE ROLLER BANDAGE
 - B. FIGURE OF EIGHT
 - C. BARTON
 - D. EITHER A OR B
40. WHICH OF THE BELOW IS NOT TRUE CONCERNING A VICTIM WHO HAS BRAIN DAMAGE RESULTING FROM AN INJURY?
- A. MAY BE CONFUSED AND DISORIENTED
 - B. ASPIRIN MAY BE GIVEN FOR SEVERE HEADACHE
 - C. POSITION MAY BE EITHER HEAD LOWERED OR RAISED
 - D. PUPILS ARE UNEQUAL IN SIZE
41. WHAT IS THE PRIMARY SYMPTOM(S) FOR A FRACTURED SPINE?
- A. PAIN
 - B. SHOCK
 - C. PARALYSIS
 - D. ALL OF THE ABOVE
42. WHAT IS THE MINIMUM NUMBER OF PERSONNEL REQUIRED TO LIFT A PATIENT WITH A SUSPECTED SPINAL INJURY?
- A. 2
 - B. 3
 - C. 4
 - D. 6

43. EXAMINATION OF A PATIENT REVEALS SHORTENING OF THE LEG, INABILITY TO MOVE THE LEG AND AN ABNORMAL OUTWARD POSITION OF THE LEG. FIRST AID TREATMENT SHOULD BE ADMINISTERED FOR A?
- A. FRACTURED FEMUR
 - B. FRACTURED TIBIA AND FIBULA
 - C. FRACTURED PELVIS
 - D. DISLOCATED PATELLA
44. WHICH OF THE BELOW IS NOT TRUE CONCERNING REDUCTION OF A DISLOCATION?
- A. ALWAYS ATTEMPT TO REDUCE A DISLOCATED SHOULDER WITH THE PATIENT IN THE SUPINE POSITION
 - B. REDUCE A DISLOCATED JAW BY PRESSING DOWN ON THE LOWER MOLARS AND LIFTING UP ON THE CHIN
 - C. A DISLOCATED FINGER SHOULD BE SPLINTED, SLIGHTLY FLEXED
 - D. DO NOT ATTEMPT TO REDUCE A DISLOCATED FINGER OR SHOULDER MORE THAN THREE TIMES
45. WHAT TYPE OF INJURY IS CAUSED BY OVER STRETCHING OR TEARING OF A MUSCLE OR A TENDON?
- A. SPRAIN
 - B. STRAIN
 - C. DISLOCATION
 - D. CONTUSION
46. WHAT COLOR DOES THE SKIN APPEAR SEVERAL DAYS AFTER SUSTAINING A CONTUSION?
- A. RED
 - B. BLACK AND BLUE
 - C. PALE AND ASHEN
 - D. YELLOWISH AND GREENISH
47. WHICH OF THE AGENTS LISTED BELOW IS CLASSIFIED AS A NONCORROSIVE POISON?
- A. ACIDS
 - B. ALKALIES
 - C. MERCURY
 - D. PHENOLS
48. WHAT IS THE PREFERRED METHOD OF EMPTYING THE CONTENTS OF THE STOMACH IF A PERSON IS SUFFERING FROM STRYCHNINE POISONING?
- A. TICKLE THE THROAT WITH YOUR FINGER
 - B. GIVE AN EMETIC (IPECAC 15 ML)
 - C. GASTRIC LAVAGE
 - D. ANY OF THE ABOVE

49. AN EMETIC SHOULD BE USED ON WHICH OF THE BELOW LISTED POISONING?
- A. IODINE
 - B. AMMONIA
 - C. CREOSOL
 - D. RED FURNITURE POLISH
50. WHAT TYPE OF INHALATION POISONING IS ASSOCIATED WITH SOLVENTS, IN DRY CLEANING FLUID, ELECTRICAL EQUIPMENT CLEANERS, DEGREASING AGENTS AND FIRE EXTINGUISHERS?
- A. CARBON DIOXIDE
 - B. TRICHLORETHYLENE
 - C. CHLORINE
 - D. ETHER
51. WHAT MEDICAL EMERGENCY CAN BE TREATED WITH 10ML OF CALCIUM GLUCONATE (10%) SOLUTION GIVEN INTRAVENOUSLY?
- A. BLACK WIDOW SPIDER
 - B. BROWN RECLUSE SPIDER BITE
 - C. SCORPION STING
 - D. ALL OF THE ABOVE
52. WHICH OF THE BELOW IS NOT TRUE CONCERNING A FEMALE BLACK WIDOW SPIDER BITE?
- A. THEIR BITES ARE SERIOUS BUT RARELY FATAL
 - B. IDENTIFIED BY THE HOUR GLASS SHAPED RED SPOT ON IT'S BELLY
 - C. BOARD LIKE RIGIDITY OF THE ABDOMINAL MUSCLES IS COMMON
 - D. ALL BITE VICTIMS MUST BE HOSPITALIZED IMMEDIATELY
53. EARLY DIAGNOSIS OF WHAT BITE IS EXTREMELY IMPORTANT WITHIN THE FIRST EIGHT HOURS, SINCE THE MEDICAL OFFICER HAS THE OPTION OF EXCISING THE LESION AND STARTING CORTICOSTEROID THERAPY?
- A. BROWN RECLUSE SPIDER
 - B. CENTRUROIDES SCULPTURATUS
 - C. SCORPION
 - D. SNAKE BITE
54. POISONOUS SNAKES ARE FOUND IN EVERY STATE EXCEPT?
- A. ALASKA
 - B. HAWAII
 - C. MAINE
 - D. ALL OF THE ABOVE

55. WHICH OF THE SNAKES LISTED BELOW IS OF THE FAMILY ELAPIDAE?

- A. RATTLE SNAKE
- B. MOCCASIN
- C. COPPER HEAD
- D. CORAL

56. WHICH OF THE SNAKES LISTED BELOW IS ONLY FOUND IN INDIA?

- A. KRAIT
- B. COBRA
- C. CORAL
- D. MAMBA

57. IF THE SNAKEBITE VICTIM CANNOT REACH A MEDICAL TREATMENT FACILITY WITHIN 30 MINUTES AFTER BEING BITTEN, AN INCISION SHOULD BE MADE IN WHAT MANNER?

- A. X OVER EACH FANG MARK, 1/2" LONG, 1/4" DEEP LENGTHWISE
- B. \ \ OVER EACH FANG MARK, 1/4" LONG, 1/2" DEEP LENGTHWISE
- C. \ \ OVER EACH FANG MARK, 1/2" LONG, 1/4" DEEP LENGTHWISE
- D. INCISION AND SUCTION IS NOT RECOMMENDED

58. WHAT IS USED TO NEUTRALIZE THE VENOM FOR A PERSON STUNG BY A SPINY FISH, CONE SHELLS, SEA URCHINS OR STINGRAY?

- A. COLD SEA WATER
- B. HOT WATER
- C. DILUTED AMMONIA
- D. VINEGAR

59. WHAT DRUG IS CLASSIFIED AS A NARCOTIC, BUT ACTS AS A STIMULANT?

- A. METHADONE
- B. COCAINE
- C. DARVON
- D. TALWIN

60. A PATIENT WITH SLURRED SPEECH, UNCOORDINATION, CONFUSION, TREMORS, DROWSINESS, AGITATION, NAUSEA, VOMITING, RESPIRATORY DEPRESSION, HALLUCINATIONS AND POSSIBLE COMA WOULD BE SUFFERING FROM ALCOHOL INTOXICATION OR INTOXICATION FROM?

- A. BARBITURATES
- B. SEDATIVES
- C. HYPNOTICS
- D. ALL OF THE ABOVE

61. IF A MAN IS BURNED ON THE COMPLETE LEFT LEG, THE RIGHT ARM (JUST ANTERIOR) AND ON THE HEAD AND NECK (JUST ANTERIOR), HE WOULD HAVE WHAT PERCENTAGE OF HIS BODY BURNED?
- A. 18%
 - B. 27%
 - C. 31%
 - D. 36%
62. START IV THERAPY WITH RINGERS LACTATE IN AN UNBURNED AREA FOR ALL SERIOUS AND EXTENSIVE BURNS OVER?
- A. 10%
 - B. 15%
 - C. 20%
 - D. 25%
63. AN ALKALI BURN OF THE EYE SHOULD BE FLUSHED WITH WATER FOR HOW LONG?
- A. 20 MINUTES
 - B. 15-30 MINUTES
 - C. 30-45 MINUTES
 - D. 45-60 MINUTES
64. AN ACID BURN SHOULD BE NEUTRALIZED BY FLUSHING WITH WHICH OF THE FOLLOWING SOLUTIONS?
- A. VINEGAR
 - B. BAKING SODA
 - C. ALCOHOL
 - D. CASTOR OIL
65. WHICH OF THE BELOW IS NOT TRUE CONCERNING EMBEDDED WHITE PHOSPHORUS PARTICLES?
- A. THE WOUND MUST BE DRESSED WITH A 1% COPPER SULFATE DRESSING
 - B. COMBUSTION OF WHITE PHOSPHORUS MAY CAUSE SEVERE PULMONARY IRRITATION
 - C. MEDICAL PERSONNEL SHOULD PLACE A MOIST CLOTH OVER THE NOSE AND MOUTH DURING DEBRIDEMENT
 - D. DEBRIDEMENT SHOULD BE CONDUCTED IN A DARKENED ROOM
66. WHAT IS THE MOST COMMON CONDITION CAUSED BY WORKING OR EXERCISING IN A HOT ENVIRONMENT?
- A. HEAT CRAMPS
 - B. HEAT STROKE
 - C. SUNSTROKE
 - D. HEAT EXHAUSTION

67. WHICH OF THE SYMPTOMS LISTED BELOW IS COMMON TO HEAT EXHAUSTION?

- A. PULSE FAST AND STRONG
- B. MOIST, CLAMMY SKIN
- C. ELEVATED TEMPERATURE
- D. PUPILS CONSTRICTED

68. WHICH OF THE BELOW IS THE TREATMENT FOR A MAN SUFFERING FROM HEAT PROSTRATION?

- A. REPLACE SALT AND WATER LOSS
- B. PLACE WET CLOTHS TO THE HEAD, GROIN, AXILLA AND ANKLES
- C. TREAT FOR SHOCK
- D. ALL OF THE ABOVE

69. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE PREVENTION OF HEAT EXPOSURE INJURIES?

- A. IT'S A COMMAND RESPONSIBILITY
- B. THE MEDICAL DEPARTMENT IS RESPONSIBLE FOR EDUCATION OF ALL HANDS
- C. PREVENTION CENTERS SHOULD MAINTAIN WBGT AND PHEL
- D. SALT TABLET DISPENSERS SHOULD BE DISPERSED THROUGHOUT THE COMMAND

70. A PATIENT REPORTS TO SICK BAY COMPLAINING OF TINGLING AND NUMBNESS OF THE AFFECTED AREA, SWELLING OF THE FEET, LEGS, OR HANDS, BLUIISH DISCOLORATION OF THE SKIN, AND PAINFUL BLISTERS WOULD BE SUFFERING FROM?

- A. IMMERSION FOOT
- B. CHILBLAINS
- C. HYPOTHERMIA
- D. FROSTBITE

71. WHICH OF THE BELOW IS NOT TRUE CONCERNING COLD INJURIES?

- A. DEATH RESULTS WHEN THE BODY TEMPERATURE APPROACHES 80 F
- B. IMMERSION FOOT RESULTS FROM PROLONGED EXPOSURE TO WETNESS AT 32 F-0 C TO 50 F-10 C
- C. UNDER NO CIRCUMSTANCES ALLOW A DEEP FROSTBITE PATIENT TO WALK
- D. MAKE NO ATTEMPT TO THAW A FROSTBITTEN PART OUT IF THE PATIENT WILL BE EXPOSED TO THE COLD AGAIN

72. WHICH OF THE BELOW IS NOT TRUE CONCERNING COMMON MEDICAL EMERGENCIES?

- A. DIABETICS ALMOST ALWAYS WEAR A MEDICAL ALERT ID SYMBOL
- B. FAINTING IS ALSO CALLED SYNCOPE
- C. TOO OFTEN A DIABETIC PATIENT IS TREATED AS A DRUNK
- D. A PATIENT WHO HAS FAINTED SHOULD ALWAYS BE KEPT IN A SUPINE POSITION

73. WHAT IS THE MOST COMMON CAUSATIVE AGENT IN ANAPHYLACTIC REACTIONS?

- A. ASPIRIN
- B. BEE STING
- C. FOOD SUBSTANCES
- D. ANY INJECTION

74. THE EMERGENCY TREATMENT OF CONGESTIVE HEART FAILURE IS BASICALLY THE SAME AS FOR?

- A. CEREBROVASCULAR ACCIDENT (CVA)
- B. ANGINA PECTORIS
- C. MYOCARDIAL INFARCTION
- D. ANY HEART CONDITION

75. WHICH OF THE BELOW IS NOT TRUE CONCERNING EMERGENCY CHILD BIRTH?

- A. DELIVERY IS APPROACHING IF CONTRACTIONS ARE LESS THAN 3 MINUTES APART
- B. ONCE THE CHIN EMERGES SUCTION THE NOSTRILS AND MOUTH
- C. USE TWO CLAMPS, 2 INCHES APART, WITH THE FIRST 6-8 INCHES FROM THE NAVAL
- D. MASSAGING THE MOTHER'S LOWER ABDOMEN WILL AID IN THE DELIVERY OF THE PLACENTA WITHIN 30 MINUTES TO AN HOUR

76. WHAT PROTECTIVE EQUIPMENT IS BEST FOR PERSONS WHO MUST ENTER VOIDS, OR COMPARTMENTS WITH A HIGH CONCENTRATION OF OIL OR GAS VAPORS, OR OTHER SPACES THAT HAVE VERY SMALL ACCESS HATCHES?

- A. HOSE (AIRLINE) MASKS
- B. OXYGEN BREATHING APPARATUS (OBA)
- C. PROTECTIVE (GAS) MASK
- D. ANY OF THE ABOVE

77. WHAT TYPE OF DEVICE IS USED TO TEST THE ATMOSPHERE IN CLOSED OR POORLY VENTILATED SPACES FOR DETECTING OXYGEN DEFICIENCY?

- A. COMBUSTIBLE GAS INDICATOR
- B. FLAME SAFETY LAMP
- C. TOXIC GAS INDICATOR
- D. ANY OF THE ABOVE

78. WHAT STAGE IN THE EXTRICATION OF VICTIMS IS PREPARING THE MAN FOR REMOVAL, WITH SPECIAL EMPHASIS ON THE PROTECTION OF POSSIBLE FRACTURES?

- A. 2 ND
- B. 3 RD
- C. 4 TH
- D. FINAL STAGE

79. WHAT SHOULD NOT BE TAKEN INTO A COMPARTMENT THAT MAY CONTAIN EXPLOSIVE VAPORS?
- A. OXYGEN BREATHING APPARATUS
 - B. PROTECTIVE MASK
 - C. LIFE LINE
 - D. FLASHLIGHT
80. WHAT TYPE STRETCHER SHOULD BE USED FOR SHIP TO SHIP TRANSFER OR TO TRANSFER INJURED PERSONS TO AND FROM BOATS?
- A. ARMY LITTER
 - B. STOKES
 - C. NEIL ROBERTSON
 - D. SHIP LITTER
81. WHAT CARRY IS PARTICULARLY USEFUL IN TRANSPORTING A VICTIM UP OR DOWN STAIRS, OR THROUGH NARROW, WINDING PASSAGE WAYS?
- A. CHAIR
 - B. ONE PERSON ARM
 - C. TWO PERSON ARM
 - D. PACKSTRAP
82. WHAT TYPE OF ANESTHESIA IS FREQUENTLY USED WHEN CONTINUOUS ANESTHESIA IS DESIRED FOR A PROLONGED PERIOD OF TIME?
- A. CAUDAL BLOCK
 - B. SADDLE BLOCK
 - C. EPIDURAL BLOCK
 - D. NERVE BLOCK
83. WHAT IS THE MAJOR CLASSIFICATION(S) OF ANESTHESIA?
- A. REGIONAL
 - B. GENERAL
 - C. SPINAL
 - D. BOTH A AND B
84. WHAT STAGE OF ANESTHESIA DOES THE PATIENT EXPERIENCE DIZZINESS, A SENSE OF UNREALITY AND A LESSENING SENSITIVITY TO TOUCH AND PAIN?
- A. 1ST
 - B. 2ND
 - C. 3RD
 - D. 4TH

85. WHAT IS THE STREET NAME FOR HALLUCINOGENIC DRUG PEYOTE?

- A. YELLOW JACKETS
- B. RED DEVILS
- C. SPEED
- D. BUTTONS

EMERGENCY PROCEDURES # 2

E-6 AND ABOVE

1. WHAT TYPE HERNIA IS CHARACTERIZED BY SEVERE HEARTBURN, BURNING AND PAIN BEHIND THE STERNUM, SENSATION OF PRESSURE, AND PAIN THAT MAY RADIATE DOWN THE ARMS OR INTO THE NECK AND JAW?
 - A. HIATAL
 - B. INGUINAL
 - C. INCARCERATED
 - D. STRANGULATED

2. WHICH OF THE BELOW DOES NOT INDICATE A UPPER RESPIRATORY INFECTION AND A NEED FOR MEDICAL ADVICE?
 - A. ELEVATED TEMP OF 101F OR MORE THAT HAS PERSISTED FOR 3 DAYS OR MORE
 - B. A WHITE OR DIRTY GRAY EXUDATE IN THE THROAT
 - C. A PERSISTENT COUGH OF ONE OR MORE WEEKS
 - D. DIFFUSE REDDENING OF THE THROAT

3. WHAT CONDITION IS CHARACTERIZED BY FEVER, (100-105F) PULSE RATE AS HIGH AS 160, INCREASED RESPIRATION'S (30-40 PER MINUTE) AND A PARTICULAR "GRUNT" MAY BE HEARD ON EXPIRATION?
 - A. ACUTE BRONCHITIS
 - B. PNEUMOCOCCAL PNEUMONIA
 - C. ASPIRATION PNEUMONIA
 - D. PRIMARY ATYPICAL PNEUMONIA

4. THE RIGHT LUNG, ESPECIALLY THE LOWER LOBES, ARE THE MOST FREQUENTLY AFFECTED BY WHICH CONDITION?
 - A. ASTHMA
 - B. FIBRINOUS PLEURISY
 - C. SPONTANEOUS PNEUMOTHORAX
 - D. PULMONARY ABSCESS

5. WHAT IS THE MOST COMMON COMPLAINT EXHIBITED BY A PERSON WITH PULMONARY EMBOLISM?
 - A. DYSPNEA
 - B. PLEURITIC PAIN
 - C. HEMOPTYSIS
 - D. INCREASED RESPIRATION'S

6. THE PATIENT SHOULD BE PLACED IN THE UPRIGHT POSITION TO RELIEVE ORTHOPNEA FOR WHICH CONDITION?
- A. DECOMPRESSION SICKNESS
 - B. TRAUMATIC PNEUMOTHORAX
 - C. PULMONARY EMBOLISM
 - D. PULMONARY EDEMA
7. A PATIENT REPORTED TO SICKBAY COMPLAINING OF WEAKNESS, FAINTING, MELENA, AND HEMATEMESIS WOULD BE SUSPECTED OF HAVING?
- A. PEPTIC ULCER
 - B. UPPER GI HEMORRHAGE
 - C. APPENDICITIS
 - D. ACUTE GASTRITIS
8. WHAT INFLAMMATORY DISEASE IS CHARACTERIZED BY BLOODY DIARRHEA, PROSTRATION, ABDOMINAL CRAMPING, ANOREXIA, MALAISE, AND FEVER?
- A. APPENDICITIS
 - B. STRANGULATED HERNIA
 - C. NONSPECIFIC ULCERATIVE COLITIS
 - D. REGIONAL ENTERITIS
9. WHAT TYPE OF HEPATITIS IS INDUCED ONLY BY ALCOHOL INGESTION?
- A. ALCOHOLIC
 - B. A
 - C. B
 - D. C
10. WHAT DISEASE HAS A SUDDEN ONSET WITH STEADY SEVERE PAIN LOCATED IN THE EPIGASTRIUM THAT MAY RADIATE FROM SIDE TO SIDE IN THE LOWER BACK?
- A. INCARCERATED HERNIA
 - B. PANCREATITIS
 - C. CHOLECYSTITIS
 - D. CHOLELITHIASIS
11. WHAT CONDITION IS INDICATED IN A PATIENT WITH CHILLS, FEVER, FLANK PAIN, NAUSEA, VOMITING, URGENCY AND FREQUENCY TO URINATE, AND THE URINE MAY CONTAIN BLOOD OR PUS?
- A. PROSTATITIS
 - B. EPIDIDYMITIS
 - C. RENAL CALCULI
 - D. PYELONEPHRITIS

12. WHICH OF THE BELOW CONDITIONS IS AN EMERGENCY WHICH REQUIRES IMMEDIATE SURGICAL CORRECTION TO AVOID GANGRENE DUE TO VASCULAR OCCLUSION?
- A. UREMIA
 - B. RENAL CALCULI
 - C. TESTICULAR TORSION
 - D. GENITOURINARY TRAUMA
13. WHICH OF THE BELOW IS NOT TRUE CONCERNING CIRCULATORY DISEASE?
- A. THE CHIEF COMPLAINT FOR ANGINA PECTORIS IS CHEST PAIN
 - B. ATHEROSCLEROSIS IS THE MOST SERIOUS FORM OF ARTERIOSCLEROSIS
 - C. THE MAIN COMPLAINT DURING AN MI IS SEVERE SQUEEZING OR CRUSHING SUBSTERNAL PAIN
 - D. PAIN IN ANGINA PECTORIS IS REFERRED TO THE RIGHT SIDE OF THE BODY
14. WHAT CONDITION MAY BE THE RESULT OF TRAUMA, GOUT, INFECTION, OR RHEUMATOID ARTHRITIS?
- A. BURSITIS
 - B. COSTOCHONDRITIS
 - C. TIETZE'S SYNDROME
 - D. TENOSYNOVITIS
15. RECURRENT ATTACKS OF GOUTY ARTHRITIS MAY BE PREVENTED BY USING?
- A. INDOCIN
 - B. ZYLOPRIM
 - C. CORTICOSTEROIDS
 - D. ASPIRIN
16. WHAT FUNGUS INFECTION OF THE EXTERNAL EAR RESULTS FROM POOR HYGIENE, SWIMMING, AND FAVORS WARM MOIST CLIMATES?
- A. ACUTE OTITIS MEDIA
 - B. LABYRINTINE DISEASE
 - C. OTOMYCOSIS
 - D. AURAL FURUNCULOSIS
17. WHAT SHOULD BE INSTILLED INTO THE EAR IF A BRIGHT LIGHT FAILS TO INDUCE AN INSECT TO CRAWL OUT?
- A. KEROSENE
 - B. ALCOHOL
 - C. LIGHT OIL
 - D. EITHER A OR B

18. THE SYMPTOMS OF THE SWELLING OF THE SOFT PALATE, SEVERE SORE THROAT, DISPLACEMENT OF THE UVULA, PAIN UPON OPENING THE JAW, SWELLING AND PAIN AT THE SITE OF THE CERVICAL LYMPHNODES, AND A FEVER OF UP TO 105F?
- A. PERITONSILLAR ABSCESS
 - B. ACUTE TONSILLITIS
 - C. ALLERGIC RHINITIS
 - D. ACUTE LARYNGITIS
19. THE TREATMENT OF WHAT TYPE(S) OF CONJUNCTIVITIS REQUIRES ISOLATION TECHNIQUES?
- A. BACTERIAL
 - B. VIRAL
 - C. ALLERGIC
 - D. ALL OF THE ABOVE
20. WHAT SUPERFICIAL CORNEAL ULCER IS CAUSED BY THE HERPES SIMPLEX VIRUS?
- A. DENDRITIC ULCER
 - B. IRITIS
 - C. HORDEOLUM
 - D. FLOATERS
21. WHAT CHRONIC, ITCHING, SUPERFICIAL INFLAMMATION OF THE SKIN IS NORMALLY ASSOCIATED WITH A FAMILY HISTORY OF ALLERGIC DISORDERS?
- A. SEBORRHEA DERMATITIS
 - B. CONTACT DERMATITIS
 - C. ATOPIC DERMATITIS
 - D. PSORIASIS
22. WHAT VIRAL INFECTION IS CAUSED BY THE SAME VIRUS THAT CAUSES CHICKENPOX (VARICELLA), IS RARELY RECURRENT, AND IS MOST COMMONLY ENCOUNTERED IN PERSONS OVER THE AGE OF 50?
- A. HERPES SIMPLEX
 - B. SHINGLES
 - C. VERRUCAE
 - D. IMPETIGO
23. WHICH OF THE BELOW LISTED CONDITIONS IS CAUSED BY BOTH STREPTOCOCCUS AND STAPHYLOCOCCUS?
- A. FURUNCLES
 - B. CARBUNCLES
 - C. FOLLICULITIS
 - D. CELLULITIS

24. WHAT PARASITIC SKIN INFECTION IS CAUSED BY THE SUPERFICIAL BURROWS OF THE ITCH MITE?
- A. PEDICULOSIS CAPITIS
 - B. PEDICULOSIS CORPORIS
 - C. SCABIES
 - D. TINEA VERSICOLOR
25. WHAT CONDITION IS CAUSED BY THE DESTRUCTION OF BRAIN MATTER BY INTRACEREBRAL HEMORRHAGE, THROMBOSIS, EMBOLISM, OR VASCULAR INSUFFICIENCY?
- A. CEREBROVASCULAR ACCIDENT
 - B. SUBARACHNOID HEMORRHAGE
 - C. EXTRADURAL HEMATOMA
 - D. SUBDURAL HEMATOMA
26. WHAT PERCENTAGE OF ALL HERNIATED DISKS OCCUR AT THE FOURTH OR FIFTH LUMBAR INTERSPACE?
- A. 60%
 - B. 70%
 - C. 80%
 - D. 90%
27. WHAT CHRONIC DISORDER OF THE PITUITARY GLAND OR HYPOTHALAMUS WHICH IS THE RESULT OF A DEFICIENCY OF VASOPRESSIN (ALSO CALLED THE ANTIDIURETIC HORMONE OR ADH)?
- A. DIABETES INSIPIDUS
 - B. DIABETES MELLITUS
 - C. HYPERTHYROIDISM
 - D. ADDISON'S DISEASE
28. WHAT TYPE OF VAGINITIS IS THE RESULT OF AN OVERGROWTH OF THE CANDIDA ALBICANS YEAST AND HISTORY MAY REVEAL A RECENT PERIOD OF ANTIBIOTIC THERAPY?
- A. TRICHOMONAS
 - B. MONILIA
 - C. BACTERIAL
 - D. FUNGAL
29. WHAT PELVIC INFLAMMATORY DISEASE (PID) IS AN INFLAMMATION OF THE UTERINE TUBES?
- A. ENDOMETRIOSIS
 - B. VULVITIS
 - C. SALPINGITIS
 - D. UTERINE TUMORS

30. ECTOPIC PREGNANCY RESULTS WHEN A FERTILIZED OVUM IS IMPLANTED AND DEVELOPS OUTSIDE OF THE UTERINE CAVITY AND OCCURS IN APPROXIMATELY HOW MANY PREGNANCIES?
- A. 1 IN EVERY 50
 - B. 1 IN EVERY 100
 - C. 1 IN EVERY 150
 - D. 1 IN EVERY 200
31. WHEN THE VISIBILITY OF PREGNANCY HAS BEEN TERMINATED FOR AT LEAST ONE MONTH, BUT THE CONCEPTUS HAS BEEN RETAINED, ABORTION IS?
- A. MISSED
 - B. COMPLETE
 - C. INEVITABLE
 - D. THREATENED
32. WHAT IS THE BONE LIKE CONNECTIVE TISSUE COVERING THE ROOT OF A TOOTH WHICH ASSISTS IN TOOTH SUPPORT?
- A. APICAL FORAMEN
 - B. CERVIX
 - C. CEMENTUM
 - D. DENTIN
33. THE PATIENT COMPLAINS OF A BAD TASTE IN MOUTH, A TOOTH THAT FEELS LONGER THAN THE OTHERS, CONSTANT THROBBING PAIN IN THE AFFECTED AREA, AN INCREASE OF PAIN WHEN CHEWING OR LAYING DOWN, OR MAY HAVE A SMALL GUMBOIL SHOULD BE SUSPECTED OF?
- A. PERIAPICAL ABSCESS
 - B. MARGINAL GINGIVITIS
 - C. PERIODONTITIS
 - D. PERICORONITIS
34. WHICH OF THE BELOW IS NOT TRUE CONCERNING DENTAL CONDITIONS?
- A. STOMATITIS IS AN INFLAMMATION OF THE ORAL MUCOSA
 - B. PERICORONITIS IS ONE OF THE MOST FREQUENT PERIODONTAL EMERGENCIES
 - C. THE MOST FREQUENT CAUSE OF MARGINAL GINGIVITIS IS POOR ORAL HYGIENE
 - D. HEAT MUST BE APPLIED TO THE FACE FOR MANY ABSCESSSES
35. WHAT DENTAL CONDITION RESULTS WHEN A NORMAL CLOT FAILS TO FORM IN THE SOCKET OF A RECENTLY EXTRACTED TOOTH?
- A. POSTEXODONTIC HEMORRHAGE
 - B. POSTEXODONTIC OSTEITIS
 - C. NECROTIZING ULCERATIVE GINGIVITIS
 - D. ACUTE PULPITIS

36. THE TREATMENT OF WHAT TYPE OF TOOTH FRACTURE REQUIRES THE CROWN BEING FILLED WITH CALCIUM HYDROXIDE OR ZOE (ZINC OXIDE AND EUGENOL)?

- A. I
- B. II
- C. III
- D. IV

37. EXISTENCE OF PATHOLOGICAL CONDITIONS REQUIRING EARLY TREATMENT MEASURES WOULD BE INDICATED BY WHAT CLASSIFICATION?

- A. 1 - WHITE TAPE
- B. 2 - GREEN TAPE
- C. 3 - YELLOW TAPE
- D. 4 - RED TAPE

DIET THERAPY # 2
E-6 AND ABOVE

1. WHAT ARE THE MOST EFFICIENT SOURCES OF ENERGY AND ARE KNOWN AS THE "FUEL OF LIFE"?
- A. PROTEIN
- B. FATS
- C. CARBOHYDRATES
- D. ALL OF THE ABOVE

2. WHAT ELEMENTS HELPS CARRY OXYGEN THROUGHOUT THE BODY AND IS CONSTITUENT OF HEMOGLOBIN, BLOOD, AND TISSUE?
- A. IRON
- B. SULFUR
- C. MAGNESIUM
- D. POTASSIUM

3. WHAT DIET IS RECOMMENDED FOR INFLAMMATORY CONDITIONS OF THE GASTROINTESTINAL (GI) TRACT?
- A. LOW SODIUM
- B. LIQUID
- C. HIGH PROTEIN
- D. LOW CALORIE

4. WHAT DIET IS INDICATED FOR NEPHROSIS, CIRRHOSIS OF THE LIVER, INFECTIOUS HEPATITIS, BURNS, RADIATION INJURIES, FRACTURES, AND NEARLY ALL TYPES OF ILLNESSES?
- A. BLAND
- B. SOFT
- C. HIGH CALORIE
- D. HIGH PROTEIN

5. WHICH OF THE BELOW IS NOT TRUE CONCERNING DIET THERAPY?
- A. SERIOUSLY BURNED AND RADIATION PATIENTS SHOULD RECEIVE ABOUT 300 GRAM'S OF PROTEIN DAILY
- B. LOW CALORIE DIETS CONSIST OF 800 TO 1800 CALORIES PER DAY
- C. 60 TO 70 GRAMS PER DAY OF PROTEIN IS INDICATED IN A LOW PROTEIN DIET
- D. 100% WHEAT BRAN CEREAL IS RECOMMENDED DAILY FOR THE HIGH RESIDUE DIET

6. WHICH OF THE FOLLOWING VITAMINS IS TRANSPORTED THROUGHOUT THE BODY IN FATS, AND IS CONSIDERED FAT-SOLUBLE?
- A. VITAMIN B
 - B. VITAMIN C
 - C. VITAMIN D
 - D. FOLIC ACID
7. SUBSTANCES PRESENT IN FOOD THAT ACT AS CATALYSTS IN MANY CHEMICAL REACTIONS OF THE BODY ARE KNOWN AS?
- A. VITAMINS
 - B. PROTEIN
 - C. MINERALS
 - D. CARBOHYDRATES
8. AN INSUFFICIENT INTAKE OF WATER MAY CAUSE LOSS OF WEIGHT, ABNORMAL BODY TEMPERATURE, CONSTIPATION, AND DEHYDRATION LEADING TO?
- A. NEPHROSIS
 - B. KETOSIS
 - C. HYPOTHYROIDISM
 - D. HYPERTENSION
9. WHAT TYPE DIET IS INDICATED FOR ULCERATION'S, INFLAMMATION, AND OTHER GASTRIC DISORDERS, SUCH AS PARTIAL INTESTINAL OBSTRUCTION, OR DIVERTICULITIS, HEMORRHOIDECTOMY, AND DYSENTERY'S?
- A. LOW CALORIE
 - B. LOW PROTEIN
 - C. HIGH RESIDUE
 - D. LOW RESIDUE
10. WHAT TYPE DIET IS INDICATED FOR HYPERTHYROIDISM, POLIOMYELITIS, TUBERCULOSIS, POST SURGICAL OR CONVALESCING FROM ACUTE ILLNESSES (INFECTIONS, BURNS, FEVER)?
- A. LOW SODIUM
 - B. LOW CARBOHYDRATE - HIGH PROTEIN
 - C. BLAND
 - D. HIGH CALORIE
11. HOW MANY CALORIES DOES EACH GRAM OF FAT YIELD IN THE PROCESS OF IT'S METABOLISM?
- A. 2
 - B. 4
 - C. 6
 - D. 9

**ADMINISTRATION # 2
(HEALTH RECORD)**

1. THE HEALTH RECORD OF A MEMBER OF THE ARMED FORCES IS AN INVALUABLE AID IN?
 - A. PROPER AND EQUABLE ADJUDICATION OF CLAIMS
 - B. DETERMINING PHYSICAL FITNESS
 - C. COMPILATION OF MEDICAL STATISTICS
 - D. ALL OF THE ABOVE

2. ALL HEALTH RECORDS WILL BE VERIFIED ANNUALLY WHEN PRACTICABLE AND SHALL COINCIDE WITH THAT OF THE?
 - A. SERVICE RECORD
 - B. PAY RECORD
 - C. PAYPERS MANUAL
 - D. BOTH A AND B

3. WHAT CHAPTER IN THE MANUAL OF THE MEDICAL DEPARTMENT (NAVMED P-117) COVERS THE POLICY ON RELEASE OF INFORMATION FROM THE HEALTH RECORD?
 - A. 15
 - B. 16
 - C. 21
 - D. 23

4. WHAT HEALTH RECORD FORM IS USED TO INDICATE THAT A DENTAL OFFICER DID NOT PERFORM THE DENTAL EXAMINATION?
 - A. SF-88
 - B. SF-93
 - C. SF-600
 - D. EACH OF THE ABOVE

5. THE HEALTH AND DENTAL RECORDS OF NAVY INACTIVE RESERVES WHO HAVE BEEN RECALLED TO ACTIVE DUTY MAY BE OBTAINED BY SENDING A DD-877 (REQUEST FOR MEDICAL/DENTAL RECORDS OR INFORMATION) TO?
 - A. NATIONAL PERSONNEL RECORDS CENTER, ST. LOUIS, MO.
 - B. NAVAL RESERVE PERSONNEL CENTER, NEW ORLEANS, LA
 - C. RESERVE FORCES ADMINISTRATIVE ACTIVITY, KANSAS CITY, MO.
 - D. CHIEF, BUREAU OF MEDICINE AND SURGERY

6. WHAT DISPOSITION IS MADE OF THE HEALTH RECORD OF A CLASS III MARINE CORPS OFFICER WHO IS APPOINTED AND RETAINED ON INACTIVE DUTY?
- A. FORWARD TO MARINE CORPS RESERVE FORCES ADMINISTRATIVE ACTIVITY, KANSAS CITY, MO.
 - B. FORWARD TO THE ORGANIZED RESERVE UNIT TO WHICH ASSIGNED
 - C. FORWARD TO THE COMMANDANT OF THE MARINE CORPS
 - D. EITHER A OR B
7. WHO IS RESPONSIBLE FOR OPENING THE HEALTH RECORD OF A MARINE WHO IS IMMEDIATELY ORDERED TO ACTIVE DUTY AT A RECRUIT TRAINING FACILITY?
- A. ACTIVITY EXECUTING THE ENLISTMENT CONTRACT
 - B. MEPS
 - C. MARINE CORPS RECRUIT DEPOT
 - D. NAVY TRAINING CENTER
8. THE HEALTH RECORD OF A CIVILIAN SELECTED FOR THE NAVAL ACADEMY WOULD BE OPENED AT THE?
- A. MEPS
 - B. FIRST PERMANENT DUTY STATION
 - C. NAVAL ACADEMY
 - D. RESERVE UNIT TO WHICH ASSIGNED
9. UPON THE APPREHENSION OR SURRENDER OF A MARINE DESERTER, THE HEALTH RECORD WOULD BE REQUESTED FROM?
- A. HIS LAST PERMANENT DUTY STATION
 - B. BUREAU OF MEDICINE AND SURGERY
 - C. MARINE CORPS RESERVE FORCES ADMINISTRATIVE ACTIVITY, KANSAS CITY, MO.
 - D. COMMANDANT OF THE MARINE CORPS
10. WHICH OF THE BELOW IS NOT TRUE CONCERNING CLOSURE OF THE HEALTH RECORD?
- A. CLOSING ENTRIES SHALL BE MADE ON THE NAVMED 6150/4
 - B. THE ENTIRE HEALTH AND DENTAL RECORDS WILL BE DELIVERED TO THE COMMAND MAINTAINING THE MEMBERS SERVICE RECORD NO LATER THAN FIVE (5) WORKING DAYS FOLLOWING SEPARATION
 - C. CLOSING ENTRIES SHALL INCLUDE DATE OF SEPARATION, TITLE OF THE SERVICING ACTIVITY, AND EXPLANATORY CIRCUMSTANCES
 - D. THE CLOSED RECORD IS FORWARDED TO NAVMILPERSCOM OR MARCORPS
11. THE HEALTH RECORD SHALL BE SUBJECT TO INSPECTION AT ANY TIME BY?
- A. EXECUTIVE OFFICER
 - B. ADMINISTRATIVE OFFICER
 - C. FLEET MEDICAL OFFICER
 - D. ANY OF THE ABOVE

12. WHAT IS THE DISPOSITION OF THE HEALTH RECORD IF A MAN IS ADMITTED TO A HOSPITAL OF A FOREIGN NATION AND HIS SHIP IS GETTING UNDER WAY?
- A. RETAINED ABOARD HIS SHIP
 - B. FORWARDED TO THE NEAREST U.S. EMBASSY OR CONSUL
 - C. FORWARD TO ANOTHER U.S. NAVY SHIP IN PORT
 - D. FORWARD WITH THE PATIENT TO THE FOREIGN HOSPITAL
13. WHAT IS THE DISPOSITION OF THE HEALTH RECORD WHEN A PATIENT IN A NAVAL HOSPITAL IS SEPARATED FROM THE NAVAL SERVICE BUT IS RETAINED FOR FURTHER TREATMENT AND HOSPITALIZATION?
- A. CLOSED AND FORWARDED TO BUMED
 - B. CLOSED AND RETAINED BY THE HOSPITAL UNTIL COMPLETION OF TREATMENT
 - C. CLOSED AND FORWARDED TO THE VA
 - D. REMAINS OPEN UNTIL TERMINATION OF HOSPITALIZATION, THEN CLOSED AND FORWARDED TO BUMED
14. IF A PERSON DOES NOT CLAIM ANY RELIGIOUS CONVICTIONS, WHAT WOULD BE ENTERED IN BLOCK 16 OF THE SF-88?
- A. NONE STATED
 - B. NONE
 - C. NO PREFERENCE
 - D. LEAVE THE BLOCK BLANK
15. WHICH OF THE BELOW LISTED INDIVIDUALS WOULD NOT BE CLASSIFIED AS A MONGOLIAN?
- A. SAMOAN
 - B. CHINESE
 - C. JAPANESE
 - D. ESKIMO
16. A SPACE 4" ON THE RIGHT SIDE OF THE SF-88 (BLOCK 73) SHALL BE RESERVED FOR THE REQUIRED BUMED ENDORSEMENT FOR WHAT PROGRAM?
- A. SUBMARINE
 - B. DIVING
 - C. AVIATION
 - D. ALL OF THE ABOVE

17. LINE OF DUTY AND MISCONDUCT ENTRIES SHALL BE MADE ON THE CHRONOLOGICAL RECORD OF MEDICAL CARE (SF-600) IN CASE OF AN INJURY WHICH MIGHT RESULT IN A PERMANENT DISABILITY, OR WHICH RESULTS IN HIS/HERS PHYSICAL INABILITY TO PERFORM DUTY FOR A PERIOD EXCEEDING?
- A. 12 HOURS
 - B. 24 HOURS
 - C. 36 HOURS
 - D. 48 HOURS
18. WHAT FORM IS DEvised FOR THE PURPOSE OF CROSS MEDICAL SERVICE NOTIFICATION BETWEEN THE ARMED SERVICES?
- A. DD-689
 - B. DD-877
 - C. DD-771
 - D. PHS-731
19. WHAT SECTION OF THE SYPHILIS RECORD (SF-602) IS THE PATIENT REQUIRED TO SIGN?
- A. I
 - B. II
 - C. III
 - D. IV
20. IN THE EVENT OF FUTURE CLAIMS FOR DISABILITY COMPENSATION, WHAT HEALTH RECORD FORM SHOULD BE USED TO INDICATE ALL MINOR DEFECTS?
- A. SF-88
 - B. SFF-93
 - C. SF-513
 - D. SF-603
21. WHERE MEDICAL OFFICERS OF THE DEPARTMENT OF DEFENSE ARE NOT READILY AVAILABLE, A WAIVER OF THE PHYSICAL EXAMINATION IS AUTHORIZED FOR REENLISTMENT WITHIN HOW MANY HOURS FOLLOWING DISCHARGE?
- A. 24 HOURS
 - B. 48 HOURS
 - C. 72 HOURS
 - D. 96 HOURS
22. HOW LONG IS A PHYSICAL EXAMINATION VALID FOR INDUCTION, ENLISTMENT, AND APPOINTMENT AS A RESERVE OR REGULAR OFFICER, AND ENROLLMENT IN AN OFFICER CANDIDATE PROGRAM?
- A. 3 MONTHS
 - B. 6 MONTHS
 - C. 9 MONTHS
 - D. 12 MONTHS

23. WHAT HEALTH RECORD FORM IS AN INVALUABLE AID IN THE IDENTIFICATION OF DECEASED MEMBERS?
- A. SF-88
 - B. SF-93
 - C. SF-600
 - D. SF-603
24. WHEN SHOULD THE NAVMED 6150/2 BE PREPARED FOR A MAN WHO RECENTLY JOINED THE NAVY?
- A. WITHIN 30 DAYS OF ORIGINAL ENLISTMENT
 - B. UPON REPORTING TO FIRST PERMANENT DUTY STATION
 - C. UPON FIRST SPECIAL DUTY EXAMINATION
 - D. UPON OPENING THE HEALTH RECORD
25. WHICH OF THE BELOW LISTED FORMS DOES NOT INDICATE IF A MAN IS HYPERSENSITIVE TO ANY DRUG OR CHEMICAL?
- A. SF-600
 - B. PHS-731
 - C. SF-601
 - D. SF-603
26. INSTRUCTION FOR PREPARING THE RECORD OF EXPOSURE TO IONIZING RADIATION ARE CONTAINED?
- A. IN BUMEDINST 6230
 - B. IN BUMEDINST 6150.1
 - C. ON THE BACK OF THE DD-1141
 - D. IN THE NAVMED P-5055
27. WHAT HEALTH RECORD FORM IS UPPERMOST ON THE RIGHT HAND SIDE OF THE JACKET?
- A. NAVMED 6420/1
 - B. NAVMED 6150/4
 - C. SPECIAL SF-600
 - D. NAVPERS 5510/1
28. THE NAVY STANDARD SUBJECT IDENTIFICATION CODES ARE FOUND IN?
- A. BUMEDINST 6224.8
 - B. BUMEDINST 6300.2
 - C. SECNAVINST 5210.11
 - D. BUPERSINST 6110.2

29. HOW MANY MONTHS SUPPLY OF FORMS SHALL BE MAINTAINED BY ALL SHIPS?
- A. 3 MONTHS
 - B. 6 MONTHS
 - C. 9 MONTHS
 - D. 12 MONTHS
30. THE NAVMED 6320/19 (MORNING REPORT OF THE SICK AND INJURED) SHALL BE USED TO EXCUSE AN INDIVIDUAL FROM DUTY FOR A PERIOD OF MORE THAN 24 HOURS. THIS REPORT MUST BE SUBMITTED TO THE COMMANDING OFFICER DAILY BY?
- A. 0800
 - B. 0900
 - C. 0930
 - D. 1000
31. WHAT IS USED TO PROVIDE DOCUMENTARY SUPPORT TO AID IN COMPILING THE MONTHLY MEDICAL SERVICES AND OUTPATIENT MORBIDITY REPORT AND THE ANNUAL REPORT OF TUBERCULIN TESTING?
- A. STATISTICAL DATA LOG
 - B. SICKCALL TREATMENT LOG
 - C. OOD LOG
 - D. MEDICAL JOURNAL
32. WHAT NAVY DIRECTIVE REMAINS IN EFFECT UNTIL SUPERSEDED OR OTHERWISE CANCELED BY THE ORIGINATING COMMAND OR HIGHER AUTHORITY?
- A. ORDER
 - B. BULLETIN
 - C. INSTRUCTION
 - D. NOTICE
33. WHICH OF THE FOURTEEN SUBJECT GROUPS DEALS WITH OPERATIONS AND READINESS?
- A. 1000
 - B. 2000
 - C. 3000
 - D. 4000
34. THE 5000 SERIES IS RELATED TO?
- A. GENERAL ADMINISTRATION AND MANAGEMENT
 - B. MEDICINE AND DENTISTRY
 - C. FINANCIAL MANAGEMENT
 - D. ORDNANCE MATERIAL

35. WHICH OF THE FOURTEEN SUBJECT GROUPS RELATES SOLELY TO THE ADMINISTRATION OF CIVILIAN PERSONNEL?
- A. 9000
 - B. 10000
 - C. 12000
 - D. 16000
36. PHARMACISTS SHALL BE ASSIGNED DUTY AT ALL LARGE MILITARY PHARMACIES AT FIXED TREATMENT FACILITIES FILLING MORE THAN HOW MANY PRESCRIPTIONS EVERY QUARTER?
- A. 3000
 - B. 5000
 - C. 7000
 - D. 10000
37. WHICH OF THE BELOW ARE NOT PERMITTED TO WRITE PRESCRIPTIONS UNLESS AUTHORIZED IN WRITING BY THE COMMANDING OFFICER?
- A. CIVILIAN PHYSICIAN EMPLOYED BY THE NAVY
 - B. DENTAL OFFICERS
 - C. NURSE PRACTITIONER
 - D. PODIATRIST (MSC)
38. ALL DRUG ORDERS FOR NARCOTIC, SEDATIVE, HYPNOTICS, ANTICOAGULANTS, AND ANTIBIOTICS SHALL AUTOMATICALLY BE DISCONTINUED AFTER?
- A. 24 HOURS
 - B. 48 HOURS
 - C. 72 HOURS
 - D. 96 HOURS
39. THE CONTROLLED SUBSTANCES INVENTORY BOARD SHALL BE COMPRISED OF AT LEAST HOW MANY PERSONNEL ON A LARGE SHIP OR SHORE STATION?
- A. 1
 - B. 2
 - C. 3
 - D. 5
40. THE THEFT OR LOSS OF CONTROLLED SUBSTANCES SHALL BE REPORTED IMMEDIATELY ON A DEA FORM 106 THE ORIGINAL AND 1 COPY OF THIS REPORT SHALL BE SENT TO?
- A. DRUG ENFORCEMENT AGENCY
 - B. BUMED
 - C. NAVAL INVESTIGATIVE SERVICE
 - D. ALL OF THE ABOVE

41. EACH WARD, CLINIC, OR OTHER ACTIVITY DRAWING CONTROLLED SUBSTANCES FROM THE PHARMACY SHALL MAINTAIN A LOOSE LEAF NOTEBOOK CONTAINING THE NARCOTIC AND CONTROLLED DRUG INVENTORY 24 HOURS WHICH IS A?
- A. NAVMED 6710/1
 - B. NAVMED 6710/4
 - C. NAVMED 6710/5
 - D. NAVMED 6710/6
42. A NARCOTIC PRESCRIPTION WRITTEN BY AN INDEPENDENT DUTY HOSPITAL CORPSMAN MUST BE COUNTERSIGNED BY?
- A. COMMANDING OFFICER
 - B. EXECUTIVE OFFICER
 - C. SUPPLY OFFICER
 - D. ANY OF THE ABOVE

TERMINAL DIGIT # 2

1. WHAT DOES BUMEDINST 6150.1 PERTAIN TO?
 - A. DENTAL AND MEDICAL HEALTH CARE TREATMENT RECORDS
 - B. IMMUNIZATION REQUIREMENTS
 - C. TUBERCULOSIS CONTACTS OR CONVERTERS
 - D. MEDICAL SERVICES AND OUTPATIENT MORBIDITY REPORTING

2. THE DENTAL AND HEALTH CARE TREATMENT RECORDS SHALL NOT BE ALTERED LOCALLY BY STAMP, TAPE OR OTHER MEANS, WITHOUT PRIOR APPROVAL OF?
 - A. COMMANDING OFFICER
 - B. J.C.A.H.
 - C. NAVMEDCOM
 - D. ANY OF THE ABOVE

3. WHAT IS USED TO RECORD PATIENT IDENTIFYING DATA ON THE FRONT OF THE MEDICAL AND DENTAL HEALTH CARE TREATMENT RECORD?
 - A. BLUE BLACK INK
 - B. SHALL BE TYPEWRITTEN
 - C. PENCIL
 - D. FELT TIP PEN

4. WHAT DIGIT OF THE MEMBERS SOCIAL SECURITY NUMBER IS COMPLETELY COVERED WITH THE BLACK TAPE AT THE TOP LEFT AND RIGHT SIDE OF THE DENTAL AND MEDICAL HEALTH CARE TREATMENT RECORD?
 - A. FIRST
 - B. SECOND
 - C. SECOND TO LAST
 - D. LAST

5. WHAT HEALTH RECORD JACKET SHALL BE USED FOR FOREIGN PERSONNEL, THEIR DEPENDENTS, AND CIVILIAN HUMANITARIANS, WHO DO NOT HAVE A SSN?
 - A. 6150/10
 - B. 6150/13
 - C. 6150/16
 - D. 6150/19

6. WHAT FAMILY MEMBER PREFIX CODE WOULD BE GIVEN TO FOREIGN NATIONALS (INCLUDING FOREIGN MILITARY) AND CIVILIAN HUMANITARIANS?
 - A. 00
 - B. 20
 - C. 45
 - D. 99

7. WHAT FAMILY MEMBER PREFIX CODE WOULD BE GIVEN TO THE SPONSOR'S SPOUSE?
- A. 01
 - B. 30
 - C. 40
 - D. 60
8. WHICH OF THE BELOW IS NOT TRUE CONCERNING DATA ON THE FRONT LEAF OF THE DENTAL AND MILITARY HEALTH CARE TREATMENT RECORDS?
- A. PERSONNEL IN FLIGHT STATUS OR ASBESTOS SURVEILLANCE PROGRAM MAY BE IDENTIFIED BY STAMPING OR PRINTING ON THE LOWER PORTION OF PATIENT IDENTIFICATION LABEL
 - B. CENTER RIGHT MARGIN SHALL ONLY BE USED FOR ANNUAL VERIFICATION
 - C. ALERT BOX SHALL BE MARKED NKA IF MEMBER HAS NO ALLERGIES
 - D. SPONSOR'S SERVICE AND PATIENT STATUS IS INDICATED
9. THE TENTATIVE RECORDS RETIREMENT DATE IS INDICATED BY THE USE OF VARIOUS COLORED TAPE. HOW MANY YEAR INTERVALS IS USED FOR OUT PATIENTS?
- A. 2
 - B. 4
 - C. 6
 - D. 8
10. WHAT COLOR TAPE IS USED TO IDENTIFY OUTPATIENT MILITARY HEALTH MEDICAL RECORDS?
- A. BLACK
 - B. RED
 - C. GREEN (MEDIUM)
 - D. BLUE (DARK)
11. WHAT BUMEDINST PRESCRIBES PROCEDURES FOR TRANSFERRING PATIENTS AND INPATIENTS RECORDS TO A VA HOSPITAL?
- A. 6300
 - B. 6320.1D
 - C. 6320.11C
 - D. 6760.1
12. ALL MEDICAL TREATMENT FACILITIES PROVIDING INPATIENT CARE SHALL MAINTAIN A REGISTER OF PATIENTS, WHICH IS IDENTIFIED AS WHAT FORM?
- A. SF-503
 - B. SF-523
 - C. DD-2064
 - D. DD-739

13. WHICH OF THE SYMBOLS LISTED BELOW INDICATES A PATIENT WAS ADMITTED IN NOVEMBER?
- A. N
 - B. O
 - C. R
 - D. X
14. WHAT HEALTH RECORD FORM SHALL ALWAYS BE THE TOP MOST FORM ON THE LEFT SIDE OF THE TREATMENT RECORD JACKET?
- A. NAVMED - 6150/20 PROBLEMS SUMMARY SHEET
 - B. SF-600 - SPECIAL BLOOD GROUPING AND TYPING RECORD
 - C. SF-600 - CHRONOLOGICAL RECORD OF MEDICAL CARE
 - D. NAVPERS 5510/1 - RECORD IDENTIFIER FOR PERSONNEL RELIABILITY PROGRAM
15. WHICH OF THE BELOW LISTED HEALTH RECORD FORMS ARE FILED ON THE RIGHT SIDE OF THE TREATMENT RECORD JACKET?
- A. DD-1141
 - B. NAVMED 6150/4
 - C. SF-513
 - D. SF-601
16. WHAT FORM SHALL BE PREPARED AND FILED ON THE LEFT SIDE OF THE HEALTH RECORD TO DISPLAY LABORATORY REPORTS?
- A. SF-519
 - B. SF-545
 - C. OPNAV 5211/9
 - D. NAVMED 6150/2
17. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE MILITARY HEALTH (MEDICAL) TREATMENT RECORD?
- A. DENTAL CLASS IS RESERVED EXCLUSIVELY FOR DENTAL ACTIVITIES
 - B. DD-2064 IS THE UPPER MOST FORM ON THE RIGHT SIDE IF MEMBER DIES OVERSEAS
 - C. REPORT OF ALL DIVING ACCIDENTS (NAVMED 6420/1) IS NO LONGER REQUIRED
 - D. PERTINENT HEALTH CARE INFORMATION FROM LOCAL OR CIVILIAN PRACTITIONER FORMS MAY BE FILED IN THE HEALTH RECORD
18. WHAT IS USED AS A CHARGE-OUT CONTROL OF THE MILITARY HEALTH TREATMENT RECORD?
- A. OPTIONAL FORM 24
 - B. BLANK 3X5 INCH CARD
 - C. NAVMED 6150/7
 - D. EITHER A OR B

19. WHAT COLOR TAPE IS USED TO IDENTIFY PATIENTS WHO HAVE NOT RECEIVED AN ORAL EXAMINATION BY A DENTAL OFFICER WITHIN THE PAST 12 MONTHS OR FOR WHOM NO DENTAL RECORD EXISTS?

- A. BLUE
- B. RED
- C. YELLOW
- D. GREEN/WHITE

20. THE NINE DIGITS OF THE SSN ARE DIVIDED INTO HOW MANY NUMBER GROUP FOR EASE OF READING?

- A. 1
- B. 2
- C. 3
- D. 4

FAMILY ADVOCACY PROGRAM AND MISCELLANEOUS # 2

1. WHAT DOES NAVMEDCOMINST 6320.22 PERTAIN TO?
 - A. DECEDENT AFFAIRS
 - B. COMPETENCY FOR DUTY EXAMINATION
 - C. FAMILY ADVOCACY PROGRAM
 - D. QUALITY ASSURANCE PROGRAM

2. THE COMNAVMEDCOM APPOINTED MSC SOCIAL WORKER IS RESPONSIBLE TO PREPARE AN UPDATED FAR DIRECTORY EACH YEAR BY THE 1ST OF?
 - A. JANUARY
 - B. APRIL
 - C. JULY
 - D. OCTOBER

3. WHO IS RESPONSIBLE TO OPERATE THE NAVY / MARINE CORPS FAMILY ADVOCACY CENTRAL REGISTRY?
 - A. NAVMEDCOM
 - B. NAVMILPERSCOM
 - C. COMMANDING OFFICERS
 - D. NAVAL MEDICAL DATA SERVICES CENTER

4. THE CO OR OIC WILL APPOINT A FULL TIME SOCIAL WORKER AS THE FAR (WHO MUST HAVE A MASTERS DEGREE) IF THE NUMBER OF NEW CASES REFERRED TO THE CASE REVIEW SUBCOMMITTEE (CRS) REACHES AN AVERAGE OF HOW CASES EACH MONTH FOR SIX CONSECUTIVE MONTHS IN THE U.S.?
 - A. 1
 - B. 3
 - C. 6
 - D. 8

5. WHO MAY NOT BE ASSIGNED AS THE DUTY FAMILY ADVOCACY REPRESENTATIVE (DFAR)?
 - A. PHYSICIAN'S ASSISTANT
 - B. MOOD
 - C. OOD
 - D. NOD

6. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE FAMILY ADVOCACY PROGRAM?
- A. AN OFFENDER NORMALLY HAS THREE (3) DAYS TO MAKE A STATEMENT
 - B. CASES SEEN BY THE CRS WILL BE CONSIDERED SUBSTANTIATED, SUSPECTED, AT RISK, UNSUBSTANTIATED - DID NOT OCCUR, OR UNSUBSTANTIATED - UNRESOLVED, AND TREATMENT RECOMMENDATIONS
 - C. CASES OF KNOWN OR SUSPECTED INCEST INVOLVING ACTIVE DUTY SUSPECTS ARE REPORTED TO COMNAVMIIPERSCOM WITHIN 48 HOURS AFTER REFERRAL IS RECEIVED
 - D. AT MARINE CORPS INSTALLATIONS THE FAMILY ADVOCACY OFFICER AT THE FAMILY SERVICES CENTER MUST BE NOTIFIED OF ALL FAP CASES REFERRED TO THE MTF WITHIN 5 WORKING DAYS OF RECEIPT OF A REFERRAL
7. ALL CASES MUST HAVE A COMPLETED DD-2486 (CHILD / SPOUSE ABUSE INCIDENT REPORT) FORWARDED TO THE CO, NAVAL MEDICAL DATA SERVICES CENTER WITHIN HOW MANY DAYS FROM THE DATE THE CRS MAKES A STATUS DETERMINATION OR CLOSES, TRANSFERS, OR REOPENS THE CASE?
- A. 5 WORKING DAYS
 - B. 10 DAYS
 - C. 10 WORKING DAYS
 - D. 15 DAYS
8. THE CASE REVIEW SUBCOMMITTEE WILL BE COMPRISED OF WHAT FRACTION OF MEDICAL OR MENTAL HEALTH, OR SOCIAL SERVICE PROFESSIONALS WITH APPROPRIATE CREDENTIALS?
- A. 1/3
 - B. 1/2
 - C. 2/3
 - D. 3/4
9. ALL ACTIVE CASES WILL BE REVIEWED BY THE CRS HOW OFTEN?
- A. WEEKLY
 - B. BI-MONTHLY
 - C. MONTHLY
 - D. QUARTERLY
10. ALL FAMILY ADVOCACY CLIENT INFORMATION MUST BE SAFEGUARDED IN WHICH MANNER?
- A. KEYLESS PADLOCK
 - B. COMBINATION LOCK
 - C. DOUBLE LOCK SYSTEM
 - D. ANY OF THE ABOVE

11. WHICH OF THE BELOW IS NOT TRUE CONCERNING REPORTS SENT BY THE NAVY / MARINE CORPS CENTRAL REGISTRY?
- A. RECORDS FLAGGED AND LIFTED ARE REPORTED TO NAVMILPERSCOM EVERY TWO (2) WEEKS
 - B. THE NAVAL MEDICAL DATA SERVICES CENTER WILL SEND QUARTERLY REPORTS TO MEDCOM USING THE DD-2404 (CHILD AND SPOUSE ABUSE REPORT)
 - C. OTHER SERVICE PERSONNEL WHO ARE SUSPECTED OR SUBSTANTIATED WILL BE REPORTED TO THE CENTRAL REGISTRY WITH THIRTY DAYS OF ENTRY
 - D. SEND QUARTERLY REPORTS TO EACH GEOGRAPHIC NAVAL MEDICAL COMMAND REGARDING ALL CASES ENTERED INTO THE REGISTRY IN THE PREVIOUS THREE (3) MONTHS
12. ALL MSC WATCHSTANDERS, MSC ALLIED HEALTH CARE PROVIDERS, CIVILIAN ALLIED HEALTH CARE PROVIDERS AND ALL DFARS MUST RECEIVE HOW MUCH TRAINING ON THE IDENTIFICATION AND REFERRAL OF CHILD AND SPOUSE MALTREATMENT VICTIMS?
- A. 30 MINUTES AS PART OF COMMAND INDOCTRINATION
 - B. 2 HOURS ANNUALLY
 - C. 3 HOURS EVERY 2 YEARS
 - D. 4 HOURS EVERY 2 YEARS
13. WHEN THERE IS NO LONGER FAP CASE ACTIVITY IN THE FAMILY, AN ENTRY MUST BE MADE (FAP CASE RECORD CLOSED THIS DATE ("RESOLVED OR UNRESOLVED" OR CASE IS CLOSED) DUE TO THE SPONSOR BEING SEPARATED FROM THE SERVICE) ON WHICH FORMS?
- A. SF-600
 - B. NAVMED 6150/20
 - C. NAVMED 6150/4
 - D. BOTH A AND B
14. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE FAMILY ADVOCACY PROGRAM?
- A. ALL CASES INVOLVING PERSONNEL IN THE PRP SHOULD BE REPORTED TO THE CO ASAP
 - B. THE FAR IS THE CUSTODIAN OF ALL FAP RECORDS AT A MTF
 - C. ENTRIES IN THE FAP LOG WILL BE DELETED IF THE CASES ARE DETERMINED UNSUBSTANTIATED - DID NOT OCCUR
 - D. OVERSEAS INSTALLATION COMMANDERS HAVE THE AUTHORITY TO REMOVE CHILDREN FROM THEIR PARENTS
15. THERE ARE HOW MANY CATEGORIES FOR UNSUBSTANTIATED CASES?
- A. 1
 - B. 2
 - C. 3
 - D. 4

16. THE DD 2404 WILL BE SENT TO MEDCOM COVERING THE REPORTS 01 OCTOBER THROUGH 31 MARCH AND 01 APRIL THROUGH 30 SEPTEMBER NO LATER THAN THE 5TH OF?
- A. APRIL AND OCTOBER
 - B. MAY AND NOVEMBER
 - C. JUNE AND DECEMBER
 - D. JANUARY AND JULY
17. IF THE ABUSED SPOUSE DOES NOT GIVE PERMISSION TO TAKE PHOTOGRAPHS TO SHOW ABUSE, WHAT ACTION SHOULD BE TAKEN?
- A. DOCUMENT ON THE OPNAV 5290/1
 - B. DOCUMENT ON THE SF 600
 - C. DO NOT TAKE PHOTOS
 - D. BOTH A AND B
18. IF A VICTIM WERE ABUSED, WHAT COLOR (IN THE COLOR PHOTOGRAPH) WOULD BE SEEN 10 TO 14 DAYS AFTER AN INCIDENT?
- A. BLUE
 - B. GREEN
 - C. YELLOW
 - D. BROWN
19. WHAT IS A CORRECT ENTRY ON THE DD 2486 (CHILD/SPOUSE ABUSE INCIDENT REPORT) IF THE CASE REVIEW SUBCOMMITTEE DOES WANT TO FLAG THE SPONSOR'S NAVMILPERSCOM PERSONNEL RECORD?
- A. 940911
 - B. 000000
 - C. 11 SEP 94
 - D. 9-11-94
20. THE SYMPTOMS OF WHICH CONDITION INCLUDE ITCHING, PAIN, A POSSIBLE DISCHARGE, A STINGING SENSATION AND THE APPEARANCE OF "SALT AND PEPPER" PARTICLES (DIRTY GRAY OR BLACK EXUDATE RESULTING FROM PROLONGED SCRATCHING)?
- A. PERFORATED TYMPANIC MEMBRANE
 - B. OTOMYCOSIS
 - C. ACUTE EXTERNAL OTITIS
 - D. AURAL FURUNCULOSIS
21. WHAT SHOULD BE DONE AS A LAST RESORT, IF DRAINAGE DOESN'T OCCUR FOR A PERIAPICAL ABSCESS?
- A. APPLY ZINC OXIDE AND EUGENOL
 - B. APPLY HEAT TO THE FACE
 - C. APPLY ICE PACKS
 - D. ANY OF THE ABOVE

22. THE TREATMENT FOR A TOOTH THAT WAS KNOCKED OUT WOULD INCLUDE PUTTING THE TOOTH IN?
- A. WRAPPED IN STERILE GAUZE
 - B. IN A CONTAINER OF ICE WATER
 - C. IN A CONTAINER OF PEROXIDE
 - D. IN A CONTAINER WITH STERILE SALINE
23. THE TREATMENT FOR STUBBORN RECURRENT APTHOUS STOMATITIS WOULD INCLUDE?
- A. RINSE WITH STERILE SALINE
 - B. GLYCERITE ON A COTTON PELLET
 - C. IODINE ON A COTTON PELLET
 - D. ORAL TETRACYCLINE SUSPENSION
24. THE GRAMS STAIN (GRAM NEGATIVE BACILLI) WHICH IS DEEP PINK OR REDDISH WOULD BE PRESENT IN AN INDIVIDUAL WITH?
- A. PLAQUE, UNDULANT FEVER, AND WHOOPING COUGH
 - B. BOILS, FURUNCLES, STREP THROAT, SEPTICEMIA, AND OSTEOMYELITIS
 - C. GONORRHEA AND MENINGITIS
 - D. DIPHTHERIA, GAS GANGRENE, TETANUS, AND BOTULISM
25. THE PURPOSE FOR OPERATION AND MAINTENANCE NAVY IS INDICATED BY WHICH NUMERALS 1761804.1880?
- A. 17
 - B. 1804
 - C. 6
 - D. 1880
26. WHO MAY AUTHORIZE A COMPETENCY FOR DUTY EXAM OF BLOOD IF THE PATIENT REFUSES TO HAVE BLOOD DRAWN?
- A. CO OF TREATING FACILITY
 - B. NIS
 - C. TREATING MEDICAL OFFICER
 - D. DIVISION OFFICER
27. HOW SHOULD AN INCIDENT REPORT BE HANDLED?
- A. NEED TO KNOW BASIS
 - B. SECRET
 - C. CONFIDENTIALITY
 - D. NO SPECIAL HANDLING

28. WHAT TYPE OF ADMISSION CODE IS INDICATED WHEN A PATIENT IS RECEIVED FROM A CIVILIAN (U.S. OR FOREIGN) MEDICAL FACILITY OR FROM A GOVERNMENT MEDICAL FACILITY OTHER THAN ARMY, NAVY, OR AIR FORCE?
- A. FT (M)
 - B. FT (O)
 - C. NBD
 - D. NBFT
29. WHAT ADMISSION CODE IS INDICATED IF A BABY WAS BORN OUTSIDE THE CONFINES OF A MEDICAL TREATMENT FACILITY?
- A. LB
 - B. FT (M)
 - C. NBD
 - D. NBFT
30. WHAT IS A SUPPURATIVE INFLAMMATION OF THE INNER EAR THAT MAY BE CAUSED BY CHRONIC OTITIS MEDIA, ALLERGIES, TRAUMA, BLOOD DYSCRASIAS, AND CARDIOVASCULAR DISEASE?
- A. AURAL FURUNCULOSIS
 - B. TINNITIS
 - C. OTOMYCOSIS
 - D. LABYRINTHINE DISEASE
31. WHICH OF THE FOLLOWING DEPARTMENTS IN A NAVAL HOSPITAL WOULD NOT BE UNDER THE DIRECTORATE FOR ADMINISTRATION?
- A. ARS/SUBSTANCE ABUSE
 - B. FISCAL AND SUPPLY
 - C. OPERATING MANAGEMENT
 - D. CIVILIAN PERSONNEL
32. WHICH OF THE FOLLOWING DEPARTMENTS IN A NAVAL HOSPITAL WOULD BE UNDER THE DIRECTORATE OF MEDICAL SERVICES?
- A. RESPIRATORY THERAPY
 - B. EMERGENCY MEDICINE
 - C. ANESTHESIOLOGY
 - D. PHYSICAL/OCCUPATIONAL THERAPY
33. WHAT PART OF THE DECEDENT AFFAIRS PROGRAM CAN ONLY BE ACTIVATED UPON THE ENACTMENT OF SPECIAL LEGISLATION?
- A. RETURN OF REMAINS PROGRAM
 - B. GRAVES REGISTRATION
 - C. CONCURRENT RETURN PROGRAM
 - D. CURRENT DECEDENT AFFAIRS PROGRAM

34. WHO IS REQUIRED TO FILL OUT BLOCKS 1 THROUGH 12 OF THE NAVMED 6120/1 (COMPETENCY FOR DUTY EXAMINATION)?
- A. THE INDIVIDUAL
 - B. HOSPITAL CORPSMAN
 - C. COMMAND INITIATING REQUEST
 - D. HEALTH CARE PROVIDER
35. WHAT SHOULD BE DONE IF A COMMAND HAS REQUESTED LABORATORY ANALYSIS AND THE INDIVIDUAL WILL NOT GIVE WRITTEN CONSENT BUT WILL ALLOW EXTRACTION?
- A. THE SAMPLE SHOULD BE TAKEN
 - B. NOTIFY REQUESTING COMMAND
 - C. HAVE A SEARCH AUTHORIZATION ISSUED
 - D. EACH OF THE ABOVE SHOULD BE DONE
36. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE CIVILIAN HEALTH AND MEDICAL PROGRAM OF THE UNIFORMED SERVICES (CHAMPUS)?
- A. NON AVAILABILITY STATEMENT REQUIRED WITH 40 MILES OF USMTF
 - B. CHAMPUS CLAIMS ARE PAYABLE ONLY IF RECEIVED BY 31 DECEMBER OF THE YEAR FOLLOWING THE YEAR THAT CARE WAS GIVEN
 - C. OUTPATIENT CARE YEARLY DEDUCTIBLE IS THE SAME FOR ACTIVE DUTY AND RETIRED
 - D. RETIREES AND THEIR FAMILIES PAY 24% OF THE COST OF CHAMPUS COST-SHARING CIVILIAN MEDICAL CARE FOR INPATIENT

MMART # 2

1. HOW MANY MOBILE MEDICAL AUGMENTATION READINESS TEAMS ARE THERE?
 - A. 4
 - B. 6
 - C. 8
 - D. 10

2. WHO IS NORMALLY ASSIGNED TO COORDINATE THE MMART PROGRAM AND TO SERVE AS THE COMMAND CONTACT POINT?
 - A. EXECUTIVE OFFICER
 - B. SUPPLY OFFICER
 - C. POMI
 - D. ANY OF THE ABOVE

3. WHAT MEDICAL DEPARTMENT COMMAND ACTIVITY MAINTAINS AND ASSURES THE READINESS OF MMART COMPONENT SPECIALTY TEAMS OR SUPPLY BLOCKS?
 - A. SPONSORING COMMAND
 - B. RECEIVING COMMAND
 - C. REQUESTING COMMAND
 - D. ANY OF THE ABOVE

4. PERSONNEL WHO DEPLOY ON MMART ARE REQUIRED TO COMPLETE A NAVY DEPENDENT CARE CERTIFICATE, WHICH IS WHAT FORM?
 - A. DD-1934
 - B. NAVPERS 1320/16
 - C. NAVMED 6700/3
 - D. OPNAV 1740/1

5. WHICH OF THE TEAMS LISTED BELOW IS NOT PART OF THE MMART?
 - A. SURGICAL TEAMS
 - B. SPECIALIST SUPPORT TEAM
 - C. PREVENTIVE MEDICINE TEAM
 - D. DISASTER TEAM

6. HOW LONG BEFORE THE LOSS OF A PRIMARY TEAM MEMBER MUST A REPLACEMENT MEMBER BE IDENTIFIED TO BEGIN INTEGRATION INTO THE TEAM?
 - A. 1 MONTH
 - B. 2 MONTHS
 - C. 3 MONTHS
 - D. 6 MONTHS

7. WHAT MMART TEAM MAY HAVE WOMEN ASSIGNED?
- A. SPRINT
 - B. HST
 - C. MRT
 - D. SST
8. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE TEAM LEADERS?
- A. REVIEWS TEAM MEMBERS PERSONNEL CHECKLIST, TRAINING AND QUALIFICATIONS MONTHLY
 - B. PREPARES POST DEPLOYMENT CRITIQUES
 - C. ASSISTS INPUT FOR PERFORMANCE EVALUATIONS
 - D. ASSISTS IN PREPARING INDIVIDUALIZED TRAINING PLANS FOR TEAM MEMBERS
9. WHO IS THE DECISION AUTHORITY FOR APPROVAL OF FLEET REQUESTS FOR MMART?
- A. SECNAV
 - B. CNO
 - C. BUMED
 - D. COMMANDING OFFICER
10. WHO IS RESPONSIBLE TO ARRANGE TRANSPORTATION FOR MMART MEMBERS TO AND FROM DEPLOYMENT?
- A. SENIOR COMMAND
 - B. REQUESTING COMMAND
 - C. RECEIVING COMMAND
 - D. SPONSORING COMMAND
11. THE ACKNOWLEDGMENT OF ALERT STATUS REPORT (MED 6440-2) MESSAGE REPORT MUST BE TRANSMITTED TO BUMED WITHIN HOW MANY HOURS AFTER BUMED ISSUES AN ALERT ORDER?
- A. 12 HOURS
 - B. 24 HOURS
 - C. 36 HOURS
 - D. 48 HOURS
12. THE SITUATIONAL REPORT (MED 6440-4) IS SUBMITTED TO BUMED WHEN A TEAM IS ABSENT FOR THE COMMAND FOR TRAINING FOR MORE THAN?
- A. 24 HOURS
 - B. 36 HOURS
 - C. 48 HOURS
 - D. 72 HOURS

13. THE MMART BLOCK STATUS REPORT (MED 6440-5) IS SUBMITTED TO BUMED BY NAVMEDLOGCOM?
- A. 5TH WORKING DAY OF THE MONTH
 - B. 10TH DAY OF THE MONTH
 - C. 20TH WORKING DAY OF THE MONTH
 - D. MONTHLY
14. PREPOSITIONED MMART BLOCKS ARE PLACED AT ALL U.S. NAVAL HOSPITALS LISTED BELOW EXCEPT?
- A. YOKOSUKA
 - B. NAPLES
 - C. SIGONELLA
 - D. ROTA
15. WHAT MMART SUPPLY BLOCK CONTAINS SUFFICIENT MEDICAL MATERIAL TO AUGMENT 10 INTENSIVE CARE STATIONS AND TO PROVIDE POST-OPERATIVE RECOVERY ROOM CARE FOR 100 SURGICAL CASUALTIES, 30 OF WHICH REQUIRE INTENSIVE CARE?
- A. SURGICAL SUPPLY BLOCK (AMAL 003)
 - B. DISASTER AUGMENT BLOCK (AMAL 005)
 - C. ORTHOPEDIC AUGMENT BLOCK (AMAL 007)
 - D. SURGICAL SUPPORT SUPPLY BLOCK (AMAL 009)
16. TASK ORGANIZED PREVENTIVE MEDICINE TEAMS ARE AVAILABLE FROM THE BELOW LISTED AREAS EXCEPT?
- A. DVECC ALAMEDA
 - B. DVECC JACKSONVILLE
 - C. NAVENPVNTMEDU 1 - BETHESDA
 - D. NAVENPVNTMEDU 5 - SAN DIEGO
17. WHAT PREVENTIVE MEDICINE BLOCK CONTAINS MATERIAL TO ANALYZE WATER FOR POTABILITY AND TO PERFORM HEALTH SURVEYS FOR 30 DAYS?
- A. ENVIRONMENTAL HEALTH BLOCK (AMAL -024)
 - B. EPIDEMIOLOGY BLOCK (AMAL -025)
 - C. VECTOR CONTROL BLOCK MODULE 2 (AMAL -027)
 - D. VECTOR CONTROL BLOCK MODULE 7 (AMAL -032)
18. WHAT OVERALL TEAM READINESS IS INDICATED WHEN THE TEAM/TF SURGEON IS NOT FULLY MISSION CAPABLE BUT WILL BE MISSION CAPABLE WITHIN 48 HOURS/1 MONTH?
- A. C - 2
 - B. C - 3
 - C. C - 4
 - D. C - 5

19. WHAT RATING (FOR ORGANIZATIONAL MATERIAL) IS NOT CORRECTABLE BECAUSE AN ITEM OR MATERIAL IS NOT AVAILABLE WITHIN 14 DAYS, REQUIRING HIGHER LEVEL INTERVENTION THAN SPONSORING COMMAND TO OBTAIN?
- A. M-1
 - B. M-2
 - C. M-3
 - D. M-4
20. WHAT SUPPLY BLOCK CATEGORY IS INDICATED WHEN ALL EQUIPMENT CONTAINED IN APPLICABLE AMAL IS AVAILABLE AND FULLY FUNCTIONAL WITHIN 72 HOURS. MORE THAN 80% OF REQUIRED SUPPLIES ARE AVAILABLE, THE REMAINING SUPPLIES CAN BE OBTAINED LOCALLY WITHIN 96 HOURS?
- A. C-2
 - B. C-3
 - C. C-4
 - D. C-5
21. THE COMMANDING OFFICER MUST APPOINT A TASK FORCE (TF) SURGEON, IN WRITING FOR?
- A. 18 MONTHS
 - B. 24 MONTHS
 - C. 36 MONTHS
 - D. 48 MONTHS
22. WHAT MMART SUPPLY BLOCK IS NOT PREPOSITIONED ON ALL LHD'S AND LHA'S?
- A. AMAL - 003
 - B. AMAL - 004
 - C. AMAL - 005
 - D. AMAL - 009

PREVENTIVE MEDICINE # 2

1. WHAT INSTRUCTION IN THE NAVY PERTAINS TO PREVENTIVE MEASURES AGAINST VIRAL HEPATITIS?
 - A. NAVMEDCOMINST 6230.1
 - B. BUMEDINST 6220.3
 - C. NAVMEDCOMINST 6220.2
 - D. BUMEDINST 6250.13A

2. AN OBJECT THAT IS CAPABLE OF HARBORING OR TRANSMITTING PATHOGENIC ORGANISMS WOULD BE TERMED?
 - A. PATHOGENICITY
 - B. FOMITES
 - C. EPIZOOTIC
 - D. ENDEMIC

3. THE TRANSMISSION OF AN INEFFECTIVE AGENT TO A PERSON THROUGH CONTAMINATED MATERIALS OR OBJECTS THAT SERVE AS INTERMEDIATE MEANS WOULD BE TERMED?
 - A. AIRBORNE
 - B. DIRECT
 - C. VEHICLE-BORNE
 - D. VECTOR-BORNE

4. WHAT INTERNATIONAL QUARANTINABLE DISEASE IS SEVERE AND OFTEN FATAL WITH TOXEMIA, HIGH FEVER, SHOCK, FALL IN BLOOD PRESSURE, RAPID AND IRREGULAR PULSE, STAGGERING GAIT, MENTAL CONFUSION, PROSTRATION, DELIRIUM AND COMA?
 - A. SMALLPOX
 - B. CHOLERA
 - C. YELLOW FEVER
 - D. PLAGUE

5. WHAT IS THE INFECTIOUS AGENT FOR RELAPSING FEVER?
 - A. YERSINIA (PASTEURELLA) PESTIS
 - B. XENAPSYLLA CHEOPIS
 - C. RICKETTSIA PROWAZEKI
 - D. BORRELIA RECURRENTIS

6. WHAT DISEASE IS SPREAD TO PEOPLE WHO LIVE UNDER UNHYGIENIC CONDITIONS IN THE COLDER AREAS OF THE WORLD?
 - A. LOUSE-BORNE TYPHUS FEVER
 - B. RELAPSING FEVER
 - C. SMALLPOX
 - D. PLAGUE

7. WHAT MOSQUITO IS RESPONSIBLE FOR TRANSMITTING FILARIASIS?
- A. ANOPHELES
 - B. CULEX
 - C. AEDES
 - D. AEDES AEGYPTI
8. WHAT IS THE INFECTIOUS AGENT FOR AMEBIASIS (AMEBIC DYSENTERY)?
- A. CLOSTRIDIUM BOTULINUM
 - B. BARICELLA-ZOSTER VIRUS
 - C. ENDAMOEBIA HISTOLYTICA
 - D. SHIGELLA
9. WHAT TYPE OF HEPATITIS IS TRANSMITTED VIA BLOOD TRANSFUSIONS OR EXPOSURE TO CONTAMINATED NEEDLES, EITHER ACCIDENT OR THROUGH TATTOOING OR ILLICIT IV DRUG USE?
- A. HBV (HEPATITIS B)
 - B. HAV (HEPATITIS A)
 - C. NANB (NON A/NON-B HEPATITIS)
 - D. NONE OF THE ABOVE
10. ALL INDIVIDUALS RECEIVING PRE OR POST EXPOSURE IMMUNE GLOBULIN (IG) SHOULD BE AWARE THAT IG PROPHYLAXIS IS AT BEST WHAT PERCENT EFFECTIVE IN PREVENTING CLINICAL HAV IN EXPOSED INDIVIDUALS?
- A. 50% TO 60%
 - B. 60% TO 70%
 - C. 70% TO 80%
 - D. 80% TO 90%
11. WHAT DISEASE CAN BE CONTROLLED BY THE CHEMOPROPHYLAXIS WITH A COMBINATION OF CHLOROQUINE PRIMAQUINE?
- A. MENINGOCOCCAL MENINGITIS
 - B. INFLUENZA
 - C. MALARIA
 - D. HEPATITIS
12. WHAT TYPE OF MALARIA IS ONLY FOUND IN WEST AFRICA?
- A. PLASMODIUM VIVAX
 - B. FALCIPARUM
 - C. OVALE
 - D. MALIGNANT TERTIAN

13. WHAT DISEASE IS CHARACTERIZED BY A FEVER, HEADACHE, STIFF NECK, VOMITING, AND A PETECHIAL RASH WITH PINK MACULES?
- A. CHICKEN POX
 - B. HEPATITIS
 - C. MEASLES
 - D. MENINGOCOCCAL MENINGITIS
14. WHAT IS THE MEDICAL TERM FOR A PERSON WITH RINGWORM OF THE BODY?
- A. TINEA UNGUIUM
 - B. TINEA CAPITIS
 - C. TINEA PEDIS
 - D. TINEA CORPORIS
15. WHAT SYSTEMIC INFECTION IS CHARACTERIZED BY A PERSISTENT FEVER, HEADACHE, ROSE SPOTS ON THE TRUNK, LYMPHOID TISSUE INVOLVEMENT AND ENLARGEMENT OF THE SPLEEN?
- A. TYPHOID FEVER
 - B. POLIOMYELITIS
 - C. INFECTIOUS PAROTITIS
 - D. MEASLES
16. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE DISEASE SMALLPOX?
- A. RASH IS MORE ABUNDANT ON THE TRUNK
 - B. RASH FIRST APPEARS ON THE FACE
 - C. OFTEN MISDIAGNOSED AS CHICKENPOX
 - D. PERMANENT IMMUNITY USUALLY FOLLOWS RECOVERY
17. WHICH OF THE BELOW IS NOT THE PRESCRIBED TREATMENT FOR A PERSON WHO IS BITTEN BY A SUSPECTED RABID ANIMAL?
- A. IMMEDIATELY AND THOROUGHLY CLEANSE THE WOUND WITH SOAP AND WATER, DETERGENT AND WATER, OR QUARternary AMMONIUM COMPOUNDS
 - B. TETANUS PROPHYLAXIS
 - C. SUTURE THE WOUND AFTER THOROUGH CLEANSING
 - D. GIVE ANTIRABIES SERUM AND VACCINE
18. WHICH OF THE BELOW IS NOT TRUE CONCERNING SEXUALLY TRANSMITTED DISEASE (STD)?
- A. INCUBATION PERIOD FOR SYPHILIS IS 10 DAYS TO 10 WEEKS
 - B. ALL STD'S ARE RECORDED IN THE HEALTH RECORD ON THE SF-602
 - C. LESIONS FROM HERPES GENITALIS HEAL IN ABOUT 10 DAYS
 - D. TETRACYCLINE IS USED TO TREAT NONGONOCOCCAL URETHRITIS

19. THE SENIOR ENLISTED MEDICAL REPRESENTATIVE AND THE CORPSMAN RESPONSIBLE FOR PEST CONTROL MUST BE RECERTIFIED
- A. SEMI ANNUALLY
 - B. ANNUALLY
 - C. EVERY 2 YEARS
 - D. EVERY 3 YEARS
20. WHAT IS THE MOST COMMON INDOOR SPECIES OF COCKROACH?
- A. AMERICAN
 - B. BROWN BANDED
 - C. AUSTRALIAN
 - D. GERMAN
21. WHAT RODENT PREFERS FRUITS AND VEGETABLES FOR FOOD?
- A. NORWAY RAT
 - B. BLACK ROOF RAT
 - C. BROWN ROOF RAT
 - D. HOUSE MOUSE
22. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE USE OF ANTICOAGULANT RODENTICIDES?
- A. FEEDINGS SHOULD OCCUR WITHIN A 10 - 14 DAY INTERVAL
 - B. BAIT STATIONS SHOULD BE INSPECTED AND REPLENISHED WITH FRESH BAIT EVERY WEEK
 - C. EACH CONTAINER OF BAIT WILL BE MARKED IN BOLD BLACK LETTERS "POISON"
 - D. THE BEST BAIT FOR USE BY A HOSPITAL CORPSMAN IS WARFARIN
23. WHAT FUMIGANT WILL DESTROY RAT POPULATIONS IN THEIR BURROWS?
- A. DIPHACINONE
 - B. ZINC PHOSPHINE
 - C. WARFARIN
 - D. CALCIUM CYANIDE
24. WHICH OF THE FOLLOWING WATER SOURCES ARE NOT MATCHED CORRECTLY?
- A. DEW - CONDENSATION ON COOL SURFACES
 - B. GROUND WATER - WELLS AND SPRINGS
 - C. RAINWATER - CATCHMENT
 - D. SEAWATER - HEAT

25. WHO IS RESPONSIBLE FOR THE DELIVERY OF WATER THAT IS PURE AND SAFE FROM CONTAMINATION?
- A. NAVY
 - B. MUNICIPALITY
 - C. ENVIRONMENTAL PROTECTION AGENCY
 - D. PUBLIC HEALTH SERVICE
26. POTABLE WATER RECEIVED FROM AN APPROVED SOURCE MUST BE CHLORINATED OR BROMINATED TO HOW MANY PARTS PER MILLION AFTER A 30 MINUTE CONTACT TIME?
- A. 0.2 PPM
 - B. 0.5 PPM
 - C. 1.0 PPM
 - D. 2.0 PPM
27. WHAT IS THE METHOD OF CHOICE FOR BACTERIOLOGICAL TESTING OF WATER ABOARD SHIP?
- A. PALIN-DPD
 - B. TAYLOR
 - C. MEMBRANE FILTER TECHNIQUE
 - D. MULTIPLE-TUBE FERMENTATION
28. HOW OFTEN SHOULD WATER SAMPLES BE COLLECTED FROM TANKS FOR BACTERIOLOGICAL ANALYSIS ABOARD SHIP?
- A. WEEKLY
 - B. I - MONTHLY
 - C. MONTHLY
 - D. QUARTERLY
29. WHO IS RESPONSIBLE FOR ESTABLISHING STANDARDS OF QUALITY (BACTERIOLOGICAL AND CHARACTERISTICS (CHEMICAL AND PHYSICAL) FOR POTABLE WATER USED THROUGHOUT THE NAVAL ESTABLISHMENT?
- A. NAVAL SHIPS SYSTEMS COMMAND
 - B. BUREAU OF MEDICINE AND SURGERY
 - C. NAVAL FACILITIES ENGINEERING COMMAND
 - D. ALL OF THE ABOVE
30. WHAT IS THE CONSUMPTION RATE PER MAN, PER DAY, WHEN POTABLE WATER SERVES ALL PURPOSES?
- A. 8 - 20 GALLONS
 - B. 12 - 35 GALLONS
 - C. 15 - 50 GALLONS
 - D. 25 - 60 GALLONS

31. WATER MUST BE ASSUMED TO BE POLLUTED WHEN SHIPS IN FORMATION ARE HOW FAR APART?
- A. LESS THAN 500 YARDS
 - B. LESS THAN 1000 YARDS
 - C. LESS THAN 1500 YARDS
 - D. LESS THAN 2000 YARDS
32. HOSES USED FOR LOADING OR TRANSFERRING POTABLE WATER WILL BE DISINFECTED BY A THROUGH FLUSHING WITH POTABLE WATER AND SUBJECTING THE INTERIOR TO CONTACT WITH A SOLUTION CONTAINING AT LEAST HOW MANY PARTS PER MILLION CHLORINE PRIOR TO BEING CONNECTED?
- A. 25 PPM
 - B. 50 PPM
 - C. 75 PPM
 - D. 100 PPM
33. WHAT INSECT IS NOT KNOWN TO VECTOR HUMAN DISEASE, BUT THEY ARE ANNOYING AND CAN SERIOUSLY AFFECT MORALE?
- A. BED BUGS
 - B. MITES
 - C. LICE
 - D. DEER FLY
34. WHICH OF THE FOLLOWING FLIES ARE DISTINGUISHED FROM OTHER DOMESTIC FLIES BY THE PRESENCE OF THREE LONGITUDINAL BLACK STRIPES ON THE THORAX AND CHECKERED EFFECT ON THE USUALLY RED - TIPPED ABDOMEN?
- A. STABLE FLY
 - B. SAND FLY
 - C. FLESH FLY
 - D. BLOW FLIES
35. WHAT INSECTICIDE IS USED TO DETERMINE AND CONTROL COCKROACH POPULATIONS?
- A. DIETHYLTOLUAMIDE (DEET)
 - B. BHC (LINDANE)
 - C. 0.5% MALATHION
 - D. PYRETHRUM
36. WHAT IS TRANSMITTED THROUGH CLOSE BODY CONTACT, CAUSING AN INTENSE ITCHING, ESPECIALLY AT NIGHT?
- A. HOOKWORM
 - B. SCABIES
 - C. TSUTSUGAMUSHI (SCRUB TYPHUS)
 - D. TRICHINOSIS

37. WHAT CHAPTER IN THE MANUAL OF NAVAL PREVENTIVE MEDICINE (NAVMED P-5010) COVERS WASTE WATER TREATMENT AND DISPOSAL, ASHORE AND AFLOAT?
- A. 8
 - B. 7
 - C. 6
 - D. 5
38. WHICH OF THE BELOW IS NOT TRUE CONCERNING INSECT CONTROL ON A SUBMARINE?
- A. IN MOST CASES, THE USE OF RESIDUAL INSECTICIDES IS THE METHOD FOR CHOICE
 - B. APPROVAL FROM THE AREA ENTOMOLOGIST MUST BE OBTAINED PRIOR TO THE ACQUISITION OF PROPOXUL AND MALATHION
 - C. INSECTICIDES WILL BE STORED IN A SPECIAL LOCKER MARKED "INSECTICIDES - POISON"
 - D. PYRETHRUM AND DICHLOROUS ARE NON-RESIDUAL INSECTICIDES APPROVED FOR USE UNDER THE SUPERVISION OF A NAVY ENTOMOLOGIST
39. WHAT TYPE OF CHLORINE MAY BE USED ABOARD A SHIP FOR THE DISINFECTION OF WATER?
- A. IODINE TABLETS
 - B. 70% SODIUM, HYPOCHLORITE
 - C. 70% CALCIUM HYPOCHLORITE
 - D. ANY OF THE ABOVE
40. WHAT IS THE MINIMUM NUMBER OF DISEASE CASES (LISTED IN NAVMEDCOMINST 6220.2) REQUIRED FOR THE SUBMISSION OF THE DISEASE ALERT REPORT (MED 6220.3)?
- A. 1
 - B. 5
 - C. 10
 - D. 25
41. WHAT IS THE SKIN TEST FOR TUBERCULOSIS USING A SYRINGE AND NEEDLE TO INJECT PURIFIED PROTEIN DERIVATIVE OF TUBERCULIN (PPD) INTRADERMAL KNOWN AS?
- A. TINE TEST
 - B. MANTOUX METHOD
 - C. SHICK TEST
 - D. DICK TEST
42. WHAT IS THE TERM USED TO DENOTE A TB SKIN TEST REACTION IN WHICH THE LARGEST DIAMETER OF INDURATION IS 5MM OR MORE?
- A. CONVERSION
 - B. CONVERTER
 - C. NON-REACTIVE
 - D. REACTIVE

43. THE ANNUAL REPORT OF TUBERCULOSIS SCREENING (MED-6224-8) SHALL BE PREPARED AND SUBMITTED TO NAVMEDCOM ANNUALLY BY?
- A. 31 DEC
 - B. 28 FEB
 - C. 31 JAN
 - D. 01 JAN
44. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE NAVY TUBERCULOSIS CONTROL PROGRAM?
- A. THE PROGRAM IS COVERED IN BUMEDINST 6224.8
 - B. 02 DEC 79 - PPD - 5TU - ID - ZEROmm IS A CORRECT ENTRY ON THE SF-601
 - C. NAVAL HOSPITAL'S PORTSMOUTH AND SAN DIEGO ARE DESIGNATED TO RECEIVE TB ADMISSIONS FROM THE FLEET
 - D. ISONIAZID (INH) CHEMOPROPHYLAXIS IS INDICATED AND SHALL BE GIVEN TO ACTIVE DUTY PERSONNEL UNDER 40 YEARS OF AGE WHO ARE TB REACTORS
45. WHICH OF THE BELOW IS NOT TRUE CONCERNING AN EFFECTIVE RODENT CONTROL PROGRAM?
- A. RAT GUARDS WILL HAVE A 36" OUTSIDE DIAMETER
 - B. POISONING IS THE METHOD OF CHOICE WITH SMALL INFESTATIONS
 - C. THE ORDINARY WOOD SPRING TRAP IS THE MOST EFFECTIVE TYPE
 - D. TRAPS SHOULD BE TIED OR NAILED DOWN

PREVENTIVE MEDICINE E-6 AND ABOVE # 2

1. WHAT CHAPTER IN THE MANUAL OF THE MEDICAL DEPARTMENT (NAVMED P-117) PERTAINS TO PREVENTIVE MEDICINE?
 - A. CHAPTER 1
 - B. CHAPTER 9
 - C. CHAPTER 17
 - D. CHAPTER 22

2. THE TEMPERATURE IN THE MEAT CUTTING PREPARATION ROOM SHOULD BE MAINTAINED AT?
 - A. 36 - 40 F
 - B. 50 F
 - C. 70 F
 - D. 80 F

3. WHAT CHAPTER IN THE PREVENTIVE MEDICINE MANUAL (NAVMED P-5010) PERTAINS TO NAVY ENTOMOLOGY AND PEST CONTROL TECHNOLOGY?
 - A. CHAPTER 2
 - B. CHAPTER 4
 - C. CHAPTER 6
 - D. CHAPTER 8

4. WHAT IS THE TEMPERATURE OF THE WATER IN THE GI CANS OF THE RINSE AND SANITIZING RINSE OF THE MODEL FIELD DISHWASHING UNIT?
 - A. 180 F
 - B. 195 F
 - C. 212 F
 - D. 220 F

5. WHAT IS USED TO DETECT LEAKS ON MARINE SANITATION DEVICE (MSD) COMPONENTS?
 - A. PAPER TOWEL TEST
 - B. PALIN DPD
 - C. MEMBRANE FILTER
 - D. CHT ANALYSIS

6. WHAT REFERS TO HUMAN BODY WASTES AND WASTES FROM TOILETS, URINALS, SOIL DRAINS AND RECEPTACLES INTENDED TO RECEIVE OR RETAIN BODY WASTES?
 - A. GREY WATER
 - B. BLACK WATER
 - C. SEWAGE
 - D. ALL OF THE ABOVE

7. WHAT TYPE OF INDIVIDUAL DISPOSAL SYSTEM IS RARELY FOUND ON NAVAL INSTALLATIONS AND WHEN FOUND ARE USED FOR SINGLE ISOLATED BUILDINGS?
- A. SEPTIC TANK
 - B. PIT PRIVY
 - C. CESS POOLS
 - D. IMHOFF TANK
8. WHAT IS THE RECOMMENDED MINIMUM CUBIC FEET OF ROOM SPACE PER PERSON IN UNMARRIED PERSONNEL HOUSING ASHORE?
- A. 450
 - B. 500
 - C. 550
 - D. 600
9. HOW MANY WATER CLOSETS (COMMODOES) SHOULD BE PROVIDED IN A BARRACKS WHICH HOUSES 200 PERSONNEL?
- A. 8
 - B. 10
 - C. 12
 - D. 15
10. WHAT IS THE INSTRUCTION THAT COVERS CLINICAL MANAGEMENT GUIDELINES OF SEXUALLY TRANSMITTED DISEASE (STD)?
- A. BUMEDINST 6222.10
 - B. PHS - 2936
 - C. NAVMED P-5036
 - D. NAVMED P-5052.11
11. WHAT COPY OF THE VENEREAL DISEASE EPIDEMIOLOGICAL REPORT (PHS-2936) IS SENT TO THE STATE HEALTH DEPARTMENT?
- A. WHITE
 - B. GREEN
 - C. PINK
 - D. YELLOW
12. THE STORAGE OF MEAT AT SLIGHTLY HIGHER TEMPERATURE THAN THOSE RECOMMENDED WILL CUT THE STORAGE LIFE IN?
- A. 1/4
 - B. 1/3
 - C. 1/2
 - D. 3/4

13. WHAT IS THE OUTSIDE DIAMETERS OF RAT GUARDS?

- A. 24"
- B. 36"
- C. 48"
- D. 60"

14. WHAT SUBSTANCE IF ABSORBED INTO THE BODY IN ANY FORM LEADS TO A CHRONIC PROGRESSIVE DISEASE?

- A. OTTO FUEL
- B. ASBESTOS
- C. SELENIUM
- D. BERYLLIUM

15. WHAT CAN PRODUCE SEVERE LUNG DAMAGE IN THE FORM OF FIBROSIS?

- A. SELENIUM
- B. ASBESTOS
- C. ZINC
- D. IRON

16. THE INGESTION AND INHALATION OF HALOGENATED HYDROCARBONS MAY CAUSE SERIOUS DAMAGE TO?

- A. LIVER
- B. KIDNEY
- C. RESPIRATORY TRACT
- D. BOTH A & B

17. WHICH OF THE BELOW IS NOT TRUE CONCERNING HANDLING OTTO FUEL II?

- A. LIQUID PROPELLANT USED IN CERTAIN TYPES OF TORPEDOES
- B. FIRST SYMPTOMS FOLLOWING EXPOSURE IS NASAL IRRITATION FOLLOWED BY SEVERE HEADACHE
- C. GLOVES MUST BE LAUNDERED AFTER EACH OPERATION
- D. NEOPRENE APRONS MUST BE WORN OVER COVERALLS

18. WHAT NAVY INSTRUCTIONS OUTLINES RESPONSIBILITY AND PROCEDURE FOR SHIPBOARD ACCIDENT PREVENTION PROGRAM?

- A. OPNAVINST 5100.20C
- B. OPNAVINST 5100.23E
- C. NAVMEDCOMINST 6260.5
- D. NAVMEDCOMINST 2215.5

NBC WARFARE #2 E-6 AND ABOVE

1. ALL SHIPS OF THE FORCE WILL HAVE A MINIMUM OF HOW MANY DECONTAMINATION STATIONS?
 - A. 1
 - B. 2
 - C. 3
 - D. 4

2. THE FIRST INDICATION OF A BIOLOGICAL WARFARE ATTACK WOULD PROBABLY BE PROVIDED BY?
 - A. INTELLIGENCE
 - B. BIOLOGICAL DETECTION
 - C. EPIDEMIOLOGY
 - D. PHYSICAL DETECTION

3. WHEN BIOLOGICAL AGENTS ARE KNOWN TO HAVE BEEN USED, ALL DRINKING WATER MUST BE?
 - A. BOILED
 - B. CHLORINATED
 - C. FILTERED
 - D. EITHER A OR B

4. WHICH OF THE BELOW ARE RECOMMENDED TO BE ASSIGNED TO THE EMERGENCY DECONTAMINATION STATION?
 - A. PERSONNEL EXPERIENCED IN RADIOLOGICAL SAFETY
 - B. PERSONNEL EXPERIENCED IN RADIOLOGICAL PROTECTION
 - C. PERSONNEL WITH OPERATING ROOM EXPERIENCE
 - D. ALL OF THE ABOVE

5. HOW SHOULD AN UNCONTAMINATED CUT BE PROTECTED DURING DECONTAMINATION?
 - A. ENCOURAGE BLEEDING
 - B. STERILE AIRTIGHT DRESSING
 - C. IMPERMEABLE TAPE
 - D. GUMMED TAPE

6. WHAT IS THE 2ND PRIORITY FOR FIRST AID AND DECONTAMINATING CASUALTIES?
 - A. CONTROL MASSIVE HEMORRHAGE
 - B. ADJUSTMENT OF THE PATIENTS MASK
 - C. LIFE THREATENING SHOCK AND WOUNDS
 - D. REMOVE CLOTHING AND DECONTAMINATE

7. A NUCLEAR CASUALTY BROUGHT TO A MEDICAL FACILITY (WHO IS SEVERELY INJURED) SHOULD FIRST BE TAKEN TO THE?
- A. SORTING
 - B. DECONTAMINATION STATION
 - C. CONTAMINATED EMERGENCY TREATMENT
 - D. MONITORING STATION
8. WHAT CAN BE USED FOR PROTECTION IF CAUGHT OUTDOORS AFTER A NUCLEAR EXPLOSION?
- A. FOLDED TOWEL
 - B. SURGICAL MASK
 - C. 6 LAYERS OF COTTON
 - D. ALL OF THE ABOVE
9. THE REMOVAL OF RADIOACTIVE CONTAMINATION IS BEST ACCOMPLISHED WITH?
- A. 38% DETERGENT, 60% SODIUM HEXAMETHAPHOSPHATE
 - B. TARTARIC AND CITRIC ACID
 - C. 50% CORNMEAL AND 50% DETERGENT
 - D. SOAP AND WATER

**SECURITY # 2 E-7
E-7 CANDIDATES**

1. WHO IS DESIGNATED AS THE OFFICER PRIMARILY RESPONSIBLE FOR THE EFFECTIVE COMPLIANCE AND IMPLEMENTATION OF THE INFORMATION AND PERSONNEL SECURITY PROGRAM WITHIN THE DEPARTMENT OF THE NAVY?
 - A. CHIEF OF NAVAL OPERATIONS
 - B. CHIEF OF INFORMATION
 - C. DIRECTOR, DEFENSE INTELLIGENCE AGENCY
 - D. DIRECTOR, NAVAL INTELLIGENCE

2. WHAT TERM DESCRIBES THE EXPOSURE OF CLASSIFIED INFORMATION TO AN UNAUTHORIZED PERSON?
 - A. DISCLOSURE
 - B. DECLASSIFICATION
 - C. COMPROMISE
 - D. IMPROPER TRANSMISSION

3. COMPROMISED INFORMATION THAT WOULD CAUSE EXCEPTIONALLY GRAVE DAMAGE TO THE NATION IS CLASSIFIED AS?
 - A. TOP SECRET
 - B. SECRET
 - C. CONFIDENTIAL
 - D. FOR OFFICIAL USE ONLY

4. THE CLASSIFICATION CATEGORY THAT IS ASSIGNED TO CLASSIFY PORTIONS OF A DOCUMENT DEPEND ON THE?
 - A. NUMBER OF PEOPLE HAVING A NEED TO KNOW
 - B. DEGREE OF DAMAGE TO THE NATION THAT THE INFORMATION MAY CAUSE IF DISCLOSED
 - C. DEGREE OF DAMAGE TO THE NATION THAT THE INFORMATION MAY CAUSE IF COMPROMISED
 - D. NUMBER OF ACTIVITIES HAVING CUSTODY OF THE INFORMATION

5. AN INVENTORY OF ALL TOP SECRET MATERIAL MUST BE CONDUCTED AT EACH CHANGE OF COMMAND, TRANSFER OF COMMAND, CHANGE OF THE SECURITY MANAGER OR TOP SECRET CONTROL OFFICER. BUT MUST BE DONE AT LEAST?
 - A. MONTHLY
 - B. QUARTERLY
 - C. SEMI-ANNUALLY
 - D. ANNUALLY

6. IN SELECTING COMBINATIONS FOR SECURITY CONTAINERS THEY SHOULD BE IN MULTIPLES OF?
- A. THREE
 - B. FOUR
 - C. FIVE
 - D. SIX
7. EACH COMMAND ELIGIBLE TO RECEIVE CLASSIFIED MATERIAL WILL DESIGNATE A TOP SECRET CONTROL OFFICER. WHICH OF THE PERSONNEL LISTED BELOW MAY NOT BE APPOINTED AS TOP SECRET CONTROL OFFICER?
- A. GS-6 (CIVILIAN)
 - B. E-7
 - C. CWO-1
 - D. E-8
8. WHAT ACTION SHOULD YOU TAKE IF YOU FIND AN UNLOCKED SAFE CONTAINING CLASSIFIED MATERIAL IN IT AND THERE IS NO PERSONNEL IN THAT SPACE?
- A. LOCK THE SAFE AND NOTIFY THE SENIOR DUTY OFFICER
 - B. NOTIFY THE SENIOR DUTY OFFICER IMMEDIATELY
 - C. NOTIFY THE COMMANDING OFFICER IMMEDIATELY
 - D. NOTIFY THE OFFICER RESPONSIBLE FOR THE SAFE IMMEDIATELY
9. HOW MANY WITNESSING OFFICIALS MUST OBSERVE THE AUTHORIZED DESTRUCTION OF TOP SECRET MATERIAL?
- A. ONE
 - B. TWO
 - C. THREE
 - D. FOUR
10. THE COMBINATION TO A SECURITY CONTAINER SHALL BE KEPT IN A SEALED ENVELOPE AND KEPT ON FILE BY THE COMMANDING OFFICER OR ?
- A. SECURITY MANAGER
 - B. DUTY OFFICER
 - C. TOP SECRET CONTROL OFFICER
 - D. EITHER A OR B
11. WITHIN THE DEPARTMENT OF THE NAVY, WHAT TYPE OF MAILING SERVICE MUST BE USED FOR TRANSMITTING CONFIDENTIAL MATERIAL WHEREVER POSSIBLE?
- A. FIRST CLASS
 - B. CERTIFIED MAIL
 - C. REGISTERED
 - D. ALL OF THE ABOVE

12. IN ADDITION TO BURNING, WHICH OF THE FOLLOWING METHODS MAY BE USED TO DESTROY CLASSIFIED MATERIAL?
- A. PULPING AND SHREDDING ONLY
 - B. PULVERIZING AND PULPING ONLY
 - C. SHREDDING ONLY
 - D. PULPING, SHREDDING AND PULVERIZING
13. THE ABILITY AND THE OPPORTUNITY TO OBTAIN KNOWLEDGE OF CLASSIFIED INFORMATION IS KNOWN AS?
- A. COMPROMISE
 - B. CLEARANCE
 - C. ACCESS
 - D. DISCLOSURE
14. CLASSIFIED MATERIAL MAY BE MARKED BY STAMPING, PRINTING OR WRITING. ADDITIONALLY, IT MAY BE MARKED BY AFFIXING WHICH OF THE FOLLOWING DEVICES?
- A. A TAG
 - B. A STICKER
 - C. A DECAL
 - D. ALL OF THE ABOVE
15. WHEN USING A SECURITY CONTAINER WITH PADLOCKS, WHAT SEQUENCE OF NUMBERS IS USED TO REST THE SAFE?
- A. 25-50-25
 - B. 30-25-30
 - C. 50-25-50
 - D. 10-20-30
16. WHAT TYPE OF CORRESPONDENCE REQUIRES A SERIAL NUMBER?
- A. TOP SECRET
 - B. SECRET
 - C. CONFIDENTIAL
 - D. ALL OF THE ABOVE

MILITARY REQUIREMENTS # 2

1. WHEN WAS THE BIRTH OF THE UNITED STATES?
 - A. 13 OCT 1775
 - B. 04 JUL 1776
 - C. 30 MAY 1777
 - D. 17 JUN 1898

2. WHAT NAVAL LEADER SPOKE THE WORDS "STRUCK SIR? I HAVE NOT YET BEGUN TO FIGHT"?
 - A. JOHN PAUL JONES
 - B. ESEK HOPKINS
 - C. DAVID FARRAGUT
 - D. REAR ADMIRAL DAHLGREN

3. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE HAND SALUTE?
 - A. YOU ARE NOT REQUIRED TO SALUTE WHEN GUARDING PRISONERS
 - B. THE HAND SALUTE SHOULD BE RENDERED SIX PACES FROM THE OFFICER
 - C. THE NAVY IS THE ONLY SERVICE WHO DOESN'T SALUTE WITH THE LEFT HAND
 - D. WHEN WALKING WITH AN OFFICER NEVER SALUTE UNTIL THE OFFICER YOU ARE WITH SALUTES FIRST

4. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE UNION JACK?
 - A. THE UNION JACK IS ON THE JACK STAFF, AT THE SHIPS BOW IN PORT
 - B. THE UNION JACK IS FLOWN FROM THE YARDARM WHEN A GENERAL COURT MARTIAL IS IN SESSION
 - C. THE UNION JACK IS THE RECTANGULAR BLUE PART OF THE U.S. FLAG CONTAINING THE STARS
 - D. THE NATIONAL ENSIGN AND UNION JACK ARE RAISED AT 0800 AND LOWERED AT SUNSET UNDERWAY

5. WHAT ARTICLE OF THE CODE OF CONDUCT STATES WHEN QUESTIONED, SHOULD I BECOME A PRISONER OF WAR, I AM REQUIRED TO GIVE NAME, RANK, SERVICE NUMBER AND DATE OF BIRTH. I WILL EVADE ANSWERING QUESTIONING TO THE UTMOST OF MY ABILITY. I WILL MAKE NO ORAL OR WRITTEN STATEMENTS DISLOYAL TO MY COUNTRY AND ITS ALLIES OR HARMFUL TO THEIR CAUSE?
 - A. III
 - B. IV
 - C. V
 - D. VI

6. WHAT ARTICLE OF THE CODE OF CONDUCT STATES I WILL NEVER FORGET THAT I AM AN AMERICAN FIGHTING FOR FREEDOM, RESPONSIBLE FOR MY ACTIONS, AND DEDICATED TO THE PRINCIPLES WHICH MAKE MY COUNTRY FREE. I WILL TRUST IN GOD AND IN THE UNITED STATES OF AMERICA?
- A. I
 - B. II
 - C. V
 - D. VI
7. WHAT CLASS OF SCHOOL PROVIDES TEAM TRAINING TO OFFICER AND ENLISTED FLEET PERSONNEL WHO NORMALLY ARE MEMBERS OF A SHIPS COMPANY?
- A. F
 - B. P
 - C. R
 - D. A
8. WHEN EXECUTING THE COMMAND OPEN RANKS, THE FRONT TAKES HOW MANY PACES FORWARD?
- A. 1
 - B. 2
 - C. 3
 - D. 4
9. WHAT COLOR TAG IS USED AS A PRECAUTIONARY MEASURE THAT PROVIDES TEMPORARY SPECIAL INSTRUCTIONS OR INDICATES UNUSUAL CAUTION THAT MUST BE EXERCISED WHEN OPERATING EQUIPMENT, SYSTEMS, OR COMPONENTS?
- A. RED
 - B. BLUE
 - C. YELLOW
 - D. WHITE
10. WHAT MATERIAL CONDITION IS SET AT SEA, IN PORT DURING WARTIME, AND IN PORT DURING PEACETIME AFTER WORKING HOURS?
- A. DOG ZEBRA
 - B. ZEBRA
 - C. X-RAY
 - D. YOKE
11. WHILE TENDING A LINE FOR A MAN WEARING AN OBA, HOW MANY PULLS WOULD TELL YOU TO TAKE UP THE SLACK?
- A. 1
 - B. 2
 - C. 3
 - D. 4

12. WHAT CLASS OF FIRE INVOLVES FLAMMABLE LIQUIDS SUCH AS OIL, GASOLINE, OR PAINT?
- A. D
 - B. C
 - C. B
 - D. A
13. WHAT FIRE FIGHTING AGENT OR AGENTS SHOULD BE USED TO CONTROL A LARGE CLASS "B" FIRE?
- A. WATER
 - B. CO2
 - C. SAND
 - D. AFFF OR HALON 1301
14. SHIPBOARD PIPING SYSTEMS ARE COLOR-CODED FOR EASY IDENTIFICATION. WHAT COLOR OF PIPING IS USED TO IDENTIFY A SYSTEM CONTAINING AFFF PIPING?
- A. RED WITH GREEN STRIPES
 - B. YELLOW
 - C. GOLD
 - D. LIGHT GRAY
15. ON THE WATCH QUARTER AND STATION BILL, UNDER BATTLE STATIONS, WHAT CONDITION PERMITS A FEW PERSONS AT A TIME TO REST ON STATION OR TO PERMIT DESIGNATED PERSONNEL TO DRAW RATIONS FOR DELIVERY TO BATTLE STATIONS?
- A. I
 - B. IE
 - C. II
 - D. III
16. WHAT SOUND POWERED CIRCUIT IS USED FOR MANEUVERING AND DOCKING?
- A. JC
 - B. 2JZ
 - C. 22JS
 - D. 1JV
17. WHAT TYPE OF FLAG (INTERNATIONAL) INDICATES A DIVER DOWN, WHICH MEANS TO KEEP WELL CLEAR AT SLOW SPEED?
- A. ALFA
 - B. BRAVO
 - C. NOVEMBER CHARLIE
 - D. HOTEL

18. WHAT TYPE OF FLAG IS FLOWN IN PORT INDICATING THE SHIP HAS READY DUTY AND AT SEA INDICATING THE SHIP IS PREPARING TO REPLENISH?
- A. MIKE 2
 - B. ROMEO
 - C. FLAG FIVE
 - D. OSCAR
19. WHICH OF THE FOLLOWING LEVELS OF HUMAN NEED INVOLVE THE NEED FOR PROTECTION FROM POSSIBLE THREATS, SUCH AS VIOLENCE, DISEASE OR POVERTY?
- A. ESTEEM
 - B. SELF - ACTUALIZATION
 - C. SAFETY - SECURITY
 - D. SOCIAL - BELONGING
20. HOW MANY STARS WOULD DESIGNATE THE FLAG OF A VICE ADMIRAL?
- A. 1
 - B. 2
 - C. 3
 - D. 4
21. WHAT FLAGSTAFF INSIGNIAS WOULD BE USED FOR ANY CIVILIAN OFFICIAL OR FLAG OFFICER WHOSE OFFICIAL SALUTE IS 19 GUNS OR MORE?
- A. SPREAD EAGLE
 - B. HALBERD
 - C. FLAT TRUCK
 - D. BALL
22. WHEN A STORM WARNING SIGNAL SHOWS A SINGLE SQUARE RED FLAG WITH A BLACK CENTER DISPLAYED DURING THE DAYTIME AND TWO VERTICAL RED LIGHTS AT NIGHT INDICATE?
- A. HURRICANE WARNING
 - B. STORM WARNING
 - C. GALE WARNING
 - D. SMALL CRAFT WARNING
23. HOW MANY COMMAND TRAINING TEAM MEMBERS SHOULD BE ASSIGNED TO A COMMAND WITH 301 OR MORE PERSONNEL TO TEACH A NAVY RIGHTS AND RESPONSIBILITY WORKSHOP?
- A. 2
 - B. 3
 - C. 4
 - D. 5

24. THE COMMAND ASSESSMENT TEAM (CAT) MUST HAVE A MINIMUM OF (EXCEPT MANDATORY MEMBERS) HOW MUCH TIME REMAINING TILL THERE PRD TO BE ASSIGNED?
- A. 6 MONTHS
 - B. 12 MONTHS
 - C. 18 MONTHS
 - D. 24 MONTHS
25. WHAT RETENTION INCENTIVE IS GIVEN TO MEMBERS WHO RE-ENLISTED FOR CONVERSION TO CRITICALLY UNDERMANNED RATINGS AND ASSIGNMENT TO AN APPROPRIATE CLASS "A" OR "C" SCHOOL?
- A. SCORE
 - B. SRB
 - C. STAR
 - D. GUARD III
26. WHAT PERCENT OF YOUR TAKE-HOME PAY SHOULD YOU BUDGET FOR TRANSPORTATION?
- A. 5
 - B. 9
 - C. 11
 - D. 23
27. YOU SHOULD SET CIRCLE WILLIAM ON THE VENTILATION SYSTEM FOR WHAT LEVEL OF MISSION ORIENTED PROTECTIVE POSTURE (MOPP)?
- A. 4 (IMMEDIATE THREAT)
 - B. 3 (PROBABLE THREAT)
 - C. 2 (POSSIBLE THREAT)
 - D. 1 (SUSPECTED THREAT)
28. WHAT NAVY FLEET OPERATES IN THE WESTERN PACIFIC AND INDIAN OCEAN REGIONS?
- A. 2ND
 - B. 3RD
 - C. 6TH
 - D. 7TH
29. WHAT PRECEDENCE FOR MESSAGES (IDENTIFIED BY PROSIGN O) RELATES TO SITUATIONS THAT GRAVELY AFFECT THE NATIONAL FORCES OR POPULACE AND REQUIRE IMMEDIATE DELIVERY TO ADDRESSEES?
- A. ROUTINE
 - B. FLASH
 - C. IMMEDIATE
 - D. PRIORITY

30. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE WATCH, QUARTER, AND STATION BILL?
- A. PRIMARY PURPOSE IS TO INFORM ALL DIVISION PERSONNEL OF THEIR ASSIGNMENTS
 - B. SHOWS NAME, RATE, BILLET NUMBER, BUNK, AND LOCKER NUMBER FOR EACH PERSON IN THE DIVISION
 - C. INDICATES EACH PERSON'S BATTLE STATION FOR CONDITIONS 1, 2, AND 3
 - D. CHANGES MUST BE APPROVED BY THE COMMANDING OFFICER
31. WHAT RESPIRATORY CARTRIDGE COLOR IS USED FOR ACID GASES, AMMONIA, CARBON MONOXIDE, AND ORGANIC VAPORS?
- A. BROWN
 - B. RED
 - C. GREEN
 - D. 1/2" GRAY STRIP
32. WHICH OF THE BELOW IS NOT ONE OF THE FIVE DEPARTMENTS ORGANIZED ABOARD SHIP?
- A. ADMINISTRATION
 - B. ENGINEERING
 - C. SUPPLY
 - D. DECK
33. WHAT RIFLE IS PRESENTLY IN USE IN THE NAVY TODAY?
- A. 5.56 MM M16A1
 - B. 7.62 MM M14
 - C. 6.64 MM 30-06
 - D. 4.78 MM 30-30
34. WHAT TYPE OF AMMUNITION IS NORMALLY ISSUED FOR THE REMINGTON MODEL 870 AND MOSSBERG, MODEL 500 SHOTGUNS?
- A. 16 GAUGE 6 SHOT
 - B. 20 GAUGE 00 BUCK
 - C. 12 GAUGE 6 SHOT
 - D. 12 GAUGE 00 BUCK
35. WHAT IS THE OLDEST NAVY SHIP STILL IN COMMISSION AT BOSTON YARD?
- A. USS CONSTITUTION
 - B. USS TURTLE
 - C. USS FRAKER
 - D. USS NEVADA

36. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE NAVY UNIFORM?

- A. WOMEN'S HEELS WILL BE NO HIGHER THAN 2-5/8 INCH NOR LESS THAN 5/8
- B. 13 BUTTONS ON TROUSERS REPRESENT THE ORIGINAL 13 COLONIES
- C. CLOTHING WILL BE MARKED WITH A ½ INCH STENCIL, OR MAXIMUM 1 INCH
- D. WHEN LARGE MEDALS ARE WORN-THE UNIFORM IS CALLED FULL DRESS

37. WHAT IS A SEAMAN IN THE NAVY EQUAL TO IN THE ARMY?

- A. PRIVATE
- B. SPECIALIST
- C. PRIVATE FIRST CLASS
- D. CORPORAL

38. WHAT IS A SENIOR CHIEF IN THE NAVY EQUAL TO IN THE AIR FORCE?

- A. FIRST SERGEANT
- B. SERGEANT FIRST CLASS
- C. CHIEF MASTER
- D. SENIOR MASTER SERGEANT

39. THE GOLD OAKLEAF ATTACHED TO A SLANTING TWIG IDENTIFIES THE?

- A. MEDICAL SERVICE CORPS
- B. DENTAL CORPS
- C. NURSE CORPS
- D. MEDICAL CORPS

CORRESPONDENCE # 2

1. COMMANDS AND INDIVIDUALS MAY RECOMMEND CHANGES TO THE CORRESPONDENCE MANUAL BY WRITING TO WHAT COMMAND?
 - A. NAVAL DATA AUTOMATION COMMAND
 - B. CMC
 - C. CNO
 - D. SECNAV

2. WHAT IS THE FIRST PART OF THE LETTERHEAD THAT IS TYPED OR STAMPED 4 LINES FROM THE TOP?
 - A. NAVAL HOSPITAL
 - B. ACTIVITY UIC
 - C. NAVY DEPARTMENT
 - D. DEPARTMENT OF THE NAVY

3. WHEN IS AN OFFICIAL NAVY LETTER DATED?
 - A. WHEN PREPARED IN THE ROUGH
 - B. WHEN SIGNED
 - C. WHEN PREPARED IN THE SMOOTH
 - D. WHEN SUBMITTED FOR SIGNATURE

4. WHAT IS THE CORRECT FORMAT FOR WRITING A NAVAL LETTER?
 - A. To:, Via:, Ref:, & From:
 - B. From:, Subj:, Enclosure:, & To:
 - C. From:, To:, Via:, & Subject:
 - D. To:, From:, Subject:, & Via:

5. WHICH OF THE BELOW IS NOT TRUE CONCERNING CORRESPONDENCE?
 - A. A SERIAL NUMBER MUST APPEAR ON ALL OUTGOING CORRESPONDENCE
 - B. A MAXIMUM OF 10 WORDS SHOULD BE USED FOR THE SUBJECT LINE (ALL CAPITALS)
 - C. LEFT & RIGHT MARGINS SHOULD BE 1 INCH
 - D. (sep cover) INDICATES AN ENCLOSURE WHICH IS BEING SENT UNDER A SEPARATE COVER

6. HOW MANY LINES BELOW THE SIGNATURE INFORMATION OF A LETTER SHOULD “(Copy to:)” BE PLACED?
 - A. 1
 - B. 2
 - C. 3
 - D. 4

7. WHAT IS USED TO APPROVE, DISAPPROVE, FORWARD, OR COMMENT ON THE ON THE CONTENTS OF A LETTER WHICH IS TRANSMITTED THROUGH ONE OR MORE ADDRESS'S BEFORE IT REACHES ITS FINAL DESTINATION?
- A. STANDARD LETTER
 - B. SPEED LETTER
 - C. ENCLOSURE
 - D. ENDORSEMENT
8. WHICH OF THE BELOW IS NOT TRUE CONCERNING CLASSIFIED CORRESPONDENCE?
- A. MARKINGS ARE INDICATED AT THE TOP ONLY
 - B. A NEW SEQUENCE OF SERIAL NUMBERS BEGIN EACH CALENDAR YEAR
 - C. TOP SECRET CORRESPONDCE WOULD BE IDENTIFIED BY "T"
 - D. CONFIDENTIAL CORRESPONDENCE WOULD BE IDENTIFIED BY "C"
9. WHAT SHOULD APPEAR UNDER THE SIGNERS NAME IF HE OR SHE HAS BEEN FORMALLY APPOINTED TO TEMPORARILY REPLACE THE COMMANDING OFFICER?
- A. By direction
 - B. "Deputy
 - C. By direction of the commanding officer
 - D. "Acting"
10. IF YOU CAN'T REPLY TO CONGRESSIONAL CORRESPONDENCE WITHIN 5 WORKING DAYS, SEND AND INTERIM REPLY WITHIN?
- A. 48 HOURS
 - B. 5 WORKING DAYS
 - C. 10 DAYS
 - D. 10 WORKING DAYS
11. WHAT TYPE OF LETTER IS USED TO ADDRESS TWO OR MORE ACTIVITIES THAT ARE INDIVIDUALLY IDENTIFIED OR ADDRESSED AS A GROUP?
- A. JOINT
 - B. MULTIPLE ADDRESS
 - C. STANDARD
 - D. BUSINESS
12. WHAT MEMORANDUM IS USED TO WRITE SENIOR OFFICIALS SUCH AS THE SECRETARY OF THE NAVY OR SECRETARY OF DEFENSE AND IS CONSIDERED THE MOST FORMAL MEMORANDUM?
- A. MEMORANDUM – FOR
 - B. "FROM-TO" MEMORANDUM
 - C. MEMORANDUM OF AGREEMENT OR UNDERSTANDING
 - D. LETTERHEAD MEMORANDUM

13. HOW MANY PEN AND INK CHANGES ARE PERMITTED IN A NAVAL LETTER?
- A. NONE
 - B. TWO PER PAGE
 - C. FOUR PER PAGE
 - D. SIX
14. WHICH OF THE FOLLOWING IS A GENERALLY ACCEPTED COMPLIMENTARY CLOSING FOR A BUSINESS LETTER?
- A. VERY TRULY YOURS
 - B. YOURS SINCERELY
 - C. YOURS TRULY
 - D. SINCERELY
15. WHICH OF THE BELOW IS NOT TRUE CONCERNING A NAVAL LETTER?
- A. STATE ABBREVIATIONS SHOULD BE INDICATED BY 2 LETTERS ON THE ENVELOPE
 - B. WHEN USING A SUB PARAGRAPH, YOU MUST HAVE AT LEAST TWO
 - C. PAGES SHOULD BE NUMBERED BY CENTERING ½ INCH FROM THE BOTTOM STARTING WITH THE NUMBER 1
 - D. THE SUBJECT SHOULD BE REPEATED ON THE SECOND & LATER PAGES (6) SIX LINES FROM THE TOP
16. WHAT MEMORANDUM MAY BE USED TO DOCUMENT MUTUAL AGREEMENTS OF FACTS, INTENTIONS, PROCEDURES, LIMITS ON FUTURE ACTIONS, AND AREAS OF PREVENT OR FUTURE COORDINATION OR COMMUNICATION?
- A. MEMORANDUM FOR THE RECORD
 - B. PRINTED MEMORANDUM FORM
 - C. LETTERHEAD MEMORANDUM
 - D. MEMORANDUM OF AGREEMENT OR UNDERSTANDING
17. WHICH OF THE BELOW IS NOT TRUE CONCERNING A BUSINESS LETTER?
- A. LOWER CASE NAME IN THE BODY OF THE LETTER
 - B. CAPITALIZE SAILOR OR MARINE IN THE BODY OF THE LETTER
 - C. NEVER USE SSN ON MILITARY OR CIVILIAN PERSONNEL
 - D. THE FORMAT FOR A DATE WOULD BE NOVEMBER 27, 1998.
18. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE POINT(TALKING) PAPER?
- A. CLASSIFICATION MARKINGS ARE ONLY INDICATED AT THE TOP AND BOTTOM OF PAGE
 - B. POINT PAPERS SHOULD NOT EXCEED ONE PAGE IN LENGTH
 - C. ABBREVIATION & ACRONYMS MAY BE USED IF SPELLED OUT ON INITIAL USE
 - D. ALLOW 1 INCH MARGINS ON 8 ½ X 11 INCH PAPER

19. ELECTRONIC MAIL (E-MAIL) USERS SHOULD CHECK THEIR MAILBOXES?

- A. EVERY OTHER DAY
- B. DAILY
- C. TWICE A DAY
- D. THREE TIMES A DAY

20. HOW IS A SUB, SUB PARAGRAPH INDICATED IN A NAVAL LETTER?

- A. (1)
- B. (a.)
- C. (1)
- D. (a)

FOOD SANITATION # 2

1. WHAT COMMANDER IS RESPONSIBLE FOR ADMINISTERING THE NAVY FOOD SERVICE PROGRAM?
 - A. NAVAL SUPPLY SYSTEMS COMMAND
 - B. NAVAL FACILITIES ENGINEERING COMMAND
 - C. NAVAL SEA SYSTEMS COMMAND
 - D. BUREAU OF MEDICINE AND SURGERY

2. WHO IS HELD ACCOUNTABLE FOR FOOD BORNE ILLNESS RESULTING FROM IMPROPER FOOD PREPARATION, SERVING, AND STORING?
 - A. SUPPLY OFFICER
 - B. FOOD SERVICE OFFICER
 - C. MEDICAL OFFICER
 - D. ALL THE ABOVE

3. WHAT IS THE RECOMMENDED DISTANCE THAT FOODSERVICE EQUIPMENT SHOULD BE AWAY FROM WALLS, FLOORS, OR ADJACENT EQUIPMENT ABOARD SHIP?
 - A. 2 INCHES
 - B. 4 INCHES
 - C. 6 INCHES
 - D. 8 INCHES

4. WHICH OF THE BELOW IS NOT TRUE CONCERNING MACHINE DISHWASHING?
 - A. MAXIMUM TEMP FOR WASH WATER SHOULD BE 150 TO 160 DEGREES F.
 - B. MACHINE TEMP GAUGES SHOULD BE WITHIN + -3 TO THE RECOMMENDED TEMP
 - C. THE FINAL RINSE SHOULD BE 180 F MINIMUM TO 195 F MAXIMUM
 - D. THERMOMETERS MUST BE CHECKED BY PREVENTIVE MAINTENANCE PERSONNEL QUARTERLY

5. WHAT TEMPERATURE DO FATS AND GREASE BEGIN TO BREAKDOWN?
 - A. 34 - 70 F
 - B. 100- 110 F
 - C. 120 F
 - D. 140 F

6. LEFT OVER FOOD WILL BE USED AT THE NEXT MEAL WHEN POSSIBLE, BUT IN NO CASE WILL SUCH FOODS BE USED AFTER?
 - A. 12 HOURS
 - B. 24 HOURS
 - C. 36 HOURS
 - D. 48 HOURS

7. WHAT TYPE OF POISONING CAN RESULT WHEN ACID FOOD OR DRINK ARE PREPARED IN GALVANIZED CONTAINERS?
- A. ZINC
 - B. COPPER
 - C. ANTIMONY
 - D. ARSENIC
8. WHICH OF THE BELOW IS NOT TRUE CONCERNING REQUIREMENTS FOR MILK?
- A. TEMP ON DELIVERY MUST BE 40 F OR LOWER
 - B. TEMP IN DISPENSER CABINETS MUST RANGE BETWEEN 32 - 40 F
 - C. MILK REMAINING IN A PITCHER MUST BE USED FOR COOKING ONLY
 - D. SINGLE SERVICE DISPENSER TUBES WILL BE CUT 1/2 INCH BEYOND THE TERMINATION OF THE DISPENSING MECHANISM
9. THE FISH AND WILDLIFE ACT PROVIDES FOR WHAT INSPECTION OF PROCESSED FISH AND SHELLFISH PRODUCTS?
- A. D.P.S.C.
 - B. D.L.A.
 - C. U.S.D.A.
 - D. U.S.D.C.
10. WHICH OF THE BELOW IS A SIGN OF FRESH FISH?
- A. RED BORDERED EYES
 - B. SOFT FLESH
 - C. FINGER IMPRESSIONS ARE EASILY MADE
 - D. BRIGHT RED GILLS
11. WHAT DESCRIBES A CAN WITH ONE OR BOTH ENDS SLIGHTLY BULGED BUT NOT HAVING SUFFICIENT INTERIOR PRESSURE TO PREVENT FORCING ONE OR BOTH ENDS BACK TO THEIR NORMAL POSITION WITH FINGER PRESSURE?
- A. SPRINGER
 - B. FLIPPER
 - C. SWELLER
 - D. BULGER
12. WHICH OF THE BELOW IS NOT TRUE CONCERNING VARIOUS TYPES OF EGGS?
- A. FRESH EGGS ARE NOT OVER 60 DAYS OLD
 - B. THE IDEAL TEMP FOR THE STORAGE OF FRESH EGGS IS 32 F
 - C. FRESH PROCESSED EGGS HAVE BEEN PRESERVED BY DIPPING FOR A FEW SECONDS IN A WARM MINERAL OIL AT 100 - 110 F
 - D. DEHYDRATED AND FROZEN EGGS ARE USED ONLY FOR SCRAMBLING, OMELETS, OR BAKING PURPOSES

13. LEFTOVERS, FROM A MEAL, WHEN THEY ARE TO BE REUSED, SHOULD BE PLACED IN A SHALLOW CONTAINER WITH A DEPTH NO GREATER THAN?
- A. 2 INCHES
 - B. 3 INCHES
 - C. 4 INCHES
 - D. 5 INCHES
14. WHICH OF THE BELOW IS NOT TRUE CONCERNING FOOD STORAGE PROCEDURES?
- A. RELATIVE HUMIDITY IN REFRIGERATOR SPACES SHOULD BE 85 - 90%
 - B. REFRIGERATORS SHOULD BE DEFROSTED WHEN FROST REACHES 1/4 OF AN INCH
 - C. FRUITS AND VEGETABLES STORED IN A TIGHT COMPARTMENT AT 35 F. OR HIGHER MAY CAUSE A CONCENTRATION OF CARBON DIOXIDE
 - D. FOOD AND FOOD CONTAINERS SHOULD BE STORED 2 INCHES OFF THE DECK IN REFRIGERATED SPACES
15. WHAT IS THE RECOMMENDED TEMP RANGE FOR THE DAIRY PRODUCTS BOX?
- A. 0 F. (-17.7 C) OR LOWER
 - B. 32 F. (0 C) TO 34 F. (1.1 C)
 - C. 32 F. (0 C) TO 35 F. (1.7 C)
 - D. 36 F. (2.2 C) TO 38 F. (3.3 C)
16. HOW OFTEN SHOULD BACTERIOLOGICAL TESTING BE CONDUCTED ON ICE MACHINES?
- A. DAILY
 - B. WEEKLY
 - C. EVERY 2 WEEKS
 - D. MONTHLY
17. FOOD THAT IS HELD LONGER THAN 4 HOURS WILL BE DISCARDED IF NOT HELD?
- A. BELOW 30 F. AND ABOVE 130 F.
 - B. BELOW 40 F. AND ABOVE 130 F.
 - C. BELOW 40 F. AND ABOVE 140 F.
 - D. BELOW 45 F. AND ABOVE 150 F.
18. WHAT CLASS OF FROZEN SANDWICH ARE PREPARED IN ENLISTED DINING FACILITIES AND ARE INTENDED FOR USE IN FLIGHT OR IN BOAT MEALS?
- A. I
 - B. II
 - C. III
 - D. IV

19. WHAT IS THE MAXIMUM AMOUNT OF TIME A SANDWICH MAY REMAIN IN THE FREEZER?
- A. 15 DAYS
 - B. 30 DAYS
 - C. 45 DAYS
 - D. 60 DAYS
20. THE FOOD SERVICE SANITATION INSPECTION WILL BE CONDUCTED EVERY TWO WEEKS WITH A WRITTEN REPORT SUBMITTED ON A?
- A. NAVMED 6100/1
 - B. NAVMED 6224/1
 - C. NAVMED 6240/1
 - D. NAVMED 6420/1
21. WHICH OF THE FOLLOWING FOOD ITEMS ARE NOT MORE COMMONLY INVOLVED IN OUT BREAKS OF FOOD-BORNE ILLNESS?
- A. HASH
 - B. CRAB
 - C. TURKEY
 - D. SLICED MEAT
22. WHAT TYPE OF FOOD-BORNE ILLNESS (STAPHYLOCOCCAL) IS CHARACTERIZED BY AN ABRUPT ONSET (2-4 HOURS) WITH SEVERE NAUSEA PROJECTILE VOMITING, DIARRHEA, AND PROSTRATION WITH LITTLE OR NO FEVER?
- A. INTOXICATION
 - B. INFECTION
 - C. CLOSTRIDIUM BOTULISM
 - D. ALL OF THE ABOVE
23. WHEN THE SANITARY COMPLIANCE SCORE (SCS) IS 85 OR MORE, ALL ITEM VIOLATIONS UP TO AND INCLUDING 4 DETECT POINTS SHALL BE CORRECTED AS SOON AS POSSIBLE, BUT IN ANY EVENT WITHIN?
- A. 5 DAYS
 - B. 7 DAYS
 - C. 10 DAYS
 - D. 14 DAYS

IMMUNIZATIONS # 2

1. IMMUNIZING AGENTS PROCURED FROM SOURCES NOT LICENSED BY THE DEPARTMENT OF HEALTH, EDUCATION AND WELFARE WILL MEET STANDARDS ACCEPTABLE TO THE?
 - A. NATIONAL INSTITUTES OF HEALTH
 - B. ARMED SERVICES INVESTIGATIONAL DRUG REVIEW BOARD
 - C. SURGEON GENERAL
 - D. EITHER A OR B

2. ALL PERSONNEL OF THE U.S. NAVY WILL BE IMMUNIZED IN ACCORDANCE WITH?
 - A. AR 40-562
 - B. AFR 161-13
 - C. NAVMEDCOM 6230.3
 - D. ALL OF THE ABOVE

3. IMMUNIZING AGENTS WILL NOT BE USED BEYOND THE STATED EXPIRATION DATES UNLESS SPECIFICALLY AUTHORIZED BY THE?
 - A. COMMANDING OFFICER
 - B. MANUFACTURER
 - C. SECRETARY OF THE TREASURY
 - D. SURGEON GENERAL

4. WHAT BIOLOGICAL MUST ALWAYS BE SHIPPED AND STORED IN A FROZEN STATE?
 - A. CHOLERA
 - B. ORAL POLIO
 - C. TYPHUS
 - D. TYPHOID

5. WHAT IS THE PROPER WAY TO DISPOSE OF ALL CONTAINERS OF LIVING VIRUS VACCINES?
 - A. BURNING
 - B. BOILING
 - C. AUTOCLAVING
 - D. ANY OF THE ABOVE

6. PERSONS WITH SIGNIFICANT ALLERGIES TO EGGS OR FOWL SHOULD NEVER BE GIVEN WHAT IMMUNIZATION?
 - A. TYPHUS
 - B. TYPHOID
 - C. CHOLERA
 - D. ORAL POLIO

7. WHAT IS THE CORRECT PROCEDURE TO FOLLOW IF A MEMBER RECEIVING AN INOCULATION HAS AN ANAPHYLACTIC REACTION?
- A. CALL THE MEDICAL OFFICER, ADMINISTER 0.5 ML EPINEPHRINE SUBCUTANEOUSLY, PLACE A CONSTRICTING BAND ABOVE THE INJECTION SITE
 - B. ADMINISTER 0.5 ML EPINEPHRINE SUBCUTANEOUSLY, PLACE A CONSTRICTING BAND ABOVE THE INJECTION SITE, CALL THE MEDICAL OFFICER
 - C. CALL THE MEDICAL OFFICER, ADMINISTER 1.0 ML EPINEPHRINE IV, PLACE A CONSTRICTING BAND ABOVE THE INJECTION SITE
 - D. PLACE A CONSTRICTING BAND ABOVE THE INJECTION SITE, ADMINISTER 0.5 ML EPINEPHRINE IV IN THE OPPOSITE ARM, CALL THE MEDICAL OFFICER
8. HOW MANY TIMES CAN A UNENTERED CONTAINER OF ORAL POLIO BE RE-FROZEN?
- A. 5
 - B. 10
 - C. 20
 - D. ORAL POLIO MUST NOT BE FROZEN
9. WHAT IS USUALLY THE FIRST INDICATION OF A SEVERE REACTION TO ANY IMMUNIZING AGENT?
- A. CIRCULATORY COLLAPSE
 - B. RESPIRATORY EMBARRASSMENT
 - C. URTICARIA
 - D. ALL OF THE ABOVE
10. WHEN YELLOW FEVER VACCINE IS RECONSTITUTED WITH SODIUM CHLORIDE IT MUST BE USED WITHIN?
- A. 1 HOUR
 - B. 24 HOURS
 - C. 7 DAYS
 - D. 30 DAYS
11. WHAT IMMUNIZATION REQUIRES A BOOSTER BE GIVEN EVERY 10 YEARS?
- A. MENINGOCOCCAL VACCINE
 - B. TETANUS
 - C. PLAGUE
 - D. SMALLPOX
12. WHAT IS THE MINIMUM AMOUNT OF TIME AN AIR CREW MEMBER MUST BE GROUNDED IF HE RECEIVED AN INFLUENZA INOCULATION?
- A. NONE
 - B. 12 HOURS
 - C. 24 HOURS
 - D. 36 HOURS

13. WHICH OF THE BELOW IS NOT TRUE CONCERNING IMMUNIZATIONS?
- A. TYPHOID MUST NEVER UNDER ANY CIRCUMSTANCES BE GIVEN INTRADERMALLY
 - B. ORAL POLIO VACCINE MUST NEVER BE GIVEN PARENTALLY
 - C. THE BASIC SERIES FOR ALL INOCULATIONS MUST BE COMPLETED WITHIN 2 YEARS
 - D. THERE SHOULD BE A MINIMUM OF 14 DAYS BETWEEN DOSES OF LIVE VIRUS VACCINES
14. WHAT IMMUNIZATION MUST ONLY BE GIVEN INTRAMUSCULARLY (IM)?
- A. PLAGUE
 - B. INFLUENZA
 - C. YELLOW FEVER
 - D. CHOLERA
15. IMMUNIZATION ENTRIES ON THE PHS-731 (INTERNATIONAL CERTIFICATE OF VACCINATION) THAT MUST BE AUTHENTICATED BY THE DEPARTMENT OF DEFENSE STAMP AND THE ACTUAL SIGNATURE OF A MEDICAL OFFICER INCLUDE ALL OF THE BELOW EXCEPT?
- A. PLAGUE
 - B. YELLOW FEVER
 - C. CHOLERA
 - D. SMALLPOX
16. INFORMATION CONCERNING A DETERMINED HYPERSENSITIVITY TO A DRUG OR CHEMICAL SHALL BE INDICATED WHERE ON THE SF-601 (IMMUNIZATION RECORD)?
- A. REACTIONS
 - B. SENSITIVITY TEST
 - C. REMARKS AND RECOMMENDATIONS
 - D. NONE OF THE ABOVE
17. WHICH OF THE BELOW IS NOT TRUE CONCERNING A SMALLPOX VACCINATION?
- A. THE AREA OF VACCINATION SHALL NOT COVER MORE THAN 1/4TH OF AN INCH IN ANY DIRECTION
 - B. ENSURE THE AREA TO BE VACCINATED IS THOROUGHLY CLEANSED WITH ALCOHOL
 - C. ALLOW VACCINE TO AIR DRY FOR 3-5 MINUTES WITHOUT EXPOSURE TO THE SUNLIGHT
 - D. VACCINE MAY BE GIVEN WITH A JET INJECTOR EQUIPPED SPECIFICALLY WITH THE INTRADERMAL NOZZLE
18. WHAT IMMUNIZATION ON THE PHS-731 MUST INDICATE WHETHER THE VACCINE WAS LIQUID OR FREEZE-DRIED?
- A. ADENOVIRUS
 - B. YELLOW FEVER
 - C. ORAL POLIO
 - D. SMALLPOX

19. PREVIOUSLY IMMUNIZED PERSONS WITH MINOR INJURIES DO NOT ORDINARILY REQUIRE A BOOSTER AGAINST TETANUS IF THEY HAVE RECEIVED THE BASIC IMMUNIZATION SERIES OR REIMMUNIZATION WITHIN THE PRECEDING?

- A. YEAR
- B. 3 YEARS
- C. 5 YEARS
- D. 10 YEARS

20. WHAT IMMUNIZATION WILL BE GIVEN IN ACCORDANCE WITH THE ANNUAL SURGEON GENERAL DIRECTIVE?

- A. SMALLPOX
- B. CHOLERA
- C. YELLOW FEVER
- D. INFLUENZA

FOOD SERVICE # 2

1. ALL FOOD SERVICE PERSONNEL SHALL COMPLETE A PHYSICAL EXAMINATION IF THEY HAVE BEEN AWAY FROM THEIR DUTIES FOR?
 - A. 10 DAYS
 - B. 15 DAYS
 - C. 20 DAYS
 - D. 30 DAYS

2. HOW MUCH REFRESHER TRAINING IS REQUIRED FOR FOOD SERVICE PERSONNEL ON FOOD SERVICE SANITATION PRINCIPLES?
 - A. 3 HOURS
 - B. 6 HOURS
 - C. 9 HOURS
 - D. 12 HOURS

3. WHO IS RESPONSIBLE TO ENSURE THAT FOOD SERVICE PERSONNEL RECEIVE THEIR REQUIRED TRAINING?
 - A. SUPPLY OFFICER
 - B. CIVILIAN SUPERVISOR
 - C. MEDICAL OFFICER
 - D. MEDICAL DEPARTMENT REPRESENTATIVE

4. WHO IS QUALIFIED TO CONDUCT FOOD SERVICE TRAINING WHEN AN ENVIRONMENTAL HEALTH OFFICER OR A PREVENTIVE MEDICINE TECHNICIAN IS NOT AVAILABLE?
 - A. MEDICAL DEPARTMENT REPRESENTATIVE E-4 OR ABOVE
 - B. MESS MANAGEMENT SPECIALISTS E-4 OR ABOVE
 - C. CIVILIAN FOOD SERVICE SUPERVISOR
 - D. ANY OF THE ABOVE WHO HAS RECEIVED SPECIAL TRAINING TO QUALIFY THEM AS FOOD SERVICE SANITATION INSTRUCTORS

5. WHICH OF THE BELOW IS NOT TRUE CONCERNING FOOD SERVICE SANITATION?
 - A. DISPOSABLE PLASTIC GLOVES ARE ACCEPTABLE FOR USE BY FOOD SERVICE PERSONNEL
 - B. NAVMED 4061/1 SHALL BE HELD BY THE INDIVIDUAL ON TRANSFER
 - C. EXAMINATION OF PERSONNEL WITH QUESTIONABLE MEDICAL OR SOCIAL HISTORIES SHALL BE COMPREHENSIVE AND SHALL INCLUDE X-RAY OF THE CHEST, STOOL AND URINE EXAMINATIONS FOR PARASITE AND BACTERIAL PATHOGENS
 - D. THE FOOD SERVICE TRAINING CERTIFICATE SHALL BE SIGNED BY THE FOOD SERVICE OFFICER

PHARMACY & TOXICOLOGY #2

1. THE ACTION OF DRUGS ON LIVING TISSUE IN THE PRESENCE OF DISEASE, TREATMENT OF THE SICK, WOULD BE TERMED?
 - A. PHARMACY
 - B. PHARMACOGNOSY
 - C. PHARMACOTHERAPEUTICS
 - D. PHARMACODYNAMICS

2. USING YOUNG'S RULE, WHAT WOULD THE DOSE BE FOR A SIX-YEAR-OLD CHILD IF THE ADULT DOSE IS nine GRAINS?
 - A. 2 GRAINS
 - B. 3 GRAINS
 - C. 4 GRAINS
 - D. 6 GRAINS

3. USING CLARK'S RULE, WHAT WOULD THE DOSE BE FOR A CHILD WHO WEIGHS 30 POUNDS IF THE ADULT DOSE IS 600MG?
 - A. 120MG
 - B. 150MG
 - C. 200MG
 - D. 250MG

4. WHICH OF THE FACTORS WHICH INFLUENCE DOSAGE OF DRUGS IS NOT CORRECT?
 - A. ASIANS REQUIRE SMALLER QUANTITIES THAN CAUCASIANS
 - B. HABITUAL USE HAS A GREAT BEARING ON DOSAGE
 - C. FREQUENCY OF ADMINISTRATION IS A DEFINITE FACTOR
 - D. MODE OF ADMINISTRATION HAS VERY LITTLE BEARING ON THE AMOUNT GIVEN

5. WHAT OTHER ROUTE OF DRUG ADMINISTRATION IS ASSOCIATED CLOSELY TO ORAL ADMINISTRATION?
 - A. BUCCAL
 - B. PARENTAL
 - C. INHALATION
 - D. RECTAL

6. WHAT IS THE DOSE OF MAGNESIUM HYDROXIDE (MILK OF MAGNESIA) WHEN USED AS A LAXATIVE?
 - A. 5-10 ML 4-6 TIMES A DAY (MAXIMUM 60ML)
 - B. 15-30 ML
 - C. 15ML 4 TO 6 TIMES A DAY BETWEEN MEALS & AT BEDTIME
 - D. 5-20 ML 1 HOUR AFTER EACH MEAL & AT BEDTIME

7. WHAT ANTACID MAY CAUSE CONSTIPATION?
- A. ALUMINA & MAGNESIA (MAALOX)
 - B. ALUMINUM HYDROXIDE GEL (AMPHOJEL)
 - C. ALUMINA, MAGNESIA, & SIMETHICONE
 - D. ORAL SUSPENSION (MYLANTA, GELUSIL)
8. THE TREATMENT OF POISON IVY, SWELLING & BRUISES, INSECT BITES, ATHLETE'S FOOT, SUPERFICIAL EXTERNAL OTITIS, IS ACCOMPLISHED BY USING THE ASTRINGENT ALUMINUM ACETATE TOPICAL SOLUTION (BURROW'S SOLUTION) AT WHAT STRENGTH?
- A. 1:750 TO 1:1000
 - B. 1:100 TO 1:500
 - C. 1:10 TO 1:40
 - D. 1:5 TO 1:10
9. WHICH OF THE BELOW LISTED DRUGS MAY BE USED AS AN ASTRINGENT & ALSO AS AN EMOLLIENT?
- A. COCOA BUTTER (THEOBROMA OIL)
 - B. HYDROUS WOOL FAT (LANOLIN)
 - C. CALAMINE LOTION
 - D. ZINC OXIDE OINTMENT
10. THE MILD EXPECTORANT WHICH CONTAINS 40% ALCOHOL SERVES AS THE MAIN BRONCHOMUCOTROPIC AGENT?
- A. GUAIFENSIN (ROBITUSSIN)
 - B. DEXTROMETHORPHAN (DM)
 - C. BENZONATATE (TESSALON PERLES)
 - D. TERPIN HYDRATE ELIXIR WITH CODEINE
11. WHAT DISINFECTANT IS GERMICIDAL FOR A NUMBER OF GRAM NEGATIVE & GRAM POSITIVE ORGANISMS INCLUDING FUNGI, BUT IS MOST COMMONLY USED AS A CLEANING AGENT IN ANIMAL BITES?
- A. GLUTARALDEHYDE (CIDEX)
 - B. SILVER NITRATE
 - C. BENZALKONIUM CHLORIDE (ZEPHIRAN CHLORIDE)
 - D. HEXACHLOROPHENE (PHISOHEX)
12. WHICH OF THE BELOW IS NOT TRUE CONCERNING HYDROGEN PEROXIDE?
- A. IT IS AVAILABLE AS A 10% SOLUTION
 - B. DETERIORATES ON STANDING TO OXYGEN & WATER
 - C. MOST COMMONLY USED TO CLEAN SUPPURATING WOUNDS
 - D. IS ALSO EFFICIENT IN THE TREATMENT OF VINCENT'S ANGINA (TRENCH MOUTH)

13. WHAT TOPICAL ANTIMICROBIAL AGENT IS USED IN THE TREATMENT OF SECOND & THIRD DEGREE BURNS TO PREVENT WOUND SEPSIS?
- A. TRIMETHOPRIM & SULFAMETHOXAZOLE (BACTRIM, SEPTRA)
 - B. SILVER SULFADIAZINE (SILVADENE)
 - C. SULFISUXAZOLE
 - D. SULFACETAMIDE (SULAMYD)
14. WHICH OF THE LISTED CONDITIONS IS PENICILLIN NOT EFFECTIVE IN IT'S TREATMENT?
- A. HEMOLYTIC STREPTOCOCCAL INFECTIONS
 - B. VINCENT'S ANGINA
 - C. TUBERCULOSIS
 - D. PNEUMOCOCCAL INFECTIONS
15. WHAT ANTIBIOTIC IS ONLY ADMINISTERED PARENTALLY?
- A. AMPICILLIN
 - B. DICLOXICILLIN (DYNAPEN)
 - C. PENICILLIN V. POTASSIUM
 - D. PENICILLIN G
16. WHICH OF THE BELOW IS NOT TRUE CONCERNING CEPHALOSPORINS A GROUP OF SEMISYNTHETIC DERIVATIVES OF CEPHALOSPORIN C, AN ANTIMICROBIAL AGENT OF FUNGAL ORIGIN?
- A. PATIENTS ALLERGIC TO PENICILLIN WILL NORMALLY TOLERATE CEPHALOSPORINS
 - B. CEPHALOTHIN (KEFLIN) IS A BROAD-SPECTRUM PARENTERAL PREPARATION
 - C. CEFOXITIN (MEFOXIN) IS USED IN THE TREATMENT OF SUSCEPTIBLE GRAM-POSITIVE & GRAM NEGATIVE BACTERIA
 - D. CEFAZOLIN (ANCEF, KEFZOL) IS USED AS A PREOPERATIVE PROPHYLAXIS
17. WHAT DRUG IS INDICATED FOR THE TREATMENT OF UNCOMPLICATED CHLAMYDIAL & GONOCOCCAL INFECTIONS?
- A. TETRACYCLINE HYDROCHLORIDE (ACHROMYCIN)
 - B. CEPHADRINE (ANSPOR, VELOSEF)
 - C. DOXYCYCLINE HYCIATE (VIBRAMYCIN)
 - D. MINOCYCLINE HYDROCHLORIDE (MINOCIN)
18. WHAT DRUG REQUIRES MONITORING RENAL & HEPATIC FUNCTION TO DETERMINE IF TOXIC LEVELS ARE REACHED?
- A. NEOMYCIN SULFATE
 - B. GENTAMYCIN SULFATE (GARAMYCIN)
 - C. CLINDAMYCIN HYDROCHLORIDE (CLEOCIN)
 - D. VANCOMYCIN HYDROCHLORIDE (VANOCIN)

19. WHAT DRUG HAS BEEN RECOGNIZED AS HIGHLY TOXIC WITH SIGNIFICANT HEMATOLOGIC SIDE EFFECTS: i.e. BONE MARROW DEPRESSION ANEMIA, & LEUKOPENIA?
- A. ERYTHROMYCIN (ILOTYCIN, E-MYCIN)
 - B. NITROFURANTOIN (MACRODANTIN)
 - C. SPECTINOMYCIN HCL (TROBICIN)
 - D. CHLORAMPHENICOL SODIUM SUCCINATE (CHLOROMYCETIN)
20. WHAT DRUG IS FUNGICIDAL & FUNGISTATIC AGAINST A WIDE VARIETY OF YEAST & YEAST LIKE FUNGI & MOST OFTEN USED IN THE TREATMENT OF CANDIDIASIS?
- A. UNDECYLENIC ACID (DESENEK)
 - B. TOLNAFTATE (TINACTIN, AFTATE)
 - C. NYSTATIN (MYCOSTATIN)
 - D. CLOTRIMAZOLE (LOTRIMIN, MYCELEX)
21. WHAT DRUG (ADMINISTERED ORALLY) IS USED FOR FUNGAL INFECTIONS OF THE NAILS, HAIR, & SKIN BUT IS CONTRAINDICATED IN-PATIENTS WITH HEPATIC DYSFUNCTION?
- A. GRISEOFULVIN (GRIS-PEG, FULVICIN)
 - B. TOLNAFTATE (TINACTIN, AFTATE)
 - C. MICONAZOLE NITRATE (MONISTAT)
 - D. MYSTATIN (MYCOSTATIN)
22. WHAT DRUG IS A SCABICIDE & MAY BE USED AS AN ANTIPRURITIC?
- A. METRONIDAZOLE
 - B. FLAGYL
 - C. KWELL (LINDANE)
 - D. CROTAMITON (ERAX)
23. WHAT IS THE DRUG OF CHOICE IN THE TREATMENT OF ACUTE MALARIAL ATTACKS & SEVERE DISEASE & IN THE PREVENTION & SUPPRESSION OF MALARIA IN ENDEMIC AREAS?
- A. PRIMAQUINE PHOSPHATE
 - B. CHLOROQUINE PHOSPHATE (ARALEN)
 - C. FANSIDAR
 - D. SULFADOXINE & PYRIMETHAMINE
24. WHAT DRUG IS INDICATED FOR PINWORMS BUT THE PATIENT SHOULD BE INFORMED THAT IT WILL CAUSE STOOLS TO BE BRIGHT RED?
- A. PYRANTEL PAMOATE (ANTIMINTH)
 - B. THIABENDAZOLE (MINTEZOL)
 - C. PYRVINIUM PAMOATE (POVAN)
 - D. MEBENDAZOLE (VERMOX)

25. WHAT DRUG IS A STOOL SOFTENER THAT PROMOTES WATER RETENTION IN THE FECAL MASS?
- A. PSYLLIUM HYDROPHILIC MUCILLOID (METAMUCIL)
 - B. DUCOSATE CALCIUM (SURFAK)
 - C. MINERAL OIL
 - D. BISACODYL (DUCOLAX)
26. WHAT IS THE DOSE OF KAOLIN MIXTURE WITH PECTIN (KAOPECTATE)?
- A. 15 ML QID
 - B. 30 ML TID
 - C. 15 ML MORNING & BEDTIME
 - D. 30 ML AFTER EACH BOWEL MOVEMENT
27. WHAT ANALGESIC & ANTIPYRETIC HAS NO ANTI-INFLAMMATORY ACTION?
- A. ACETAMINOPHEN (TYLENOL)
 - B. ASPIRIN (ASA) CAMA,ASCRIPIN,ECOTRIN,EASPRIN)
 - C. NAPROXEN SODIUM (ANAPROX)
 - D. IBUPROFEN (MOTRIN)
28. WHAT CHAPTER IN THE MANUAL OF THE MEDICAL DEPARTMENT (NAVMED P117) DEALS WITH DANGEROUS DRUGS & CHEMICALS?
- A. 15
 - B. 16
 - C. 21
 - D. 23
29. WHAT DRUG ALTHOUGH CLASSIFIED AS A DIURETIC IS INDICATED IN THE TREATMENT OF GLAUCOMA TO REDUCE INTRAOCULAR PRESSURE?
- A. FUROSEMIDE (LASIX)
 - B. HYDROCHLOROTHIAZIDE (HYDRODIURIL)
 - C. ACETAZOLAMIDE (DIAMOX)
 - D. TRIAMTERENE & HYDROCHLOFOTHIAZIDE
30. WHAT IS PRIMARILY INDICATED FOR NARCOLEPSY BUT BECAUSE OF IT'S ANORECTIC EFFECT IT IS OCCASIONALLY USED TO TREAT EXOGENOUS OBESITY?
- A. DEXTROAMPHETAMINE SULFATE (DEXEDRINE)
 - B. METHYLPHENIDATE HYDROCHLORIDE (RITALIN)
 - C. PENTOBARBITAL (NEMBUTAL)
 - D. ALCOHOL ETHYL (ETHANOL)

31. WHAT DRUG IS PREFERRED OVER PHENOBARBITAL FOR GRAND MAL EPILEPSY BECAUSE IT HAS NO HYPNOTIC PROPERTIES?
- A. PENTOBARBITAL (NEMBUTAL)
 - B. ETHYL ALCOHOL (ETHANOL)
 - C. LUMINAL
 - D. PHENYTOIN SODIUM (DILANTIN)
32. WHICH OF THE BELOW IS NOT TRUE CONCERNING CODEINE SULFATE?
- A. USED FOR MODERATE TO SEVERE PAIN & AS AN ANTITUSSIVE
 - B. HAS ONE-FOURTH OF THE ANALGESIC POWER & ONE-SIXTH OF THE RESPIRATORY DEPRESSANT EFFECT OF MORPHINE
 - C. AS AN ANALGESIC GIVE 15 TO 60MG EVERY 4 HOURS
 - D. DO NOT EXCEED 120 MG IN A 24 HOUR PERIOD
33. WHAT SYNTHETIC ANALGESIC IS SIMILAR TO MORPHINE SULFATE BUT IS NOT AS EFFECTIVE IN IT ANALGESIC PROPERTIES?
- A. MEPERIDINE HYDROCHLORIDE
 - B. CAMPHORATED OPIUM TINCTURE
 - C. CODEINE SULFATE
 - D. HALOPERIDOL (HALDOL)
34. WHAT DRUG IS MOST OFTEN USED IN THE SYMPTOMATIC TREATMENT OF NAUSEA & VOMITING BUT SHARES ALL THE ANTIPSYCHOTIC EFFECTS OF CHLORPROMAZINE?
- A. THIORIDAZINE (MELLARIL)
 - B. LITHIUM (ESKALITH, LITHANE)
 - C. PROCHLORPERIZINE (COMPAZINE)
 - D. THORAZINE
35. WHAT DRUG IS PROBABLY THE MOST ABUSED OF THE PRESCRIPTION DRUGS USED TO TREAT SPASTIC MUSCLE CONDITIONS & CONVULSIVE SEIZURE EPISODES: IT IS THE DRUG OF CHOICE IN STATUS EPILEPTICUS?
- A. CHLORDIAZEPOXIDE HYDROCHLORIDE (LIBRIUM)
 - B. HYDROXIZINE HYDROCHLORIDE (VISTARIL)
 - C. FLURAZEPAM (DALMANE)
 - D. DIAZEPAM (VALIUM)
36. WHAT SKELETAL MUSCLE RELAXANT AGENT COMBINES AN ANALGESIC WITH A MUSCLE RELAXANT?
- A. ORPHENADRINE, ASPIRIN, & CAFFEINE (NORGESIC)
 - B. CHLORZOXAZONE & ACETAMINOPHEN (PARAFON FORTE)
 - C. CYCLOBENZAPRINE HYDROCHLORIDE (FLEZERIL)
 - D. METHOCARBAMOL (ROBAXIN)

37. WHAT CARDIOVASCULAR AGENT HAS A DIRECT EFFECT ON THE MYOCARDIUM, CAUSING AN INCREASE IN THE FORCE OF CONTRACTION & IS INDICATED FOR ALL DEGREES OF CONGESTIVE HEART FAILURE & FOR VARIOUS ARRHYTHMIA'S?
- A. DIGITOXIN (CRYSTODIGIN, PURODIGIN)
 - B. DIGOXIN (LANOXIN)
 - C. QUINIDINE SULFATE
 - D. QUININE SULFATE
38. WHAT VASODILATOR IS INDICATED FOR THE TREATMENT & MANAGEMENT OF ACUTE & CHRONIC ANGINA PECTORIS?
- A. AMYL NITRITE
 - B. NITROGLYCERIN (NITROSTAT, NITRO-BID)
 - C. PYRIDAMOLE (PERSANTINE)
 - D. PROCAINAMIDE HYDROCHLORIDE
39. WHAT VASOCONSTRICTOR IS ADMINISTERED AS A 0.05 PERCENT SOLUTION, WHICH IS SPRAYED INTO THE AFFECTED NOSTRIL TWICE DAILY BUT MUST NEVER BE USED LONGER THAN 3 DAYS?
- A. PHENYLEPHRINE HYDROCHLORIDE (NEO-SYNEPHRINE)
 - B. EPINEPHRINE (ADRENALIN, SUS-PHRINE)
 - C. OXYMETAZOLINE HYDROCHLORIDE (AFRIN)
 - D. TETRAHYDROZALINE HYDROCHLORIDE (VISINE)
40. WHAT ANTICOAGULANT IS USED AS A PROPHYLAXIS OF VENOUS THROMBOSIS & AS A TREATMENT TO PREVENT IT'S EXTENSION, AS WELL AS IN THE PROPHYLAXIS & TREATMENT OF PULMONARY EMBOLISM?
- A. ABSORBABLE GELATIN SPONGE
 - B. HEPARIN SODIUM
 - C. WARFARIN SODIUM
 - D. COUMADIN
41. WHAT IS ANOTHER NAME FOR VITAMIN "B-6"
- A. RETINOL
 - B. THIAMINE HYDROCHLORIDE
 - C. RIBOFLAVIN
 - D. PYRIDOXINE HYDROCHLORIDE
42. WHAT VITAMIN IS ESSENTIAL TO GROWTH, CELL REPRODUCTION, & HEMATOPOIESIS & IS USED IN THE TREATMENT OF PERNICIOUS ANEMIA WITH FOLIC ACID?
- A. CYANOCOBALAMIN (VITAMIN "B12")
 - B. ASCORBIC ACID (VITAMIN "C")
 - C. VITAMIN "D"
 - D. VITAMIN "K"

43. WHAT GENERAL ANESTHETIC IS NOT FLAMMABLE & IS CONTRAINDICATED IN OBSTETRICS OR IN PATIENTS WITH HEPATIC DYSFUNCTION?
- HALOTHANE (FLUOTHANE)
 - NITROUS OXIDE (LAUGHING GAS)
 - KETAMINE HYDROCHLORIDE (KETALAR)
 - FENTANYL & DROPERIDOL (INNOVAR)
44. WHAT LOCAL ANESTHETIC MAY BE COMBINED WITH EPINEPHRINE FOR VASOCONSTRICTIVE EFFECTS USED TO TREAT MYOCARDIAL INFARCTION TO PREVENT OR SUPPRESS PREVENTRICULAR CONTRACTIONS BUT THE TOTAL DOSAGE INJECTED SHOULD NEVER EXCEED 0.05G IN 24 HOURS?
- PROCAINE HYDROCHLORIDE (NOVOCAIN)
 - LIDOCAINE HYDROCHLORIDE (XYLOCAINE)
 - DIBUCAINE HYDROCHLORIDE (NUPERCAINE)
 - PROPACAIN (OPHTHETIC, OPHTHAINE)
45. WHAT PARASYMPATHETIC DRUG IS USED FOR ACUTE POSTOPERATIVE & POSTPARTUM NONOBSTRUCTIVE URINARY RETENTION & NEUROGENIC ATONY OF THE URINARY BLADDER WITH RETENTION?
- BETHANECHOL CHLORIDE (URECHOLINE, DUVIDOL)
 - NEOSTIGMINE METHYLSUFATE (PROSTIGMIN)
 - PILOCARPINE (PILOCAR, ISOPTP-CARPINE)
 - EACH OF THE ABOVE
46. WHAT PARASYMPATHOLYTIC DRUG (ANTICHOLINERGIC) HAS A MYDRIATIC EFFECT ON THE PUPIL OF THE EYE WHICH CAUSES A PARALYSIS OF ACCOMMODATION & IS USED AS A MYDRIATIC & CYCLOPLEGIC IN OPHTHALMOLOGY, AS AN ANHYDROTIC (CHECK THE SECRETION OF SWEAT), IN LARGE DOSES AS A CIRCULATORY STIMULANT, & AS A RESPIRATORY STIMULANT IN CERTAIN POISONINGS?
- GLYCOPYRROLATE
 - ROBINUL
 - PROPANTHELINE BROMIDE (PRO-BANTHINE)
 - ATROPINE SULFATE
47. WHAT DRUG IS A PHYSIOLOGIC ANTIDOTE FOR NEOSTIGMINE, PILOCARPINE, NERVE GASES, MY BE GIVEN WITH MORPHINE TO OVERCOME THE RESPIRATORY DEPRESSANT EFFECTS, & IS USED PREOPERATIVELY TO REDUCE SALIVARY & BRONCHIOLE SECRETIONS?
- GLYCOPYRROLATE
 - ROBINUL
 - PROPANTHELINE BROMIDE (PRO-BANTHINE)
 - ATROPINE SULFATE

48. WHAT SYMPATHOLYTIC DRUG IS INDICATED FOR ESSENTIAL HYPERTENSION, PROPHYLAXIS OF ANGINA PECTORIS, CARDIAC ARRHYTHMIA'S, & PROPHYLAXIS OF COMMON MIGRAINE HEADACHES?
- A. METHYLDOPA (ALDOMET)
 - B. PROPRANOLOL HYDROCHLORIDE (INDERAL)
 - C. ERGONOVINE MALEATE (ERGOTRATE)
 - D. OXYTOCIN (PITOCIN)
49. WHAT ANTIHISTAMINE IS USED TO PREVENT & TREAT MOTION SICKNESS BUT MAY BE USED TO CONTROL NAUSEA & VOMITING WITH RADIATION SICKNESS?
- A. DIPHENHYDRAMINE HYDROCHLORIDE (BENADRYL)
 - B. CHLORPHENIRAMINE MALEATE (CHLOR-TRIMETON)
 - C. DIMEHYDRINATE (DRAMAMINE)
 - D. MECLIZINE HYDROCHLORIDE (ANTIVET, BONIE)
50. WHAT IS ANOTHER NAME FOR THE DRUG CIMETIDINE, WHICH IS USED TO PROMOTE HEALING OF DUODENAL ULCERS?
- A. TAGAMET
 - B. ZANTAC
 - C. DIMETAPP
 - D. DRIXORAL
51. WHAT TYPE OF FOOD POISONING IS CAUSED BY A SPECIFIC GROUP OF ORGANISMS, NAMELY THE SALMONELLA GROUP, BUT OCCASIONALLY THE DYSENTERY GROUP?
- A. PROTEUS
 - B. STAPHYLOCOCCI
 - C. INFECTION
 - D. INTOXICATION
52. WHICH OF THE FOLLOWING EMETICS HAVE ANTIDOTAL ACTION FOR A NUMBER OF METALLIC SALTS PRINCIPALLY MERCURIC CHLORIDE?
- A. POWDERED MUSTARD IN WARM WATER
 - B. WARM SALTY WATER
 - C. IPECAC SYRUP 15-30 ML
 - D. WARM SOAPY WATER
53. WHAT TYPE POISONING SHOULD BE SUSPECTED IF A PATIENT COMPLAINS OF NAUSEA, VOMITING, AND PURGING (FREQUENTLY THE VOMITED MATTER & STOOLS CONTAINS BLOOD) : PAIN & CRAMPS IN THE ABDOMEN?
- A. IRRITANTS
 - B. CORROSIVES
 - C. NEUROTICS
 - D. EXCITANTS

54. WHICH OF THE BELOW IS NOT TRUE CONCERNING DANGEROUS & CONTROLLED DRUGS?
- A. CONTROLLED SUBSTANCES ARE LISTED IN THE COMPREHENSIVE DRUG ABUSE PREVENTION & CONTROL ACT OF 1970.
 - B. METHYL ALCOHOL SHOULD ONLY BE ISSUED BY THE PHARMACY IN AN EMERGENCY
 - C. GLACIAL ACETIC , SULFURIC, NITRIC, & OXALIC ACIDS WILL NOT BE ISSUED TO WARDS OR OUTPATIENTS
 - D. METHYL ALCOHOL (FOR USE BY MEDICAL ACTIVITIES) WILL BE ACCOUNTED FOR & ISSUED BY THE SUPPLY DEPARTMENT
55. WHAT SCHEDULE OF CONTROLLED DRUGS HAS A HIGH POTENTIAL FOR ABUSE & ACCEPTED MEDICAL USEFULNESS?
- A. I
 - B. II
 - C. III
 - D. IV
56. WHERE SHOULD THE ANTIDOTE LOCKER BE LOCATED ON A SMALL SHIP WITH ONLY ONE INDEPENDENT DUTY HOSPITAL CORPSMAN?
- A. MESSHALL
 - B. EMERGENCY TREATMENT ROOM
 - C. OUTSIDE SICKBAY
 - D. AMIDSHIPS FOR READY ACCESSIBILITY
57. WHAT PUBLICATION IN THE PHARMACY HAS OFFICIAL (LEGAL) STATUS & IS A CONSTANT SOURCE OF REFERENCE FOR THE PHARMACIST?
- A. UNITED STATES PHARMACOPOEIA (USP)
 - B. PHYSICIAN'S DESK REFERENCE (PDR)
 - C. UNITED STATES DISPENSATORY (USD)
 - D. REMINGTON'S PHARMACEUTICAL SCIENCES
58. WHAT IS THE OFFICIAL SYSTEM OF WEIGHTS & MEASURES USED IN THE NAVY?
- A. METRIC
 - B. APOTHECARY
 - C. AVOIRDUPOIS
 - D. TROY
59. THE PRIMARY UNIT OF VOLUME IN THE METRIC SYSTEM IS THE LITER, WHICH OF THE BELOW IS MATCHED INCORRECTLY?
- A. 0.1 LITER = 1 DECILITER
 - B. .01 LITER = 1 CENTILITER
 - C. 10 LITERS = 1 DEKALITER
 - D. 100 LITERS = 1 KILOLITER

60. WHAT IS THE WEIGHT OF ONE CUBIC CENTIMETER (CC) OF DISTILLED WATER?
- A. 1 CG
 - B. 1 DG
 - C. 1 G
 - D. 1MG
61. WHAT IS THE HOUSEHOLD EQUIVALENT OF 10 ML?
- A. ONE TEASPOONFUL
 - B. ONE DESSERTSPOONFUL
 - C. ONE TABLESPOONFUL
 - D. TWO DESSERTSPOONFULS
62. WHAT IS THE HOUSEHOLD EQUIVALENT OF 480 ML?
- A. 1 TEA CUP FULL
 - B. 1 TUMBLERFUL
 - C. 1 PINT
 - D. 1 QUART
63. WHAT IS THE APOTHECARY EQUIVALENT OF 15 ML?
- A. 4 FL. DR.
 - B. 8 FL. DR.
 - C. 2 FL. OZ.
 - D. 4 FL. OZ.
64. WHAT IS THE PROCESS OF REDUCING A SUBSTANCE TO A POWDER BY PLACING THE SUBSTANCE IN A MOTAR & APPLYING THE PESTLE IN A ROTARY MOTION?
- A. MACERATION
 - B. TRITURATION
 - C. DECANTATION
 - D. LEVIGATION
65. WHAT WOULD 20 DEGRESS CENTIGRADE EQUAL IN FAHRENHEIT DEGREES?
- A. 62 DEGREES F.
 - B. 64 DEGREES F.
 - C. 66 DEGREES F.
 - D. 68 DEGREES F.
66. WHAT WOULD 194 DEGREES FAHRENHEIT EQUAL IN CENTIGRADE DEGREES?
- A. 50 C
 - B. 60 C
 - C. 70 C
 - D. 90 C

67. WHEN AN OPEN FLAME IS USED IN HEATING, THE BEST METHOD OF DISTRIBUTING THE HEAT UNIFORMLY IS TO?
- A. USE A VERY LOW FLAME
 - B. USE A METAL PLATE
 - C. USE A WIRE GAUZE
 - D. KEEP THE FLAME IN CONSTANT MOTION UNDER THE CONTAINER
68. WHAT IS THE MOST COMMON PHARMACEUTICAL BATH (A CIRCULAR BOWL) MADE OF?
- A. METAL
 - B. TINNED COPPER
 - C. GLASS
 - D. UNGLAZED CROCKERY
69. WHAT TYPE OF BALANCE IS USED FOR WEIGHING LOADS FROM 120 MG TO 120 G, WHICH MUST BE ON HAND AT ALL TIMES IN ALL DISPENSING PHARMACIES?
- A. CLASS A
 - B. CLASS B
 - C. CLASS C
 - D. CLASS D
70. AROMATIC, SWEETENED, HYDROALCOHOLIC SOLUTIONS CONTAINING MEDICINAL SUBSTANCES ARE CALLED?
- A. ELIXIRS
 - B. FLUID EXTRACTS
 - C. SPIRITS
 - D. TINCTURES
71. WHAT SIZE CAPSULE HAS THE CAPACITY OF HOLDING 975 MG OF A SUBSTANCE?
- A. 000
 - B. 00
 - C. 1
 - D. 5
72. WHAT TYPE OF PHARMACEUTICAL INCOMPATIBILITIES IS EVIDENCED BY THE FAILURE OF A DRUG TO COMBINE PROPERLY?
- A. THERAPEUTIC
 - B. CHEMICAL
 - C. PHYSICAL
 - D. ALL OF THE ABOVE

73. DEATH FROM AN OVERDOSE OF BARBITURATES IS CAUSED BY?

- A. CARDIAC FAILURE
- B. RENAL FAILURE
- C. HEPATIC FAILURE
- D. RESPIRATORY FAILURE

74. THE FOLLOWING DRUGS (CEFAZOLIN, ANCEF, KEFZOL, CEPHADRINE, ANSPOR, VELOSEF, CEFOXITIN, MEFOXIN, CEPHALEXIN, KEFLEX, CEPHALOTHIN, & KEFLIN ARE CLASSIFIED AS WHAT TYPE OF DRUGS?

- A. CEPHALOSPORINS
- B. AMINOGLYCOSIDES
- C. MACROLIDES
- D. ANTIBIOTICS

75. THE FOLLOWING DRUGS (PROPRANOLOL HYDROCHLORIDE, INDERAL, METHYLDOPA, ALDOMET, RESERPINE, SANDRIL, SERPISIL, HYDRALAZINE, HYDROCHLORINE, APRESBLINE ARE CLASSIFIED AS WHAT TYPE OF DRUGS?

- A. SYMPATHOLYTIC
- B. PARASYMPATHETIC
- C. PSYCHO THERAPEUTIC AGENTS
- D. CENTRAL NERVOUS SYSTEM DEPRESSANTS

76. WHICH OF THE FOLLOWING DRUGS ARE CLASSIFIED AS VASODILATORS?

- A. FUROSEMIDE (LASIX)
- B. PHENYLEPHRINE
- C. ISOSORBIDE DINITRATE (ISORDIL SORBITRATE)
- D. QUININDINE SULFATE

77. WHICH OF THE FOLLOWING DRUGS ARE CLASSIFIED AS NON NARCOTIC ANALGESICS AND ANTIPYRETICS?

- A. PROPANTHELINE BROMIDE (PRO-BANTHINE)
- B. CIMETIDINE
- C. AMITRIPTYLINE HYDROCHLORIDE (ELAVIL)
- D. NAPROXEN SODIUM (ANAPROX)

SUPPLY # 2

1. WHAT PUBLICATION ESTABLISHES POLICES FOR OPERATING AND MANAGING AFLOAT SUPPLY DEPARTMENTS AND ACTIVITIES?
 - A. NAVSUP P-437
 - B. NAVSUP P-409
 - C. NAVSUP P-485
 - D. NAVSUPINST 4235.3

2. WHAT COMNAVMEDEDMATSUPPCOMNOTE PERTAINS TO NAVAL MEDICAL AND DENTAL MATERIAL BULLETIN?
 - A. 4061/1
 - B. 6224/1
 - C. 6300
 - D. 6700

3. WHAT TYPE APPROPRIATION (NO-YEAR) IS ONE THAT IS AVAILABLE FOR INCURRING OBLIGATIONS UNTIL THE FUNDS ARE EXHAUSTED OR UNTIL THE PURPOSE FOR WHICH IT IS MADE IS COMPLETED?
 - A. CONTINUING
 - B. MULTIPLE-YEAR
 - C. ANNUAL
 - D. EACH OF THE ABOVE

4. WHICH OF THE BELOW IS NOT TRUE CONCERNING THE MEDICAL OPTAR?
 - A. USED TO ORDER MEDICAL BOOKS AND PUBLICATIONS
 - B. NAVMEDCOMINST 6820.4 SHOULD BE CONSULTED CONCERNING BOOKS AND PUBLICATIONS
 - C. RESTRICTED ITEMS MUST BE APPROVED BY THE SUPPLY OFFICER
 - D. ALL OF THE ABOVE ARE TRUE

5. HOW MANY DIGITS ARE INDICATED IN THE NATIONAL ITEM IDENTIFICATION NUMBER?
 - A. 2
 - B. 4
 - C. 9
 - D. 13

6. WHAT FEDERAL SUPPLY CATALOG CLASS PERTAINS TO SURGICAL DRESSING MATERIAL?
 - A. 6510
 - B. 6520
 - C. 6525
 - D. 6530

7. WHAT FEDERAL SUPPLY CATALOG PERTAINS TO MEDICAL SETS, KITS AND OUTFITS?
- A. 6532
 - B. 6540
 - C. 6545
 - D. 6550
8. WHAT MEASUREMENT INDICATES THE MAXIMUM QUANTITY OF A STOCK ITEM THAT SHOULD BE KEPT ON HAND AND ON ORDER SUPPORT OPERATIONS?
- A. OPERATING LEVEL
 - B. SAFETY LEVEL
 - C. STOCKAGE OBJECTIVE
 - D. REQUISITIONING OBJECTIVE
9. WHAT PART OF THE DD-1348 (REQUISITION SYSTEM DOCUMENT) IS USED FOR REQUISITIONING FROM OTHER NON-AUTOMATED SHIPS AND FROM AUTOMATED SHIPS WHEN REQUIRED?
- A. 2 PART
 - B. 4 PART
 - C. 6 PART
 - D. 8 PART
10. WHAT DOCUMENT SHOULD BE USED TO REQUISITION STANDARD AND NON STANDARD NAVMEDCOM CONTROLLED ITEMS REQUIRING LOCAL PURCHASE ACTION?
- A. DD-1348
 - B. DD-1149
 - C. DD-877
 - D. DD-689
11. THE PURCHASE ORDER AFLOAT (USED FOR ITEMS IN THE OPEN MARKET) SHALL NOT BE IN EXCESS OF?
- A. \$150.00
 - B. \$300.00
 - C. \$5,000.00
 - D. \$10,000.00
12. THE URGENCY OF NEED DESIGNATOR (UND) WOULD BE INDICATED BY USING?
- A. A, B, OR C
 - B. 01 THRU 15
 - C. I THRU V
 - D. ANY OF THE ABOVE

13. THE NAVY MANAGEMENT DATE LIST (MDA) LISTS ALL ITEMS IN THE SUBSECTION OF THE IDENTIFICATION LIST (IL) INDICATING?
- A. ACQUISITIONS ADVISE CODES
 - B. HANDLING OR STORAGE CODES
 - C. UNIT OF ISSUE, PRICE AND AUTHORIZED SUBSTITUTIONS
 - D. BRIEF DESCRIPTION OF EACH ITEM
14. WHAT TYPE OF INVENTORY WOULD INVOLVE THE INVENTORY OF ALL FAST AND SLOW MOVERS?
- A. VELOCITY
 - B. RANDOM
 - C. BULKHEAD TO BULKHEAD
 - D. SPECIFIC COMMODITY
15. WHAT STOCK RECORD CARD, AFLOAT IS MOST COMMONLY USED FOR RECORDING USAGE DATE OF STOCK?
- A. NAVSUP 766
 - B. NAVSUP 1114
 - C. NAVSUP 1250-1
 - D. EACH OF THE ABOVE
16. WHO WOULD BE APPOINTED AS THE BULK CUSTODIAN OF CONTROLLED SUBSTANCES IN A NAVAL HOSPITAL?
- A. PHARMACY OFFICER
 - B. NURSE CORPS OFFICER
 - C. MEDICAL OFFICER
 - D. ANY OF THE ABOVE
17. CONTROLLED SUBSTANCES MUST MAINTAIN A DETAILED RECORD OF RECEIPT, TRANSFER, SURVEY, DISPENSING AND EXPENDITURE, IN ACCORDANCE WITH?
- A. MMD CHAPTER 15
 - B. MMD CHAPTER 16
 - C. MMD CHAPTER 21
 - D. MMD CHAPTER 23
18. WHAT SURVEY FORMS ARE USED IF PERSONAL RESPONSIBILITY IS EVIDENT OR IF THE REVIEWING AUTHORITY DOES NOT APPROVE THE GOVERNMENT PROPERTY LOST OR DAMAGED?
- A. DD-2090
 - B. DD-200
 - C. DD-1191
 - D. EITHER A OR B

OPTICAL CHARACTER RECOGNITION (OCR) TYPEWRITER AND FORMS # 2

1. AN OCR DOCUMENT WHICH HAS BEEN CREASED SHOULD BE?
 - A. TRANSMITTED
 - B. DISCARDED
 - C. STRAIGHTENED OUT (FLAT) AND THEN SUBMITTED
 - D. TRANSMITTED WITH POSSIBLE REJECTION IN MIND

2. THE TEAR-OFF PORTION AT THE TOP OF EACH FORM IS USED TO ALIGN THE DOCUMENT AND TO ELIMINATE?
 - A. LINE SKEW
 - B. LIGHT BLUE AREAS
 - C. DENSITY
 - D. CHARACTER ALIGNMENT

3. WHICH OF THE BELOW IS TRUE CONCERNING THE OCR TYPEWRITER?
 - A. IT WILL TYPE EIGHT CHARACTERS PER INCH
 - B. REFER TO THE SHIPS MANUAL FOR REGULAR USE AND PROPER CARE
 - C. THE TYPEWRITER IS THE ONE ESSENTIAL ITEM FOR THE SYSTEM
 - D. IT MUST BE A 10-PITCH TYPEWRITER

4. WHAT TYPE OF RIBBON SHOULD BE USED FOR THE OCR TYPEWRITER?
 - A. OCR
 - B. TYPING
 - C. CARBON
 - D. NO RIBBON IS REQUIRED

5. WHICH OF THE BELOW DESIGNATE THE NUMBER '0' IN THE OCR CHARACTER SET OF NUMERALS?
 - A. o
 - B. 0
 - C. 0
 - D. 0

6. WHICH OF THE BELOW ABSTRACT SYMBOLS INDICATES A CHARACTER DELETE?
 - A. Y
 - B. □
 - C. }
 - D. OFFSET STACKED BOXES

7. WHICH OF THE BELOW ABSTRACT SYMBOLS INDICATES A BLOCK SEPARATOR (VERTICAL RULE)?
- A. —
 - B. BELT BUCKLE
 - C. CHINESE CHRISTMAS TREE
 - D. |
8. THE TYPE FACES SHOULD BE CLEANED WITH A STIFF BRUSH AND TYPE CLEANER HOW OFTEN?
- A. DAILY
 - B. WEEKLY
 - C. MONTHLY
 - D. AFTER EACH USE
9. WHICH OF THE FOLLOWING IS THE CORRECT WAY OF TYPING NAMES ON AN OCR DOCUMENT?
- A. O'Leary
 - B. Mc Henry
 - C. MACDONALD
 - D. ST-JOHN
10. WHICH OF THE BELOW IS NOT TRUE CONCERNING ALIGNING YOUR OCR DOCUMENT?
- A. TYPE AN "X" ON THE LEFT SIDE OF THE DOCUMENT
 - B. TYPE THE WORD "ALIGN" ON THE RIGHT SIDE OF THE DOCUMENT
 - C. ALLOW THE TYPING TO TOUCH THE BOTTOM LINE IN ANY BLOCK
 - D. TURN PLATEN KNOB UNTIL THE FRONT EDGE OF THE DOCUMENT CAN BE ALIGNED WITH THE BACK EDGE AND THE SIDES ARE EVEN
11. WHAT LINE DELETE IS TYPED OVER THE FIRST THREE CHARACTERS IN A LINE OF INFORMATION?
- A. ELONGATED HYPHEN
 - B. HOOK
 - C. FORK
 - D. CHAIR
12. WHAT IS THE CAUSE OF FILLING IN THE OPENINGS OF SUCH CHARACTERS AS "9" or "R"?
- A. ERRATIC TYPING
 - B. DIRTY TYPE
 - C. MECHANICAL
 - D. RIBBON QUALITY

13. WHAT SHOULD BE DONE TO AVOID CROWDING OR TOUCHING CHARACTERS?
- A. MOVE SELECTOR TO PROPER POSITION
 - B. ALIGN PAPER
 - C. TYPE WITH RHYTHM
 - D. CALL SERVICE
14. WHAT MAY BE CAUSED BY ERRATIC TYPING OR PLATEN NOT SEATED BEFORE TYPING BEGAN?
- A. ALL CHARACTERS NOT PRINTING
 - B. ERRATIC SPACING
 - C. VOIDS IN CHARACTERS
 - D. FLYING CAPITALS
15. ONLY ONE GROUP (TYPE) OF DOCUMENTS MAY BE SENT PER TRANSMITTAL LETTER. WHAT IS THE MAXIMUM NUMBER OF DOCUMENTS (EXCEPT PAYROLL) THAT MAY BE SENT BY THIS TRANSMITTAL?
- A. 25
 - B. 50
 - C. 75
 - D. 100
16. WHAT MANUAL (S) CONTAIN PAY AND PERSONNEL ENTITLEMENTS AND REGULATIONS FOR REGULAR AND RESERVE MEMBERS OF THE NAVY?
- A. DODPM
 - B. BUPERSMAN
 - C. PAYPERSMAN
 - D. ALL OF THE ABOVE
17. WHICH OF THE BELOW IS NOT TRUE CONCERNING OCR NOMENCLATURE?
- A. HEADER LINE- THE LINE CONTAINING THE PRE-PRINTED OCR PROGRAM NUMBER
 - B. BLOCKS- AREAS FOR DATA FORMED BY DIVIDING A LINE BY ONE OR MORE BLOCK SEPARATORS
 - C. MISALIGNMENT- THE TILTING OF A CHARACTER OR LINE OF TYPING
 - D. DENSITY- THE DEGREE OF DARKNESS OF TYPED CHARACTERS
18. WHAT OF THE BELOW IS NOT A COMMON ERROR ON SUBMISSION OF OCR DOCUMENTS?
- A. LOWERCASE USED FOR THE NUMBER 1
 - B. UPPERCASE ALPHA CHARACTERS USED
 - C. ABBREVIATIONS USED THAT ARE NOT SPECIFIED IN THE PAYPERSMAN
 - D. HYPHENS MISSING AFTER THE THIRD AND FIFTH DIGIT OF THE SSN

19. WHICH OF THE BELOW IS NOT TRUE CONCERNING SUBMISSION OF OCR DOCUMENTS?
- A. ALL NAVPERS FORMS ARE SCANNED AT NMPC
 - B. ALL NAVCOMP FORMS ARE SCANNED AT NAVFINCEN
 - C. USE ONLY UIC'S LISTED IN THE NAVCOMPTMAN (NAVSO P-1000)
 - D. COVER LETTERS ARE PREPARED ON A NAVCOMPT FORM 3051
20. WHAT GROUP OR GROUPS OF DOCUMENTS ARE FORWARDED TO NAVFINCEN BY DISBURSING OFFICERS?
- A. I
 - B. I THRU IV
 - C. II THRU V
 - D. II THRU VI
21. IF A DOCUMENT CONTROL LISTING (DCL) ACKNOWLEDGING A TRANSMITTAL HAS NOT BEEN RECEIVED PREPARE A COPY OF THE UNACKNOWLEDGED TRANSMITTAL LETTER, MARK IT "TRACER COPY", AND MAIL IT TO NMPC IN AN ENVELOPE SEPARATE FROM THE DAILY TRANSMITTALS WITHIN?
- A. 10 DAYS
 - B. 20 DAYS
 - C. 30 DAYS
 - D. 60 DAYS

ADMINISTRATION #1
E-6 & ABOVE

- | | |
|-------|-------|
| 1. C | 49. C |
| 2. D | 50. B |
| 3. A | 51. A |
| 4. B | 52. D |
| 5. C | 53. A |
| 6. B | 54. B |
| 7. C | 55. B |
| 8. D | 56. B |
| 9. D | 57. A |
| 10. D | 58. C |
| 11. C | 59. C |
| 12. D | 60. B |
| 13. A | 61. D |
| 14. D | 62. A |
| 15. C | 63. D |
| 16. B | 64. B |
| 17. B | 65. C |
| 18. D | 66. C |
| 19. A | 67. D |
| 20. D | 68. C |
| 21. B | 69. A |
| 22. C | 70. B |
| 23. A | 71. B |
| 24. D | 72. C |
| 25. C | 73. C |
| 26. C | 74. A |
| 27. A | 75. B |
| 28. C | 76. C |
| 29. A | 77. C |
| 30. B | 78. D |
| 31. D | |
| 32. D | |
| 33. C | |
| 34. A | |
| 35. B | |
| 36. D | |
| 37. B | |
| 38. A | |
| 39. C | |
| 40. D | |
| 41. A | |
| 42. A | |
| 43. C | |
| 44. B | |
| 45. B | |
| 46. A | |
| 47. D | |
| 48. D | |

ANATOMY AND PHYSIOLOGY # 1

- | | |
|-------|-------|
| 1. D | 49. D |
| 2. B | 50. A |
| 3. C | 51. C |
| 4. A | 52. B |
| 5. A | 53. D |
| 6. D | 54. C |
| 7. C | 55. A |
| 8. B | |
| 9. A | |
| 10. B | |
| 11. C | |
| 12. D | |
| 13. A | |
| 14. B | |
| 15. D | |
| 16. C | |
| 17. A | |
| 18. B | |
| 19. A | |
| 20. C | |
| 21. B | |
| 22. A | |
| 23. D | |
| 24. A | |
| 25. D | |
| 26. C | |
| 27. D | |
| 28. B | |
| 29. A | |
| 30. B | |
| 31. B | |
| 32. A | |
| 33. C | |
| 34. C | |
| 35. D | |
| 36. D | |
| 37. B | |
| 38. A | |
| 39. A | |
| 40. C | |
| 41. B | |
| 42. D | |
| 43. A | |
| 44. D | |
| 45. C | |
| 46. B | |
| 47. A | |
| 48. B | |

HEALTH SERVICE SUPPORT #1

- 1. A
- 2. C
- 3. A
- 4. B
- 5. C
- 6. D
- 7. B
- 8. B
- 9. B
- 10. A
- 11. B
- 12. D
- 13. C
- 14. C
- 15. A
- 16. D
- 17. B
- 18. D
- 19. B
- 20. B

NBC WARFARE #1

- 1. B
- 2. D
- 3. A
- 4. C
- 5. D
- 6. A
- 7. D
- 8. B
- 9. C
- 10. A
- 11. D
- 12. D
- 13. B
- 14. B
- 15. C
- 16. C
- 17. D

**LABORATORY
FORM #1**

1. B
2. C
3. A
4. D
5. B
6. C
7. B
8. A
9. A
10. B
11. D
12. A
13. C
14. B
15. D
16. B
17. A
18. C
19. A
20. D
21. A
22. A
23. C
24. D
25. B
26. B
27. A
28. B
29. C
30. D
31. C
32. C

**LABORATORY FORM #1
E-6 AND ABOVE**

- 1. D
- 2. C
- 3. B
- 4. A
- 5. B
- 6. A
- 7. B
- 8. A
- 9. B
- 10. D
- 11. B
- 12. D
- 13. C
- 14. D
- 15. A

PATIENT CARE # 1

- 1. A
- 2. B
- 3. D
- 4. A
- 5. C
- 6. C
- 7. D
- 8. C
- 9. B
- 10. D

**FIRST AID
FORM #1**

1. D 49. A
2. B 50. D
3. A 51. D
4. B 52. B
5. C 53. C
6. D 54. A
7. D 55. B
8. C 56. C
9. A 57. D
10. B 58. D
11. D 59. A
12. A 60. B
13. D 61. C
14. C 62. A
15. C 63. A
16. B 64. B
17. A 65. C
18. D 66. C
19. C 67. D
20. A 68. C
21. D 69. C
22. B 70. D
23. B 71. B
24. A 72. C
25. C 73. A
26. D 74. A
27. D 75. A
28. B 76. B
29. C 77. D
30. A 78. B
31. D 79. C
32. A 80. A
33. A 81. A
34. B 82. D
35. B 83. B
36. D 84. C
37. D
38. D
39. C
40. A
41. A
42. B
43. A
44. A
45. D
46. C
47. D
48. C

**EMERGENCY PROCEDURES #1
E-6 & ABOVE**

- 1. A
- 2. C
- 3. B
- 4. D
- 5. D
- 6. A
- 7. C
- 8. A
- 9. B
- 10. B
- 11. D
- 12. C
- 13. D
- 14. D
- 15. A
- 16. C
- 17. C
- 18. D
- 19. A
- 20. B
- 21. A
- 22. C
- 23. D
- 24. B
- 25. A
- 26. B
- 27. C
- 28. D
- 29. A
- 30. C
- 31. B
- 32. D
- 33. B
- 34. A
- 35. A
- 36. B
- 37. D

DIET THERAPY #1
E-6 AND E-7

1. A
2. C
3. B
4. D
5. C
6. B
7. C
8. A
9. D
10. D
11. B

**ADMINISTRATION #1
HEALTH RECORDS**

1. D
2. C
3. B
4. D
5. A
6. A
7. C
8. C
9. C
10. D
11. B
12. D
13. A
14. C
15. A
16. C
17. C
18. B
19. C
20. A
21. B
22. B
23. B
24. A
25. B
26. C
27. D
28. D
29. A
30. C
31. D
32. B
33. A
34. C
35. B
36. B
37. C
38. D
39. A
40. B
41. A
42. A
43. A

TERMINAL DIGIT #1

1. A
2. C
3. C
4. D
5. B
6. A
7. C
8. D
9. C
10. C
11. D
12. A
13. C
14. B
15. D
16. C
17. C

FAMILY ADVOCACY PROGRAM AND MISCELLANEOUS #1

- 1. C
- 2. B
- 3. D
- 4. D
- 5. A
- 6. C
- 7. B
- 8. D
- 9. C
- 10. D
- 11. C
- 12. D
- 13. D
- 14. B
- 15. C
- 16. C
- 17. A
- 18. D
- 19. A
- 20. B
- 21. C
- 22. D
- 23. D
- 24. A
- 25. B
- 26. D
- 27. C
- 28. B
- 29. C
- 30. D
- 31. C
- 32. A
- 33. D
- 34. A
- 35. C
- 36. D

MMART #1

1. A
2. C
3. B
4. A
5. D
6. D
7. C
8. A
9. B
10. A
11. D
12. D
13. A
14. C
15. A
16. B
17. C
18. A
19. C
20. B
21. B
22. D
23. B
24. D

PREVENTIVE MEDICINE #1

1. A
2. B
3. C
4. D
5. D
6. A
7. B
8. C
9. C
10. C
11. D
12. D
13. A
14. A
15. C
16. B
17. B
18. D
19. B
20. C
21. D
22. B
23. D
24. A
25. C
26. B
27. A
28. B
29. B
30. C
31. A
32. D
33. D
34. B
35. B
36. C
37. C
38. B
39. A
40. D
41. C
42. D
43. B
44. A
45. D

**PREVENTIVE MEDICINE
E-6 AND ABOVE #1**

1. D
2. B
3. D
4. C
5. A
6. B
7. C
8. B
9. B
10. A
11. D
12. C
13. A
14. D
15. B
16. C
17. D
18. B

**NBC WARFARE #1
E-6 AND ABOVE**

1. B
2. C
3. A
4. D
5. D
6. A

**SECURITY #1
E-7**

1. A
2. C
3. B
4. C
5. D
6. C
7. B
8. D
9. C
10. B
11. B
12. C
13. A
14. A
15. D
16. A

MILITARY REQUIREMENTS #1

1. A
2. B
3. C
4. D
5. D
6. A
7. D
8. B
9. C
10. D
11. B
12. C
13. D
14. A
15. D
16. B
17. A
18. B
19. C
20. C
21. A
22. B
23. B
24. D
25. A
26. B
27. A
28. A
29. C
30. D
31. B
32. A
33. B
34. D
35. A
36. B
37. C
38. D
39. A

CORRESPONDENCE #1

1. A
2. D
3. B
4. C
5. A
6. B
7. D
8. C
9. D
10. C
11. B
12. D
13. B
14. D
15. D
16. C
17. B
18. A
19. C
20. A

FOOD SANITATION #1

1. A
2. B
3. C
4. C
5. D
6. A
7. D
8. B
9. D
10. B
11. D
12. A
13. C
14. C
15. B
16. D
17. C
18. B
19. C
20. D
21. A
22. B
23. D
24. B
25. A
26. C
27. D

IMMUNIZATIONS #1

1. D
2. D
3. C
4. B
5. A
6. D
7. B
8. B
9. C
10. A
11. B
12. B
13. C
14. A
15. A
16. D
17. C
18. D
19. C
20. D

**PHARMACY AND TOXICOLOGY
FORM #1**

- | | |
|-------|-------|
| 1. C | 49. C |
| 2. B | 50. A |
| 3. B | 51. C |
| 4. D | 52. D |
| 5. A | 53. A |
| 6. B | 54. B |
| 7. B | 55. C |
| 8. C | 56. C |
| 9. D | 57. C |
| 10. D | 58. A |
| 11. C | 59. D |
| 12. A | 60. C |
| 13. B | 61. C |
| 14. C | 62. B |
| 15. D | 63. B |
| 16. A | 64. B |
| 17. C | 65. D |
| 18. B | 66. B |
| 19. D | 67. C |
| 20. C | 68. B |
| 21. A | 69. A |
| 22. D | 70. D |
| 23. B | 71. D |
| 24. C | 72. C |
| 25. B | 73. D |
| 26. D | 74. B |
| 27. A | 75. B |
| 28. C | 76. C |
| 29. C | 77. C |
| 30. A | 78. D |
| 31. D | |
| 32. B | |
| 33. A | |
| 34. C | |
| 35. D | |
| 36. B | |
| 37. A | |
| 38. B | |
| 39. C | |
| 40. B | |
| 41. D | |
| 42. A | |
| 43. A | |
| 44. B | |
| 45. A | |
| 46. D | |
| 47. D | |
| 48. B | |

SUPPLY #1

1. A
2. D
3. C
4. B
5. C
6. B
7. B
8. C
9. A
10. A
11. B
12. C
13. C
14. A
15. D
16. C
17. C
18. B

**OPTICAL CHARACTER RECOGNITION (OCR)
TYPEWRITER AND FORMS
FORM #1**

1. B
2. A
3. D
4. C
5. B
6. D
7. C
8. B
9. B
10. D
11. B
12. D
13. A
14. C
15. D
16. A
17. C
18. C
19. B
20. D
21. B

ADMINISTRATION #2
E-6 & ABOVE

1. C 49. A
2. D 50. B
3. A 51. B
4. B 52. D
5. A 53. D
6. C 54. D
7. C 55. D
8. C 56. A
9. A 57. B
10. B 58. C
11. C 59. C
12. A 60. B
13. B 61. B
14. C 62. D
15. A 63. B
16. B 64. A
17. C 65. D
18. A 66. D
19. D 67. C
20. D 68. A
21. B 69. C
22. C 70. B
23. A 71. A
24. C 72. B
25. C 73. B
26. B 74. A
27. A 75. D
28. A 76. D
29. C 77. C
30. B 78. B
31. A
32. B
33. B
34. C
35. A
36. C
37. D
38. B
39. A
40. C
41. D
42. B
43. B
44. A
45. D
46. B
47. D
48. C

ANATOMY AND PHYSIOLOGY # 2

1. D
2. B
3. C
4. A
5. A
6. D
7. C
8. B
9. A
10. B
11. C
12. D
13. A
14. B
15. D
16. C
17. A
18. A
19. C
20. A
21. B
22. A
23. D
24. A
25. D
26. C
27. D
28. B
29. A
30. B
31. B
32. A
33. C
34. C
35. D
36. D
37. B
38. A
39. A
40. C
41. B
42. D
43. A
44. D
45. C
46. B
47. A
48. D
49. B
50. A
51. C
52. B
53. D
54. C
55. A

HEALTH SERVICES SUPPORT #2

1. B
2. C
3. A
4. B
5. D
6. B
7. D
8. B
9. B
10. B
11. C
12. D
13. B
14. C
15. A
16. B
17. C
18. D
19. A
20. C

NBC WARFARE #2

1. D
2. A
3. C
4. D
5. A
6. D
7. B
8. C
9. A
10. D
11. D
12. B
13. B
14. C
15. C
16. D
17. B

LABORATORY FORM # 2

- 1. A
- 2. D
- 3. B
- 4. D
- 5. B
- 6. D
- 7. D
- 8. C
- 9. A
- 10. D
- 11. A
- 12. A
- 13. B
- 14. B
- 15. D
- 16. C
- 17. D
- 18. A
- 19. D
- 20. B
- 21. B
- 22. C
- 23. C
- 24. A
- 25. B
- 26. D
- 27. D
- 28. B
- 29. B
- 30. B
- 31. D
- 32. B

**LABORATORY FORM #2
E-6 AND ABOVE**

- 1. D
- 2. D
- 3. B
- 4. A
- 5. D
- 6. A
- 7. A
- 8. B
- 9. A
- 10. C
- 11. A
- 12. D
- 13. C
- 14. A
- 15. C

PATIENT CARE # 2

- 1. A
- 2. B
- 3. D
- 4. D
- 5. C
- 6. D
- 7. A
- 8. C
- 9. B
- 10. C

**FIRST AID
FORM #2**

1. D 49. A
2. A 50. B
3. B 51. C
4. C 52. D
5. B 53. A
6. A 54. D
7. A 55. D
8. B 56. A
9. C 57. C
10. B 58. B
11. C 59. B
12. B 60. D
13. D 61. B
14. D 62. C
15. A 63. A
16. A 64. B
17. B 65. A
18. D 66. D
19. C 67. B
20. B 68. D
21. A 69. D
22. C 70. A
23. C 71. C
24. D 72. D
25. C 73. B
26. B 74. C
27. C 75. D
28. C 76. A
29. C 77. B
30. A 78. C
31. A 79. D
32. C 80. B
33. A 81. A
34. C 82. C
35. D 83. D
36. D 84. A
37. C 85. D
38. C
39. D
40. B
41. D
42. C
43. A
44. A
45. B
46. D
47. C
48. C

EMERGENCY PROCEDURES # 2
E-6 AND ABOVE

- 1. A
- 2. C
- 3. B
- 4. D
- 5. A
- 6. D
- 7. B
- 8. C
- 9. A
- 10. B
- 11. D
- 12. C
- 13. D
- 14. A
- 15. B
- 16. C
- 17. D
- 18. A
- 19. B
- 20. A
- 21. C
- 22. B
- 23. D
- 24. C
- 25. A
- 26. D
- 27. A
- 28. B
- 29. C
- 30. D
- 31. A
- 32. C
- 33. A
- 34. D
- 35. B
- 36. B
- 37. C

**DIET THERAPY #2
E-6 AND ABOVE**

1. C
2. A
3. B
4. D
5. C
6. C
7. A
8. B
9. D
10. D
11. D

**ADMINISTRATION #2
(HEALTH RECORD)**

1. D
2. D
3. D
4. A
5. B
6. A
7. C
8. C
9. D
10. B
11. C
12. C
13. A
14. B
15. A
16. C
17. B
18. A
19. B
20. A
21. A
22. D
23. D
24. C
25. A
26. C
27. D
28. C
29. B
30. D
31. A
32. C
33. C
34. A
35. C
36. B
37. C
38. B
39. C
40. A
41. B
42. A

TERMINAL DIGIT #2

1. A
2. C
3. D
4. D
5. D
6. D
7. B
8. C
9. C
10. B
11. C
12. D
13. D
14. A
15. C
16. B
17. D
18. C
19. B
20. C

FAMILY ADVOCACY PROGRAM AND MISCELLANEOUS # 2

- 1. C
- 2. B
- 3. D
- 4. D
- 5. A
- 6. C
- 7. D
- 8. C
- 9. D
- 10. C
- 11. B
- 12. C
- 13. D
- 14. C
- 15. B
- 16. B
- 17. C
- 18. D
- 19. A
- 20. B
- 21. C
- 22. D
- 23. D
- 24. A
- 25. B
- 26. D
- 27. C
- 28. B
- 29. C
- 30. D
- 31. A
- 32. B
- 33. A
- 34. C
- 35. A
- 36. C

MMART # 2

- 1. B
- 2. C
- 3. A
- 4. D
- 5. D
- 6. C
- 7. B
- 8. A
- 9. B
- 10. D
- 11. D
- 12. D
- 13. D
- 14. A
- 15. D
- 16. C
- 17. A
- 18. A
- 19. C
- 20. B
- 21. C
- 22. C

PREVENTIVE MEDICINE # 2

1. A
2. B
3. C
4. D
5. D
6. A
7. B
8. C
9. A
10. D
11. C
12. C
13. D
14. D
15. A
16. A
17. C
18. B
19. B
20. D
21. B
22. A
23. D
24. D
25. B
26. A
27. C
28. A
29. B
30. B
31. B
32. D
33. A
34. C
35. D
36. B
37. B
38. C
39. C
40. A
41. B
42. D
43. B
44. D
45. B

PREVENTIVE MEDICINE E-6 AND ABOVE # 2

1. D
2. B
3. D
4. C
5. A
6. B
7. C
8. B
9. B
10. A
11. D
12. C
13. B
14. D
15. B
16. D
17. C
18. B

NBC WARFARE # 2 E-6 AND ABOVE

- 1. B
- 2. C
- 3. A
- 4. D
- 5. C
- 6. C
- 7. D
- 8. A
- 9. D

**SECURITY # 2 E-7
E-7 CANDIDATES**

- 1. D
- 2. C
- 3. A
- 4. C
- 5. D
- 6. C
- 7. A
- 8. B
- 9. B
- 10. D
- 11. A
- 12. D
- 13. C
- 14. D
- 15. D
- 16. D

MILITARY REQUIREMENTS # 2

1. B
2. A
3. C
4. D
5. C
6. D
7. A
8. B
9. C
10. D
11. C
12. C
13. D
14. A
15. B
16. D
17. A
18. B
19. C
20. C
21. A
22. C
23. D
24. C
25. A
26. B
27. A
28. D
29. C
30. D
31. B
32. A
33. B
34. D
35. A
36. B
37. C
38. D
39. A

CORRESPONDENCE # 2

- 1. C
- 2. D
- 3. B
- 4. C
- 5. A
- 6. B
- 7. D
- 8. A
- 9. D
- 10. A
- 11. B
- 12. A
- 13. B
- 14. D
- 15. C
- 16. D
- 17. A
- 18. A
- 19. C
- 20. A

FOOD SANITATION # 2

- 1. A
- 2. B
- 3. D
- 4. D
- 5. C
- 6. C
- 7. A
- 8. D
- 9. D
- 10. D
- 11. A
- 12. A
- 13. B
- 14. C
- 15. B
- 16. B
- 17. C
- 18. B
- 19. D
- 20. C
- 21. D
- 22. A
- 23. D

IMMUNIZATIONS # 2

1. D
2. C
3. D
4. B
5. D
6. A
7. B
8. B
9. C
10. A
11. B
12. B
13. C
14. A
15. A
16. C
17. A
18. D
19. C
20. D

FOOD SERVICE # 2

1. D
2. B
3. A
4. C
5. D

PHARMACY & TOXICOLOGY # 2

50. A
1. C 51. C
2. B 52. D
3. A 53. A
4. D 54. B
5. A 55. B
6. B 56. C
7. B 57. A
8. C 58. A
9. D 59. D
10. D 60. C
11. C 61. B
12. A 62. C
13. B 63. A
14. C 64. B
15. D 65. D
16. A 66. D
17. C 67. C
18. B 68. B
19. D 69. A
20. C 70. A
21. A 71. B
22. D 72. C
23. B 73. D
24. C 74. A
25. B 75. A
26. D 76. C
27. A 77. D
28. C
29. C
30. A
31. D
32. B
33. A
34. C
35. D
36. B
37. A
38. B
39. C
40. B
41. D
42. A
43. A
44. B
45. A
46. D
47. D
48. B
49. C

SUPPLY # 2

1. C
2. D
3. A
4. C
5. C
6. A
7. C
8. D
9. C
10. B
11. D
12. A
13. C
14. A
15. B
16. D
17. C
18. B

**OPTICAL CHARACTER RECOGNITION (OCR)
TYPEWRITER AND FORMS # 2**

1. B
2. A
3. D
4. C
5. B
6. B
7. D
8. B
9. C
10. C
11. A
12. B
13. C
14. D
15. B
16. D
17. C
18. B
19. A
20. B
21. A